

This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



LEGEND

—	BRANCH IDENTIFIER
RW01:10	SECTION IDENTIFIER
—	SECTION BOUNDARY
	PCI 86-100 GOOD
	PCI 71-85 SATISFACTORY
	PCI 56-70 FAIR
	PCI 41-55 POOR
	PCI 26-40 VERY POOR
	PCI 11-25 SERIOUS
	PCI 0-10 FAILED

CURRENT 2021 PAVEMENT CONDITION INDEX

Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
AP	01	Apron	AC	16,920	26.9	1/1/1995	9/10/2021	49	Poor
AP	04	Apron	AC	9,000	26.9	1/1/1995	9/10/2021	54	Poor
AP	05	Apron	AC	9,000	26.9	1/1/1995	9/10/2021	46	Poor
RW14	01	Runway 14-32	AC	490,000	26.9	1/1/1995	9/10/2021	47	Poor
RW14	02	Runway 14-32	AC	91,000	26.9	1/1/1995	9/10/2021	52	Poor
TW	01	Taxiway	AC	12,000	26.9	1/1/1995	9/10/2021	56	Fair

AIRFIELD PAVEMENT WORK HISTORY

- 1995, NEW AIRPORT CONSTRUCTION (HISTORICAL AERIAL).

Runway



RW14-01-55: L&T Cracking



RW14-02-16: L&T Cracking

Taxiway



TW01-01: L&T Cracking



TW01-02: L&T Cracking

Apron



AP01-02: Block Cracking



AP01-03: Shoving

Re-Inspection Report

MDT SASP 2021

Generated Date 12/6/2021

Page 1 of 6

Network: 4U9 Name: Dell Flight Strip Airport

Branch: AP Name: Apron Use: APRON Area: 34,920 SqFt

Section: 01 of 3 From: - To: - Last Const.: 1/1/1995

Surface: AC Family: DEFAULT Zone: Category: Rank: P

Area: 16,920 SqFt Length: 120 Ft Width: 141 Ft

Slabs: Slab Length: Ft Slab Width: Ft Joint Length: Ft

Shoulder: Street Type: Grade: 0 Lanes: 0

Section Comments:

Work Date: 1/1/1995 Work Type: New Construction - AC Code: NC-AC Is Major M&R: True

Last Insp. Date: 9/10/2021 TotalSamples: 4 Surveyed: 3

Conditions: PCI: 49

Inspection Comments:

Sample Number: 02 Type: R Area: 4427.00 SqFt PCI: 49

Sample Comments:

43 BLOCK CR L 1000.00 SqFt
43 BLOCK CR M 1500.00 SqFt
52 RAVELING L 1000.00 SqFt
57 WEATHERING M 3427.00 SqFt

Sample Number: 03 Type: R Area: 4668.00 SqFt PCI: 51

Sample Comments:

43 BLOCK CR M 1000.00 SqFt
48 L & T CR M 140.00 Ft
52 RAVELING L 1000.00 SqFt
54 SHOVING L 20.00 SqFt
57 WEATHERING M 3668.00 SqFt

Sample Number: 04 Type: R Area: 4604.00 SqFt PCI: 46

Sample Comments:

43 BLOCK CR L 3000.00 SqFt
43 BLOCK CR M 1000.00 SqFt
52 RAVELING L 1000.00 SqFt
57 WEATHERING M 3604.00 SqFt

Network:	4U9	Name:	Dell Flight Strip Airport					
Branch:	AP	Name:	Apron	Use:	APRON	Area:	34,920 SqFt	
Section:	04	of 3	From:	RW14	To:	-	Last Const.:	1/1/1995
Surface:	AC	Family:	DEFAULT	Zone:		Category:	Rank:	P
Area:	9,000 SqFt	Length:	180 Ft	Width:	50 Ft			
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:		Street Type:		Grade:	0	Lanes:	0	
Section Comments:								
Work Date:	1/1/1995	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True
Last Insp. Date:	9/10/2021	TotalSamples:	1	Surveyed:	1			
Conditions:	PCI: 54							
Inspection Comments:								
Sample Number:	01	Type:	R	Area:	5000.00 SqFt	PCI:	54	
Sample Comments:								
48	L & T CR	M	480.00 Ft					
52	RAVELING	L	5000.00 SqFt					

Network: 4U9 **Name:** Dell Flight Strip Airport

Branch: AP **Name:** Apron **Use:** APRON **Area:** 34,920 SqFt

Section: 05 of 3 **From:** RW32 **To:** - **Last Const.:** 1/1/1995

Surface: AC **Family:** DEFAULT **Zone:** **Category:** **Rank:** P

Area: 9,000 SqFt **Length:** 180 Ft **Width:** 50 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 1/1/1995 **Work Type:** New Construction - AC **Code:** NC-AC **Is Major M&R:** True

Last Insp. Date: 9/10/2021 **TotalSamples:** 1 **Surveyed:** 1

Conditions: PCI: 46

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 5057.00 SqFt **PCI:** 46

Sample Comments:

43	BLOCK CR	M	750.00	SqFt
45	DEPRESSION	M	1.00	SqFt
48	L & T CR	L	100.00	Ft
48	L & T CR	M	300.00	Ft
52	RAVELING	L	5000.00	SqFt

Network:	4U9	Name:	Dell Flight Strip Airport						
Branch:	RW14	Name:	Runway 14-32	Use:	RUNWAY	Area:	581,000 SqFt		
Section:	01	of	2	From:	-	To:	-	Last Const.:	1/1/1995
Surface:	AC	Family:	DEFAULT	Zone:		Category:		Rank:	P
Area:	490,000 SqFt	Length:	7,000 Ft	Width:	50 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	1/1/1995	Work Type:	New Construction - AC	Code:	NC-AC	Is Major M&R:	True		
Last Insp. Date:	9/10/2021	TotalSamples:	70	Surveyed:	6				
Conditions:	PCI: 47								
Inspection Comments:									
Sample Number:	11	Type:	R	Area:	5000.00 SqFt	PCI:	44		
Sample Comments:									
48	L & T CR	L	135.00	Ft					
48	L & T CR	M	415.00	Ft					
48	L & T CR	H	80.00	Ft					
52	RAVELING	L	5000.00	SqFt					
Sample Number:	22	Type:	R	Area:	5000.00 SqFt	PCI:	44		
Sample Comments:									
48	L & T CR	L	65.00	Ft					
48	L & T CR	M	525.00	Ft					
48	L & T CR	H	15.00	Ft					
52	RAVELING	L	5000.00	SqFt					
Sample Number:	33	Type:	R	Area:	5000.00 SqFt	PCI:	50		
Sample Comments:									
48	L & T CR	L	25.00	Ft					
48	L & T CR	M	465.00	Ft					
48	L & T CR	H	15.00	Ft					
52	RAVELING	L	5000.00	SqFt					
Sample Number:	44	Type:	R	Area:	5000.00 SqFt	PCI:	44		
Sample Comments:									
48	L & T CR	L	150.00	Ft					
48	L & T CR	M	435.00	Ft					
48	L & T CR	H	75.00	Ft					
52	RAVELING	L	5000.00	SqFt					
Sample Number:	55	Type:	R	Area:	5000.00 SqFt	PCI:	47		
Sample Comments:									
48	L & T CR	L	50.00	Ft					
48	L & T CR	M	430.00	Ft					
48	L & T CR	H	65.00	Ft					
52	RAVELING	L	5000.00	SqFt					
Sample Number:	66	Type:	R	Area:	5000.00 SqFt	PCI:	54		
Sample Comments:									
48	L & T CR	L	300.00	Ft					
48	L & T CR	M	350.00	Ft					
52	RAVELING	L	5000.00	SqFt					

Network:	4U9	Name:	Dell Flight Strip Airport				
Branch:	RW14	Name:	Runway 14-32	Use:	RUNWAY	Area:	581,000 SqFt
Section:	02	of 2	From:	-	To:	-	Last Const.: 1/1/1995
Surface:	AC	Family:	DEFAULT	Zone:		Category:	Rank: P
Area:	91,000 SqFt	Length:	7,000 Ft	Width:	13 Ft		
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft
Shoulder:		Street Type:		Grade:	0	Lanes:	0
Section Comments:							
Work Date:	1/1/1995	Work Type:	New Construction - AC	Code:	NC-AC	Is Major M&R:	True
Last Insp. Date:	9/10/2021	TotalSamples:	34	Surveyed:	6		
Conditions:	PCI: 52						
Inspection Comments:							
Sample Number:	10	Type:	R	Area:	5000.00 SqFt	PCI:	52
Sample Comments:							
48	L & T CR	M	296.00 Ft				
48	L & T CR	H	72.00 Ft				
52	RAVELING	L	5000.00 SqFt				
Sample Number:	13	Type:	R	Area:	5000.00 SqFt	PCI:	47
Sample Comments:							
48	L & T CR	M	296.00 Ft				
48	L & T CR	H	84.00 Ft				
50	PATCHING	M	4.00 SqFt				
52	RAVELING	L	4996.00 SqFt				
Sample Number:	16	Type:	R	Area:	5000.00 SqFt	PCI:	55
Sample Comments:							
48	L & T CR	M	320.00 Ft				
48	L & T CR	H	39.00 Ft				
52	RAVELING	L	5000.00 SqFt				
Sample Number:	19	Type:	R	Area:	5000.00 SqFt	PCI:	53
Sample Comments:							
48	L & T CR	M	380.00 Ft				
48	L & T CR	H	36.00 Ft				
52	RAVELING	L	5000.00 SqFt				
Sample Number:	22	Type:	R	Area:	5000.00 SqFt	PCI:	55
Sample Comments:							
48	L & T CR	M	452.00 Ft				
48	L & T CR	H	12.00 Ft				
52	RAVELING	L	5000.00 SqFt				
Sample Number:	24	Type:	R	Area:	5000.00 SqFt	PCI:	53
Sample Comments:							
48	L & T CR	M	404.00 Ft				
48	L & T CR	H	36.00 Ft				
52	RAVELING	L	5000.00 SqFt				

Network: 4U9 **Name:** Dell Flight Strip Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 12,000 SqFt

Section: 01 of 1 **From:** - **To:** - **Last Const.:** 1/1/1995

Surface: AC **Family:** DEFAULT **Zone:** **Category:** **Rank:** P

Area: 12,000 SqFt **Length:** 300 Ft **Width:** 40 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 1/1/1995 **Work Type:** New Construction - AC **Code:** NC-AC **Is Major M&R:** True

Last Insp. Date: 9/10/2021 **TotalSamples:** 2 **Surveyed:** 2

Conditions: PCI: 56

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 6712.00 SqFt **PCI:** 51

Sample Comments:

48 L & T CR L 200.00 Ft
48 L & T CR M 430.00 Ft
48 L & T CR H 57.00 Ft
52 RAVELING L 1000.00 SqFt
57 WEATHERING M 5712.00 SqFt

Sample Number: 02 **Type:** R **Area:** 6588.00 SqFt **PCI:** 61

Sample Comments:

48 L & T CR M 285.00 Ft
48 L & T CR H 14.00 Ft
52 RAVELING L 1000.00 SqFt
57 WEATHERING M 5588.00 SqFt