



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



CURRENT 2021 PAVEMENT CONDITION INDEX

Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
AP	03	Apron	AC	171,360	20	8/1/2001	8/19/2021	68	Fair
RW04	04	Runway 04-22	AC	390,000	21	8/1/2000	8/19/2021	70	Fair
RW14	05	Runway 14-32	AC	180,000	3	3/31/2019	8/19/2021	88	Good
TW	01	Taxiway	AC	85,680	33	7/31/1988	8/19/2021	51	Poor
TW	02	Taxiway	AC	51,566	19	7/31/1988	8/19/2021	38	Very Poor
TW	05	Taxiway	AC	31,340	3	11/1/2002	8/19/2021	85	Satisfactory
TW	06	Taxiway	AC	28,520	21	11/1/2002	8/19/2021	84	Satisfactory
TW	08	Taxiway	AC	98,550	33	8/1/2000	8/19/2021	69	Fair
TW	09	Taxiway	AC	67,060	20	8/1/2001	8/19/2021	72	Satisfactory
TW	10	Taxiway	AC	32,750	19	11/1/2002	8/19/2021	82	Satisfactory
TW	11	Taxiway	AC	42,162	19	3/31/2019	8/19/2021	91	Good

AIRFIELD PAVEMENT WORK HISTORY

1. FAAP, 1967
2. ADAP-01, 1980
3. ADAP-02, 1981
4. AIP-001-1983
5. AIP-002-1988
6. AIP-006-2000, CONSTRUCT RUNWAY 4/22 AND TAXIWAY (TW:08).
7. AIP-007-2001, CONSTRUCT TAXIWAY A "WEST" (TW:09); EXPAND APRON (AP:03).
8. AIP-008-2002, RECONSTRUCT TAXILANES (TW:05,TW:06); CONSTRUCT TAXILANES (TW:10); CRACK SEAL, FOG SEAL, AND REMARK TAXIWAYS (TW:01,TW:02).
9. AIP-012-2007, CRACK SEAL AND REMARK PAVEMENTS.
10. AIP-013-2012, CRACK SEAL, FOG SEAL, AND REMARK PAVEMENTS.
11. AIP-018-2017, CONSTRUCT RUNWAY 14-32 (RW14:05), CONSTRUCT TAXIWAY A EXTENSION (TW:11).
12. AIP-020-2020, CRACK SEAL, SURFACE SEAL, REMARK ALL PAVEMENTS EXCEPT RW14 AND TW:11

MONTANA AVIATION SYSTEM PLAN
2021 PAVEMENT CONDITION INDEXES
PREPARED FOR
Montana Department of Transportation
Division of Aeronautics



Pavement Condition Index Map
6S8 - LAUREL MUNICIPAL AIRPORT

Runway



RW04-04-50: L&T Cracking



RW14-05-06: Weathering

Taxiway



TW02-06: Overview



TW10-02: Weathering



TW01-07: Alligator Cracking

Apron



AP03-21: L&T Cracking

Re-Inspection Report

MDT SASP 2021

Generated Date 12/16/2021

Page 1 of 12

Network: 6S8 **Name:** Laurel Municipal Airport

Branch: AP **Name:** Apron **Use:** APRON **Area:** 171,360 SqFt

Section: 03 of 1 **From:** T-1 & T-9 **To:** HANGARS **Last Const.:** 8/1/2001

Surface: AC **Family:** DEFAULT **Zone:** LAUR **Category:** D **Rank:** P

Area: 171,360 SqFt **Length:** 680 Ft **Width:** 243 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACN **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/1/2001 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 1/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Work Date: 1/1/2020 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

Last Insp. Date: 8/19/2021 **Total Samples:** 37 **Surveyed:** 5

Conditions: PCI: 68

Inspection Comments:

Sample Number: 05 **Type:** R **Area:** 4705.00 SqFt **PCI:** 68

Sample Comments:

48	L & T CR	L	418.00 Ft
52	RAVELING	L	470.00 SqFt
57	WEATHERING	L	4235.00 SqFt

Sample Number: 13 **Type:** R **Area:** 4705.00 SqFt **PCI:** 71

Sample Comments:

48	L & T CR	L	326.00 Ft
52	RAVELING	L	235.00 SqFt
57	WEATHERING	L	4470.00 SqFt

Sample Number: 21 **Type:** R **Area:** 4705.00 SqFt **PCI:** 64

Sample Comments:

48	L & T CR	L	388.00 Ft
48	L & T CR	M	97.00 Ft
52	RAVELING	L	1176.00 SqFt
57	WEATHERING	L	3529.00 SqFt

Sample Number: 29 **Type:** R **Area:** 4705.00 SqFt **PCI:** 64

Sample Comments:

48	L & T CR	L	411.00 Ft
48	L & T CR	M	25.00 Ft
52	RAVELING	L	470.00 SqFt
57	WEATHERING	L	4235.00 SqFt

Sample Number: 37 **Type:** R **Area:** 7709.00 SqFt **PCI:** 72

Sample Comments:

48	L & T CR	L	524.00 Ft
52	RAVELING	L	771.00 SqFt
57	WEATHERING	L	6938.00 SqFt

Network:	6S8		Name:	Laurel Municipal Airport			
Branch:	RW04	Name:	Runway 04-22	Use:	RUNWAY	Area:	390,000 SqFt
Section:	04	of 1	From:	STA 10+00	To:	STA 62+00	Last Const.: 8/1/2000
Surface:	AC	Family:	DEFAULT	Zone:	LAUR	Category:	D
Area:	390,000 SqFt	Length:	5,200 Ft	Width:	75 Ft	Rank:	P
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:	Street Type:	ACM	Grade:	0	Lanes:	0	
Section Comments:							
Work Date:	8/1/2000	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R: True
Work Date:	1/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R: False
Work Date:	1/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R: False
Last Insp. Date:	8/19/2021	TotalSamples:	80	Surveyed:	7		
Conditions:	PCI: 70						
Inspection Comments:							
Sample Number:	02	Type:	R	Area:	4875.00 SqFt	PCI:	70
Sample Comments:							
48	L & T CR	L	187.00	Ft			
48	L & T CR	M	85.00	Ft			
52	RAVELING	L	488.00	SqFt			
57	WEATHERING	L	4387.00	SqFt			
Sample Number:	14	Type:	R	Area:	4875.00 SqFt	PCI:	69
Sample Comments:							
48	L & T CR	L	273.00	Ft			
48	L & T CR	M	50.00	Ft			
52	RAVELING	L	244.00	SqFt			
57	WEATHERING	L	4631.00	SqFt			
Sample Number:	26	Type:	R	Area:	4875.00 SqFt	PCI:	76
Sample Comments:							
48	L & T CR	L	98.00	Ft			
48	L & T CR	M	30.00	Ft			
52	RAVELING	L	244.00	SqFt			
57	WEATHERING	L	4631.00	SqFt			
Sample Number:	38	Type:	R	Area:	4875.00 SqFt	PCI:	68
Sample Comments:							
48	L & T CR	L	298.00	Ft			
48	L & T CR	M	36.00	Ft			
52	RAVELING	L	244.00	SqFt			
57	WEATHERING	L	4631.00	SqFt			
Sample Number:	50	Type:	R	Area:	4875.00 SqFt	PCI:	69
Sample Comments:							
48	L & T CR	L	266.00	Ft			
48	L & T CR	M	35.00	Ft			
52	RAVELING	L	244.00	SqFt			
57	WEATHERING	L	4631.00	SqFt			
Sample Number:	62	Type:	R	Area:	4875.00 SqFt	PCI:	69
Sample Comments:							
48	L & T CR	L	264.00	Ft			
48	L & T CR	M	15.00	Ft			
52	RAVELING	L	244.00	SqFt			
57	WEATHERING	L	4631.00	SqFt			
Sample Number:	77	Type:	R	Area:	4875.00 SqFt	PCI:	68
Sample Comments:							
48	L & T CR	L	451.00	Ft			

52	RAVELING	L	244.00	SqFt
57	WEATHERING	L	4631.00	SqFt

Network:	6S8	Name:	Laurel Municipal Airport						
Branch:	RW14	Name:	Runway 14-32	Use:	RUNWAY	Area:	180,000 SqFt		
Section:	05	of	1	From:	TW A	To:	RW14 End	Last Const.:	3/31/2019
Surface:	AC	Family:	DEFAULT	Zone:		Category:		Rank:	P
Area:	180,000 SqFt	Length:	3,000 Ft	Width:	60 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	3/31/2019	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	8/19/2021	TotalSamples:	38		Surveyed:	6			
Conditions:	PCI: 88								
Inspection Comments:									
Sample Number:	06	Type:	R	Area:	4800.00 SqFt	PCI:	84		
Sample Comments:									
48	L & T CR	L	160.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	11	Type:	R	Area:	4800.00 SqFt	PCI:	87		
Sample Comments:									
48	L & T CR	L	101.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	20	Type:	R	Area:	4800.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	22.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	26	Type:	R	Area:	4800.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR	L	60.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	30	Type:	R	Area:	4800.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR	L	67.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	34	Type:	R	Area:	4800.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	31.00	Ft					
57	WEATHERING	L	4800.00	SqFt					

Network:	6S8		Name:	Laurel Municipal Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	437,628 SqFt		
Section:	01	of 8	From:	RWY 13-31 AND T-2		To:	A-1 AND T-2	Last Const.:	7/31/1988
Surface:	AC	Family:	DEFAULT	Zone:	LAUR	Category:	D	Rank:	P
Area:	85,680 SqFt	Length:	2,380 Ft	Width:	36 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACM	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	7/31/1988	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	1/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Last Insp. Date:	8/19/2021	TotalSamples:	11	Surveyed:	4				
Conditions:	PCI:	51							
Inspection Comments:									
Sample Number:	07	Type:	R	Area:	4894.00 SqFt	PCI:	36		
Sample Comments:									
41	ALLIGATOR CR	L	86.00	SqFt					
41	ALLIGATOR CR	M	80.00	SqFt					
45	DEPRESSION	L	45.00	SqFt					
48	L & T CR	L	256.00	Ft					
48	L & T CR	M	100.00	Ft					
52	RAVELING	L	979.00	SqFt					
57	WEATHERING	L	3915.00	SqFt					
Sample Number:	10	Type:	R	Area:	4894.00 SqFt	PCI:	65		
Sample Comments:									
41	ALLIGATOR CR	L	14.00	SqFt					
48	L & T CR	L	259.00	Ft					
48	L & T CR	M	50.00	Ft					
52	RAVELING	L	979.00	SqFt					
57	WEATHERING	L	3915.00	SqFt					
Sample Number:	13	Type:	R	Area:	4894.00 SqFt	PCI:	56		
Sample Comments:									
41	ALLIGATOR CR	L	68.00	SqFt					
48	L & T CR	L	261.00	Ft					
48	L & T CR	M	50.00	Ft					
52	RAVELING	L	979.00	SqFt					
57	WEATHERING	L	3915.00	SqFt					
Sample Number:	15	Type:	R	Area:	4894.00 SqFt	PCI:	46		
Sample Comments:									
41	ALLIGATOR CR	L	22.00	SqFt					
41	ALLIGATOR CR	M	55.00	SqFt					
48	L & T CR	L	378.00	Ft					
48	L & T CR	M	50.00	Ft					
52	RAVELING	L	979.00	SqFt					
57	WEATHERING	L	3915.00	SqFt					

Network: 6S8 **Name:** Laurel Municipal Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 437,628 SqFt

Section: 02 of 8 **From:** T-3 @R-1 STA 14+50, END **To:** T-1 @R-1 STA21+50, END **Last Const.:** 7/31/1988

Surface: AC **Family:** DEFAULT **Zone:** LAUR **Category:** D **Rank:** P

Area: 51,566 SqFt **Length:** 1,357 Ft **Width:** 38 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACM **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 7/31/1988 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 1/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Work Date: 1/1/2020 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

Last Insp. Date: 8/19/2021 **TotalSamples:** 6 **Surveyed:** 3

Conditions: PCI: 38

Inspection Comments:

Sample Number: 02 **Type:** R **Area:** 4899.00 SqFt **PCI:** 21

Sample Comments:

41 ALLIGATOR CR L 246.00 SqFt
41 ALLIGATOR CR M 156.00 SqFt
52 RAVELING L 980.00 SqFt
52 RAVELING M 25.00 SqFt
53 RUTTING L 3588.00 SqFt
57 WEATHERING L 3894.00 SqFt

Sample Number: 04 **Type:** R **Area:** 4899.00 SqFt **PCI:** 64

Sample Comments:

41 ALLIGATOR CR L 20.00 SqFt
48 L & T CR L 153.00 Ft
48 L & T CR M 100.00 Ft
52 RAVELING L 980.00 SqFt
57 WEATHERING L 3919.00 SqFt

Sample Number: 06 **Type:** R **Area:** 3600.00 SqFt **PCI:** 26

Sample Comments:

41 ALLIGATOR CR L 152.00 SqFt
41 ALLIGATOR CR M 80.00 SqFt
42 BLEEDING N 46.00 SqFt
43 BLOCK CR L 2010.00 SqFt
45 DEPRESSION L 4.00 SqFt
48 L & T CR L 153.00 Ft
48 L & T CR M 50.00 Ft
50 PATCHING L 646.00 SqFt
52 RAVELING L 851.00 SqFt
57 WEATHERING L 3402.00 SqFt

Network:	6S8	Name:	Laurel Municipal Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	437,628 SqFt		
Section:	05	of 8	From:	T-2	To:	HANGARS	Last Const.:	11/1/2002	
Surface:	AC	Family:	DEFAULT	Zone:		Category:		Rank:	P
Area:	31,340 SqFt	Length:	1,567 Ft	Width:	20 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	11/1/2002	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Work Date:	1/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	1/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Last Insp. Date:	8/19/2021	TotalSamples:	7	Surveyed:	4				
Conditions:	PCI: 85								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	5100.00 SqFt	PCI:	84		
Sample Comments:									
48	L & T CR	L	25.00	Ft					
52	RAVELING	L	255.00	SqFt					
57	WEATHERING	L	4845.00	SqFt					
Sample Number:	03	Type:	R	Area:	4250.00 SqFt	PCI:	88		
Sample Comments:									
52	RAVELING	L	212.00	SqFt					
57	WEATHERING	L	4038.00	SqFt					
Sample Number:	05	Type:	R	Area:	4250.00 SqFt	PCI:	84		
Sample Comments:									
48	L & T CR	L	33.00	Ft					
52	RAVELING	L	212.00	SqFt					
57	WEATHERING	L	4038.00	SqFt					
Sample Number:	07	Type:	R	Area:	4620.00 SqFt	PCI:	83		
Sample Comments:									
45	DEPRESSION	L	9.00	SqFt					
48	L & T CR	L	29.00	Ft					
52	RAVELING	L	231.00	SqFt					
57	WEATHERING	L	4389.00	SqFt					

Network:	6S8	Name:	Laurel Municipal Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	437,628 SqFt		
Section:	06	of 8	From:	T-2	To:	HANGARS	Last Const.:	11/1/2002	
Surface:	AC	Family:	DEFAULT	Zone:		Category:		Rank:	P
Area:	28,520 SqFt	Length:	1,426 Ft	Width:	20 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	11/1/2002	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Work Date:	1/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	1/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Last Insp. Date:	8/19/2021	TotalSamples:	6		Surveyed:	3			
Conditions:	PCI: 84								
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	5280.00 SqFt	PCI:	83		
Sample Comments:									
48	L & T CR	L	79.00	Ft					
52	RAVELING	L	264.00	SqFt					
57	WEATHERING	L	5016.00	SqFt					
Sample Number:	04	Type:	R	Area:	5280.00 SqFt	PCI:	85		
Sample Comments:									
48	L & T CR	L	16.00	Ft					
52	RAVELING	L	264.00	SqFt					
57	WEATHERING	L	5016.00	SqFt					
Sample Number:	05	Type:	R	Area:	3784.00 SqFt	PCI:	83		
Sample Comments:									
48	L & T CR	L	58.00	Ft					
52	RAVELING	L	189.00	SqFt					
57	WEATHERING	L	3595.00	SqFt					

Network: 6S8 **Name:** Laurel Municipal Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 437,628 SqFt

Section: 08 of 8 **From:** R-4 **To:** T-1 **Last Const.:** 8/1/2000

Surface: AC **Family:** DEFAULT **Zone:** LAUR **Category:** D **Rank:** P

Area: 98,550 SqFt **Length:** 2,700 Ft **Width:** 35 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACM **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/1/2000 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 1/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Work Date: 1/1/2020 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

Last Insp. Date: 8/19/2021 **TotalSamples:** 20 **Surveyed:** 4

Conditions: PCI: 69

Inspection Comments:

Sample Number: 03 **Type:** R **Area:** 4235.00 SqFt **PCI:** 65

Sample Comments:

48 L & T CR L 245.00 Ft

48 L & T CR M 25.00 Ft

52 RAVELING L 2112.00 SqFt

57 WEATHERING L 4023.00 SqFt

Sample Number: 07 **Type:** R **Area:** 4900.00 SqFt **PCI:** 71

Sample Comments:

48 L & T CR L 219.00 Ft

48 L & T CR M 25.00 Ft

52 RAVELING L 245.00 SqFt

57 WEATHERING L 4655.00 SqFt

Sample Number: 11 **Type:** R **Area:** 4900.00 SqFt **PCI:** 74

Sample Comments:

48 L & T CR L 265.00 Ft

52 RAVELING L 245.00 SqFt

57 WEATHERING L 4655.00 SqFt

Sample Number: 15 **Type:** R **Area:** 4800.00 SqFt **PCI:** 63

Sample Comments:

48 L & T CR L 422.00 Ft

48 L & T CR M 30.00 Ft

52 RAVELING L 240.00 SqFt

57 WEATHERING L 4560.00 SqFt

Network:	6S8	Name:	Laurel Municipal Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	437,628 SqFt		
Section:	09	of 8	From:	R-4	To:	A-3 & T-1	Last Const.:	8/1/2001	
Surface:	AC	Family:	DEFAULT	Zone:	LAUR	Category:	D	Rank:	P
Area:	67,060 SqFt	Length:	1,891 Ft	Width:	35 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACM	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	8/1/2001	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	1/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Last Insp. Date:	8/19/2021	TotalSamples:	13	Surveyed:	4				
Conditions:	PCI: 72								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	4388.00 SqFt	PCI:	72		
Sample Comments:									
48	L & T CR	L	177.00	Ft					
48	L & T CR	M	25.00	Ft					
52	RAVELING	L	439.00	SqFt					
57	WEATHERING	L	3949.00	SqFt					
Sample Number:	05	Type:	R	Area:	4900.00 SqFt	PCI:	84		
Sample Comments:									
48	L & T CR	L	172.00	Ft					
57	WEATHERING	L	4900.00	SqFt					
Sample Number:	09	Type:	R	Area:	3597.00 SqFt	PCI:	57		
Sample Comments:									
41	ALLIGATOR CR	L	10.00	SqFt					
48	L & T CR	L	343.00	Ft					
48	L & T CR	M	50.00	Ft					
52	RAVELING	L	360.00	SqFt					
57	WEATHERING	L	3237.00	SqFt					
Sample Number:	13	Type:	R	Area:	5618.00 SqFt	PCI:	71		
Sample Comments:									
48	L & T CR	L	398.00	Ft					
52	RAVELING	L	281.00	SqFt					
57	WEATHERING	L	5337.00	SqFt					

Network:	6S8		Name:	Laurel Municipal Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	437,628 SqFt		
Section:	10	of 8	From:	T-1	To:	HANGARS	Last Const.:	11/1/2002	
Surface:	AC	Family:	DEFAULT	Zone:		Category:		Rank:	P
Area:	32,750 SqFt	Length:	1,637 Ft	Width:	20 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	11/1/2002	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Work Date:	1/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	1/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Last Insp. Date:	8/19/2021	TotalSamples:	7	Surveyed:	4				
Conditions:	PCI:	82							
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	4650.00 SqFt	PCI:	84		
Sample Comments:									
48	L & T CR	L	39.00	Ft					
52	RAVELING	L	232.00	SqFt					
57	WEATHERING	L	4418.00	SqFt					
Sample Number:	04	Type:	R	Area:	4650.00 SqFt	PCI:	82		
Sample Comments:									
48	L & T CR	L	99.00	Ft					
52	RAVELING	L	232.00	SqFt					
57	WEATHERING	L	4418.00	SqFt					
Sample Number:	06	Type:	R	Area:	4750.00 SqFt	PCI:	82		
Sample Comments:									
48	L & T CR	L	99.00	Ft					
52	RAVELING	L	238.00	SqFt					
57	WEATHERING	L	4512.00	SqFt					
Sample Number:	07	Type:	R	Area:	4750.00 SqFt	PCI:	78		
Sample Comments:									
48	L & T CR	L	177.00	Ft					
52	RAVELING	L	238.00	SqFt					
57	WEATHERING	L	4512.00	SqFt					

Network:	6S8	Name:	Laurel Municipal Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	437,628 SqFt		
Section:	11	of 8	From:	RW14	To:	-	Last Const.:	3/31/2019	
Surface:	AC	Family:	DEFAULT	Zone:		Category:		Rank:	P
Area:	42,162 SqFt	Length:	800 Ft	Width:	35 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	3/31/2019	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	8/19/2021	TotalSamples:	3	Surveyed:	3				
Conditions:	PCI: 91								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	5800.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR		L	25.00	Ft				
57	WEATHERING		L	5800.00	SqFt				
Sample Number:	02	Type:	R	Area:	5800.00 SqFt	PCI:	91		
Sample Comments:									
48	L & T CR		L	11.00	Ft				
57	WEATHERING		L	5800.00	SqFt				
Sample Number:	03	Type:	R	Area:	5800.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR		L	17.00	Ft				
57	WEATHERING		L	5800.00	SqFt				