# MONTANA DEPARTMENT OF TRANSPORTATION WETLAND MITIGATION MONITORING REPORT: YEAR 2014

Rostad Ranch Meagher County, Montana



Prepared for:



Prepared by:



December 2014

# MONTANA DEPARTMENT OF TRANSPORTATION

# **WETLAND MITIGATION MONITORING REPORT:**

### **YEAR 2014**

Rostad Ranch Meagher County, Montana Constructed: 2012

MDT Project Number STPX-0002 (749) Control Number 5565

USACE: NWO-2006-90851-MTB

Prepared for:

#### MONTANA DEPARTMENT OF TRANSPORTATION

2701 Prospect Ave Helena, MT 59620-1001

Prepared by:

Confluence Consulting, Inc.

P.O. Box 1133 Bozeman, MT 59771

December 2014

CCI Project No: MDT.006

"MDT attempts to provide accommodations for any known disability that may interfere with a person participating in any service, program, or activity of the Department of Transportation. Alternative accessible formats of this information will be provided upon request. For further information, call 406-444-7228, TTY at 800-335-7592, or Montana Relay at 711."

# **TABLE OF CONTENTS**

1.	INTRODUCTION	1
2.	METHODS	6
2.1.	. Hydrology	6
2.2	. Vegetation	6
2.3	. Soil	7
2.4	. Wetland Delineation	7
2.5	. Wildlife	8
2.6	. Functional Assessment	8
2.7	. Photo Documentation	8
2.8	. GPS Data	9
2.9	. Maintenance Needs	9
3.	RESULTS	9
3.1.	. Hydrology	9
3.2	. Vegetation	10
3.3	. Soil	19
3.4	. Wetland Delineation	19
3.5	. Wildlife	20
3.6	. Functional Assessment	20
3.7	. Photo Documentation	22
3.8	Maintenance Needs	22
3.9	. Current Credit Summary	23
4	REFERENCES	27



# **TABLES**

Table 1. Wetland Credit Determination for the Rostad Ranch Wetlan	
Mitigation Site	
Ranch Wetland Mitigation Site	
Table 3. Data summary for Transect T-1 from 2013 and 2014 at the	
Rostad Ranch Wetland Mitigation Site	
Table 4. Data summary for Transect T-2 in 2013 and 2014 at the	 1 <del>-</del>
Rostad Ranch Wetland Mitigation Site	
Table 5. Data summary for Transect T-3 in 2013 and 2014 at the	
Rostad Ranch Wetland Mitigation Site	
Table 6. Total wetland acres delineated in 2013 and 2014 at the	ie
Rostad Ranch Wetland Mitigation Site	
Table 7. Wildlife species observed in 2013 and 2014 at the Rosta	
Ranch Wetland Mitigation Site	
Table 8. Functions and Values of the Rostad Ranch Wetland Mitigation	
Site from 2004, 2013 and 2014	
Table 9. Summary of wetland credits at the Rostad Ranch Wetlan	ıd
Mitigation Site from 2013 to 2014.	
Table 10. Summary of performance standards and success criteria	26
CHARTS	
Chart 1. Transect maps showing community types on Transect T-1	
2013 and 2014 at the Rostad Ranch Wetland Mitigation Site	
Chart 2. Length of habitat types within Transect T-1 in 2013 and 201	
at the Rostad Ranch Wetland Mitigation Site	
Chart 3. Transect maps showing community types on Transect T-2	in
2013 and 2014 at the Rostad Ranch Wetland Mitigation Site	16
Chart 4. Length of habitat types within Transect T-2 in 2013 and 201	
at the Rostad Ranch Wetland Mitigation Site	
Chart 5. Transect maps showing community types on Transect T-3	
2013 and 2014 at the Rostad Ranch Wetland Mitigation Site	
Chart 6. Length of habitat types within Transect T-3 in 2013 and 201	¦4 10
at the Rostad Ranch Wetland Mitigation Site	10
FIGURES	
Figure 1. Project location of Rostad Ranch wetland mitigation site	2
Figure 2. 2014 Monitoring Activity Locations	
Figure 3, 2014 Manned Site Features	



#### **APPENDICES**

Appendix A Project Area Maps – Figures 2 and 3

Appendix B 2014 MDT Wetland Mitigation Site Monitoring Form

2014 USACE Wetland Determination Data Forms

2014 MDT Montana Wetland Assessment Method Forms

Appendix C Project Area Photographs

Appendix D Project Plan Sheet

Cover: View of hydrophytic vegetation development along the inundated man-made northern impoundment at the Rostad Ranch wetland mitigation site.



#### 1. INTRODUCTION

The Rostad Ranch 2014 Wetland Mitigation Monitoring Report presents the results of the second year of post-construction monitoring at the Rostad Ranch wetland mitigation site. The Montana Department of Transportation (MDT) Rostad Ranch wetland mitigation project is located in the southwest quarter of Section 12 and the northwest quarter of Section 13, Township 8 North, Range 11 East, Meagher County, Montana. The property is located approximately 0.6 miles northeast of Martinsdale, Montana (Figure 1). The wetland site was constructed to provide MDT with an estimated 39.70 acres of wetland mitigation credits on a private ranch that had been historically used for grazing cattle and hay production.

The entire 60-acre mitigation site is protected long-term by a MDT Wetland Conservation Easement agreement with the landowner. A fence installed along the boundaries of the MDT Conservation Easement demarcates the site.

Figures 2 and 3 in Appendix A show the site Monitoring Activity Locations and Mapped Site Features, respectively. The 2008 MDT Mitigation Site Monitoring Form, US Army Corps of Engineers (USACE) Wetland Determination Data Forms Great Plains Region (USACE 2010), and the 2008 MDT Montana Wetland Assessment Forms are included in Appendix B. Project area photographs are included in Appendix C and the Project Plan Sheet is included in Appendix D.

The wetland mitigation site is located within Watershed 10 – Musselshell River Basin. Wetlands were developed at this location to provide compensatory mitigation for wetland impacts associated with future transportation projects in the Musselshell River Basin. The Rostad Ranch site was selected based on site evaluations and project feasibility assessments initiated by MDT in 2002.

The project objectives include:

- Provide 39.70 acres of wetland mitigation credits resulting from restoration, creation, rehabilitation, and preservation within the site.
- Establish three types of wetland vegetation communities including;
  - 1.) Palustrine, emergent, wet meadow
  - 2.) Palustrine, scrub/shrub
  - 3.) Emergent zones around the open water areas and the establishment of upland buffer around the perimeter of wetlands.






Figure 1. Project location of Rostad Ranch wetland mitigation site.



The project credit ratios as presented in the Rostad Ranch Wetland Mitigation Plan approved by the USACE are shown in Table 1.

Table 1. Wetland Credit Determination for the Rostad Ranch Wetland Mitigation Site.

Compensatory Mitigation Type	Proposed Wetland Type (Cowardin)	Anticipated Mitigation Area (acres)	Approved Mitigation Ratios*	Anticipated Mitigation Credit (acres)
Restoration (Re-establishment)	Palustrine Emergent & Scrub/shrub	27.11	1:1	27.11
Creation (Establishment)	Palustrine Emergent & Scrub/shrub	9.84	1:1	9.84
Restoration (Rehabilitation)	Palustrine Emergent	2.63	1.5:1	1.75
Preservation	Palustrine, Scrub/shrub	0.25	4:1	0.06
Upland Buffer	N/A	6.76	5:1	1.35
Permanent Wetland Impact	N/A	N/A	1:1	-0.41
Totals	Site Acreage	46.59	Credit Acreage	39.70

<sup>\*</sup>Mitigation credit ratios utilized were from the Montana Corps Regulatory Programs 2005 Wetland Credit Ratios (USACE 2005)

The USACE approved performance standards are listed below.

- Wetland Characteristics: All restored, created, enhanced, and preserved wetlands within the project limits will meet the standard three criteria (hydrology, hydrophytic vegetation, and hydric soils) established for determining wetland areas as outlined in the 1987 Corps of Engineers Wetland Delineation Manual (Environmental Laboratory 1987) and the 2010 Regional Supplement to the USACE of Engineers Manual: Great Plains Region (USACE 2010).
  - a) Wetland Hydrology Success will be achieved where wetland hydrology is observed according to technical guidelines in the above-referenced documents. The USACE technical standard for monitoring wetland hydrology requires 14 or more consecutive days of flooding or ponding, or a water table 12 inches (30 centimeters) or less below the soils surface, during the growing season at a minimum frequency of 5 years in 10 (50 percent or higher probability).



- b) Hydric Soil Success will be achieved where hydric soil conditions are present [per the most recent Natural Resource Conservation Service (NRCS) definitions for hydric soil] or appear to be forming, the soil is sufficiently stable to prevent erosion, and the soil is able to support plant cover. Soil sampling will be conducted during the course of the monitoring period to determine if wetland areas are exhibiting characteristics of hydric soils per the 1987 Wetland Manual. Since typical hydric soil indicators may require long periods to form, a lack of distinctive hydric soil features will not be considered a failure if hydrologic and vegetation success is achieved.
- c) Hydrophytic Vegetation Success will be achieved where combined absolute cover of facultative or wetter species is greater than or equal to 70 percent and Montana State-listed noxious weeds do not exceed 5 percent absolute cover. The following concept of "dominance", as defined in the new Regional supplement to the 1987 US Army Corps of Engineers Wetland Delineation Manual for the Great Plains Region, will be applied during future routine wetland determinations in the created/restored wetlands: "Subjectively determine the dominant species by estimating those having the largest relative basal area (woody overstory), greatest height (woody understory), greatest percentage of aerial cover (herbaceous understory), and/or greatest number of stems (woody vines)."
  - i. Woody Plants Plantings will be considered successful where they exceed 50 percent survival after 5 years. We anticipate natural colonization of woody plant species from nearby sources after construction activities are complete. The rate and extent of natural woody plant colonization will be dependent on factors such as habitat availability, animal activity, seed sources, and other natural selection factors.
  - ii. Herbaceous Plants At the conclusion of the monitoring period, ocular coverage of desirable hydrophytic vegetation (wetland plants listed as OBL, FACW and FAC) will be at least 80 percent. A wetland seed mix was prepared for this site that included tufted hairgrass (*Deschampsia cespitosa*), Northwest Territory sedge (*Carex utriculata*), Baltic rush (*Juncus balticus*), American sloughgrass (*Beckmannia syzigachne*), American mannagrass (*Glyceria grandis*), and bluejoint reedgrass (*Calamagrostis canadensis*).
- 2. **Open Water Areas –** It is the intent of the project to provide seasonal open water in the wetland enhancement areas where excavation in the



existing wetland and upland will be completed. Open water that is established within the designated open water areas will be considered successful and creditable if it does not exceed 10 percent of the total wetland acreage (39.83 acres).

- 3. Upland Buffer: Success will be achieved when noxious weeds do not exceed 5 percent of cover within the buffer areas on site. Any area within the creditable buffer zone disturbed by project construction must have at least 50 percent aerial cover of desirable upland plant species by the end of the monitoring period.
- 4. Weed Control: Implementation of weed control will be based on annual monitoring of the site to determine the weed species present and degree of infestation within the site. Control measures, based on the monitoring results, will be implemented by MDT to minimize and/or eliminate infestations of state-listed noxious weed species within the site.
- 5. **Fencing:** Fencing for the proposed mitigation site has been installed along the perimeter of the easement boundary to protect the integrity of the wetland from disturbance that may be detrimental to the site. The installed fencing is designed to be wildlife-friendly, to allow for wildlife movement into and out of the wetland mitigation site.

Construction entailed filling of existing ditches, excavating and grading the site to distribute water across the mitigation site, and creating open water areas. The primary source of wetland hydrology for the site is groundwater. A groundwater seep located in the south portion of the site provides water to the site during high groundwater periods. Surface water from an irrigation ditch that runs along the south boundary of the site augments the site hydrology. A diversion structure was installed at the south end of the project to direct surface water onto the site to recharge groundwater.

Revegetation tasks included the use of a combination of wetland seed mixes, native shrubs/trees, and willow cuttings collected from a variety of native species. Mitigation habitat types developed on the site through the construction process include: restored open water; created, restored, and enhanced wetland areas; and upland buffer areas. Specific revegetation tasks were developed for each habitat type.

Monitoring of the MDT wetland mitigation site will be completed according to MDT's Standard Monitoring Protocol utilized for all MDT wetland mitigation sites since 1998. Monitoring will be implemented for a minimum of 5 years or longer as determined by the USACE – Montana Regulatory Office's review of the annual monitoring reports for the site. The USACE will make the final decision as to whether the site has met wetland success criteria.



#### 2. METHODS

The first year of monitoring at the Rostad Ranch wetland mitigation site was completed on August 21, 2013. During this visit, MDT and Confluence personnel established permanent photo points and vegetation transects within the site. The second year of monitoring was completed on July 17, 2014. Information for the Mitigation Monitoring Form and Wetland Determination Data Form was entered in an electronic tablet during the field investigation (Appendix B). Monitoring activity sites were located with a global positioning system (GPS) as shown on Figure 2 (Appendix A). Information collected included a wetland delineation, vegetation community mapping, vegetation transect monitoring, soil and hydrology data collection, bird and wildlife use documentation, photographic documentation, and a non-engineering examination of the infrastructure established within the mitigation project area.

#### 2.1. Hydrology

The presence of hydrological indicators as outlined on the Wetland Determination Data Form was assessed at four data points established within the project area. The hydrologic indicators were evaluated according to features observed during the site visit. The data were recorded on the electronic Wetland Determination Data Form (Appendix B). Hydrologic assessments allow evaluation of mitigation criteria addressing inundation/saturation requirements.

Technical criteria for wetland hydrology guidelines have been established as "permanent or periodic inundation, or soil saturation within 12 inches of the ground surface for a significant period (12.5 percent of the growing season) during the growing season" (USACE 2010). Systems with continuous inundation or saturation for greater than 12.5 percent of the growing season are classified as wetlands. The growing season is defined for purposes of this report as the number of days when there is a 50 percent probability that the minimum daily temperature is greater than or equal to 28.5 degrees Fahrenheit (Environmental Laboratory 1987). Temperature data recorded for the meteorological station at the Martinsdale 3NNW (245387) weather station, located approximately 1 mile from the wetland mitigation site, have a median (5 years in 10) growing season length of 119 days. Areas defined as wetlands would require 15 days of inundation or saturation within 12 inches of the ground surface to meet the hydrology criteria. Soil pits excavated during the wetland delineation were used to evaluate groundwater levels within 18 inches of the ground surface. The data were recorded on the Wetland Determination Data Form (Appendix B).

## 2.2. Vegetation

The boundaries of the dominant vegetation communities were determined in the field during the active growing season and subsequently delineated on the 2014 aerial photograph. Percent cover of dominant species within a community type was visually estimated and recorded using the following classes: 0 (less than 1 percent), 1 (1 to 5 percent), 2 (6 to 10 percent), 3 (11 to 20 percent), 4 (21 to 50 percent), and 5 (greater than 50 percent) (Appendix B). Community types were



named based on the dominant vegetation species that characterized each mapped polygon (Figure 3, Appendix A).

Temporal changes in vegetation will be evaluated through annual assessments of static belt transects established in August 2013 (Figure 2, Appendix A). Vegetation composition was assessed and recorded along three vegetation belt transects (T-1, T-2, T-3) approximately 10 feet wide and 422, 453, and 320 feet long, respectively (Figure 2, Appendix A).

The transect locations were recorded with a resource-grade GPS unit. Spatial changes in the dominant vegetation communities were recorded along the stationed transect. The percent aerial cover of each vegetation species within the belt transect was estimated using the same values and cover ranges used for the vegetation community composition (Figure 3, Appendix B). Photographs were taken at the endpoints of each transect during the monitoring event (Appendix C).

The survival of woody species planted onsite was recorded during monitoring. The Montana State Noxious Weed List (September 2010), prepared by the Montana Department of Agriculture, was used to categorize weeds identified within the site. The location of noxious weeds was noted in the field and mapped on the aerial photograph (Figure 3, Appendix A). The noxious weed species identified are color-coded and denoted with the symbol "x", "▲", or "■" on Figure 3, representing 0 to 0.1 acre, .1 to 1 acre, or greater than 1 acre in extent, respectively. The letters T, L, M, or H represent the cover classes on Figure 3, standing for less than 1 percent, 1 to 5 percent, 6 to 25 percent, and 26 to 100 percent, respectively.

#### 2.3. Soil

Soil information was obtained from the *Soil Survey for Meagher County Area* (SSURGO 2012) and *in situ* soil descriptions. Soil cores were excavated using a hand auger and evaluated according to procedures outlined in the 1987 Manual and the 2010 Regional Supplement. A description of the soil profile, including hydric soil indicators when present, was recorded on the Wetland Determination Data Form for each profile (Appendix B).

#### 2.4. Wetland Delineation

Waters of the U.S. including special aquatic sites and jurisdictional wetlands were delineated throughout the project area in accordance with criteria established in the 1987 Manual and the 2010 Regional Supplement to the USACE of Engineers Manual: Great Plains Region (USACE 2010). The technical criteria for hydrophytic vegetation, hydric soil, and wetland hydrology described in the 2010 Regional Supplement must be satisfied to delineate a representative area as jurisdictional. The name and indicator status of plant species was derived from the 2014 National Wetland Plant List (NWPL) (Lichvar et al. 2014). A Routine Level-2 on-site Determination Method (Environmental Laboratory 1987) was used to delineate jurisdictional areas within the project



boundaries. The information was recorded electronically on the Wetland Determination Data Form (Appendix B).

The wetland boundary was determined in the field based on changes in plant communities and/or hydrology, and changes in soil characteristics. Topographic relief boundaries within the project area were also examined and cross-referenced with soil and vegetation communities as supportive information for this delineation. Vegetation composition, soil characteristics, and hydrology were assessed at likely wetland and adjacent upland locations. If all three parameters met the criteria, the area was designated as wetland and mapped by vegetation community type. If any one of the parameters did not exhibit positive wetland indicators, the area was determined to be upland unless the site was classified as an atypical situation, potential problem area, or special aquatic site, i.e., mudflat. The wetland boundary was GPS surveyed as shown on the 2014 aerial photograph (Figure 3). Wetland areas were estimated using geographic information system (GIS) methods.

#### 2.5. Wildlife

Observations of mammal, reptile, amphibian, and bird use were recorded on the Mitigation Monitoring form during the site visit. Indirect use indicators including tracks, scat, burrow, eggshells, skins, and bones were also recorded. These signs were recorded while traversing the site for other required activities. Direct sampling methods such as snap traps, live traps, and pitfall traps, were not used. A comprehensive species list of wildlife observed during the annual monitoring periods has been compiled and is presented in the results section.

#### 2.6. Functional Assessment

The 1999 MDT Montana Wetland Assessment Method (MWAM) (Berglund 1999) was used to evaluate the functions and values of the 3.4 acres of existing wetlands identified on the site in 2004. The 2008 MDT MWAM (Berglund and McEldowney 2008) was used to evaluate functions and values of wetlands delineated on the site in 2013 and 2014. This method provides an objective means of assigning wetlands an overall rating and provides regulators a means of assessing mitigation success based on wetland functions. Functions are self-sustaining properties of a wetland ecosystem that exist in the absence of society and relate to ecological significance without regard to subjective human values (Berglund and McEldowney 2008). Field data for this assessment were collected during the site visit. The Wetland Assessment Form was completed for one assessment area (AA) that included both created and existing wetlands within the mitigation site (Appendix B).

#### 2.7. Photo Documentation

Monitoring at photo points provided supplemental information documenting wetland, upland, and vegetation transect conditions; site trends; and current land uses surrounding the site. Photographs were taken at established photo points throughout the mitigation area during the site visit (Appendix C). Photo point locations were recorded with a resource-grade GPS unit (Figure 2, Appendix A).



#### 2.8. GPS Data

Site features and survey points were collected with a resource-grade Thales Pro Mark III GPS unit during the 2014 monitoring season. Points were collected using WAAS-enabled differential correction satellites, typically improving resolution to sub-meter accuracy. The collected data were then transferred to a personal computer, imported into GIS, and presented in Montana State Plane Single Zone NAD 83 meters. Site features and survey points that were located with a GPS included wetland boundaries, fence boundaries, photograph points, transect endpoints, and wetland/upland data points.

#### 2.9. Maintenance Needs

Channels, engineered structures, fencing, bird boxes, and other features were examined during the site visit for obvious signs of breaching, damage, or other problems. This was a cursory examination and did not constitute an engineering-level structural inspection.

#### 3. RESULTS

#### 3.1. Hydrology

Climate data from the meteorological station at the Martinsdale 3 NNW, Montana (245387), weather station recorded an average annual precipitation rate of 13.24 inches from January 1893 to July 2012 (Western Region Climate Center [WRCC] 2013). The historic precipitation average for the time period of January to August (1893 through 2012) was 10.55 inches. This station, however, was missing precipitation data for the latter part of 2011 through 2014. The Lennep 6 WSW weather station is located near the site (approximately 11 miles southwest) with a period of record extending from August 1959 through September 2014. Based on data recorded from the Lennep Station for the January through August time period, precipitation totals for this region were 12.56 inches (long-term average), 16.32 inches (2011), 9.72 inches (2012), 12.3 inches (2013), and 14.27 inches (2014). The data since construction show below average precipitation in 2012, near average precipitation in 2013, and above average precipitation in 2014.

The hydrology for the wetland mitigation site is supplied from multiple sources, including a shallow seasonal groundwater table, groundwater emerging from a natural spring located near the willow (*Salix exigua*) stand in south portion of the site, direct precipitation, and surface runoff. Construction included excavating and grading to fill drainage ditches, distributing water across the mitigation site, creating open water areas, and installing a diversion structure in the south end of the site to direct irrigation water to the mitigation site. The MDT has secured water rights to use surface water as a secondary source of hydrology to supplement the groundwater and ensure long-term viability of the wetland mitigation site.

During the 2014 field survey, approximately 40 percent of the wetland area was inundated. Water depths ranged from 0.25 to 3.5 feet and averaged 0.5 feet. Areas not inundated exhibited seasonal soil saturation within 12 inches of the



ground surface. The groundwater level in monitoring well MW-1 located along the constructed dike was greater than 6 feet below the ground surface (bgs) during the survey (Figure 2, Appendix A). Other evidence of wetland hydrology observed on the site in 2014 included drainage patterns, soil saturation, water marks, drift deposits, iron deposits, surface soil cracks, algal mats, geomorphic position, and a positive FAC-neutral test.

Four data points were sampled to determine the wetland/upland boundaries. Data points R-1w and R-2w were located in areas that met the wetland criteria. Wetland hydrology indicators at R-1w, located near the edge of a created wetland cell, included 0.5 inches of surface water, a water table to the ground surface, saturation to the ground surface, the presence of reduced iron, and a positive FAC-Neutral test. Data point R-2w was located near the center of the site between the excavated cells. Surface water at 0.5 inches, a high water table to the ground surface, saturation to the ground surface, oxidized rhizospheres on living roots, presence of reduced iron, drainage patterns, and a positive FAC-neutral test provided several positive indicators of wetland hydrology. The upland data points were located upslope of the wetland test pits. There were no positive hydrological indicators observed at data points R-1u or R-2u.

## 3.2. Vegetation

A total of sixty-five plant species were observed on the site in 2013 and 2014 (Table 2). Vegetation plant communities were identified by plant composition and dominance. Four vegetation community types were identified in 2014 including upland Type 1 – *Phleum pratense/Trifolium* spp., wetland Type 2 – *Juncus balticus/Carex nebrascensis*, wetland Type 3 – *Salix exigua*, and wetland Type 5 – *Glyceria grandis/Typha latifolia*. Wetland Type 4 – Open water characterized the aquatic habitat found in the lowest contour of the excavated depressions. The community composition is provided on the Monitoring Form in Appendix B and the community boundaries are shown on Figure 3 in Appendix A. These community types are discussed below.

Upland community Type 1 – *Phleum pratense/Trifolium* spp. was identified on approximately 45.6 acres across a majority of the site. The community generally represented undisturbed uplands historically used for hay and cattle production and areas where spoils from excavation activities were deposited. Dominant species included common timothy (*Phleum pratense*), white clover (*Trifolium repens*), and Mexican-fireweed (*Bassia scoparia*), with fewer percent cover of smooth brome (*Bromus inermis*), creeping wild rye (*Elymus repens*), meadow fescue (*Festuca pratensis*), spotted knapweed (*Centaurea stoebe*), goosefoot (*Chenopodium* sp.), and yellow sweet clover (*Melilotus officinalis*). A total of forty-two species were identified in this community.



Table 2. Vegetation species observed in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.

Scientific Names	Common Names	GP Indicator Status <sup>1</sup>
Achillea millefolium	Common Yarrow	FACU
Agrostis gigantea	Black Bent	FACW
Algae, green	Algae, green	NL
Alopecurus pratensis	Field Meadow-Foxtail	FACW
Amaranthus retroflexus	Red-Root	FACU
Ambrosia acanthicarpa	Flat-spine Ragweed	NL
Aster sp.	Aster	NL
Bassia scoparia	Mexican-Fireweed	FACU
Beckmannia syzigachne	American Slough Grass	OBL
Berteroa incana	Hoary False-alyssum	NL
Brassica kaber	Brassica kaber	NL
Bromus arvensis	Field Brome	FACU
Bromus carinatus	California Brome	NL
Bromus inermis	Smooth Brome	UPL
Carex nebrascensis	Nebraska Sedge	OBL
Carex utriculata	Northwest Territory Sedge	OBL
Centaurea stoebe	Spotted Knapweed	NL
Chenopodium album	Lamb's-Quarters	FACU
Chenopodium sp.	Goosefoot	NL
Cirsium arvense	Canadian Thistle	FACU
Cynoglossum officinale	Gypsy-Flower	FACU
Cyrtorhyncha cymbalaria	Alkali Buttercup	OBL
Deschampsia cespitosa	Tufted Hair Grass	FACW
Descurainia sophia	Herb Sophia	NL
Downingia laeta	Great Basin Calico-Flower	NL
Eleocharis palustris	Common Spike-Rush	OBL
Elymus repens	Creeping Wild Rye	FACU
Elymus trachycaulus	Slender Wild Rye	FACU
Epilobium ciliatum	Fringed Willowherb	FACW
Festuca pratensis	Meadow Fescue	NL
Glyceria grandis	American Manna Grass	OBL
Helianthus annuus	Common Sunflower	FACU
Hordeum jubatum	Fox-Tail Barley	FACW
Juncus articulatus	Joint-Leaf Rush	OBL
Juncus balticus	Baltic Rush	FACW
Juncus bufonius	Toad Rush	OBL

<sup>&</sup>lt;sup>1</sup> 2014 NWPL (Lichvar et al., 2014)

Species identified in 2014 are **bolded**.



Table 2. (Continued). Vegetation species observed in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.

Octobrillo November	O Names	GP Indicator	
Scientific Names	Common Names	Status <sup>1</sup>	
Lactuca serriola	Prickly Lettuce	FAC	
Lepidium densiflorum	Miner's Pepperwort	FAC	
Medicago sativa	Alfalfa	UPL	
Melilotus albus	White Sweetclover	NL	
Melilotus officinalis	Yellow Sweet-Clover	FACU	
Pascopyrum smithii	Western-Wheat Grass	FACU	
Phalaris arundinacea	Reed Canary Grass	FACW	
Phleum pratense	Common Timothy	FACU	
Poa palustris	Fowl Blue Grass	FACW	
Poa pratensis	Kentucky Blue Grass	FACU	
Polypogon monspeliensis	Annual Rabbit's-Foot Grass	FACW	
Populus angustifolia	Narrow-Leaf Cottonwood	FACW	
Potentilla gracilis	Graceful Cinquefoil	FAC	
Rumex crispus	Curly Dock	FAC	
Rumex occidentalis	Western Dock	OBL	
Salix exigua	Narrow-Leaf Willow	FACW	
Sonchus arvensis	Field Sow-Thistle	FAC	
Tanacetum vulgare	Common Tansy	FACU	
Taraxacum officinale	Common Dandelion	FACU	
Thlaspi arvense	Field Pennycress	FACU	
Tragopogon dubius	Meadow Goat's-beard	NL	
Trifolium arvense	Rabbit-foot Clover	NL	
Trifolium pratense	Red Clover	FACU	
Trifolium repens	White Clover	FACU	
Typha latifolia	Broad-Leaf Cat-Tail	OBL	
Veronica peregrina	Neckweed	FACW	

<sup>&</sup>lt;sup>1</sup> 2014 NWPL (Lichvar et al., 2014)

Species identified in 2014 are **bolded**.

Wetland community Type 2 – *Juncus balticus/Carex nebrascensis* characterized a majority of the wetland areas delineated in 2013 and 2014. The community was mapped across 11.2 acres within the creation, re-establishment, and rehabilitation areas of the mitigation site. The extent of the vegetation community increased by 0.61 acre in 2014 as the wetland expanded into upland community 1. Baltic rush (*Juncus balticus*), Nebraska sedge (*Carex nebrascensis*), and American slough grass (*Beckmannia syzigachne*) were common components of this community. Community Type 2 consisted of a diverse mix of 19 wetland species.

Wetland community Type 3 - Salix exigua was identified within the 0.31-acre pre-existing wetland area in the south end of the site that remained undisturbed



during 2012 construction. Narrow-leaf willow (*Salix exigua*) dominated the area. Numerous willow cuttings were installed around this community and displayed an approximate 75 percent survival during the 2014 field survey. The community type is expected to expand over time as indicated by the willow saplings/cuttings noted around the margins of the community. Fowl bluegrass (*Poa palustris*), tufted hairgrass (*Deschampsia caespitosa*), Nebraska sedge, Northwest Territory sedge (*Carex utriculata*), field meadow-foxtail (*Alopecurus pratensis*), black bentgrass (*Agrostis gigantea*), and neckweed (*Veronica peregrina*) were also identified within the community.

Wetland community Type 4 – Open water was mapped in 2013 and 2014 on two inundated areas, one impounded by a constructed dike in the north half of the site, and the second an excavated depression located in the south half. The vegetation cover throughout the 2.85-acre community was less than 10 percent, a function of the short time frame since construction in 2012. Emergent and submergent species are expected to develop further in subsequent growing seasons. Common spikerush (*Eleocharis palustris*), broad-leaf cat-tail (*Typha latifolia*), and American slough grass were noted around the shallow water margins of this community. Great Basin calico-flower (*Downingia laeta*), a species identified by the Montana Natural Heritage Program (MTNHP) as a species of concern that is rated S2S3 and rare in Montana, was also identified along the open water margin of this community. A trace amount of green algae (a protist) was present in the open water.

Wetland community Type 5 – *Glyceria grandis/Typha latifolia*, defined for the first time in 2014, was observed at the edge of an excavated cell located in the south half of the site. The 0.03-acre community was dominated by emergent species including American manna grass (*Glyceria grandis*), broad-leaf cat-tail, common spikerush, and American sloughgrass.

Vegetation cover was measured along three transects at the Rostad Ranch Mitigation Site in 2014 (Figure 2, Appendix A). The data recorded on Transect 1 (Monitoring Forms, Appendix B) are summarized in tabular and graphical formats in Table 3 and Chart 1 and Chart 2, respectively. Photographs of the transect ends are provided on Page C-8 of Appendix C. Transect T-1 extends 422 feet from a corner of the easement area into the large open water area impounded by the constructed dike. The transect intercepted upland community Type 1, wetland Type 2, and ended within the Type 4 open water community. A total of 30 vegetative species were identified along the transect including nine hydrophytes. Approximately 30 percent of the length of the transect was located in the Type 2 (Juncus balticus/Carex nebrascensis) hydrophytic community and approximately 17 percent of the transect intercepted the open water. The extent of open water on the transect increased by approximately 4 percent in 2014.



Table 3. Data summary for Transect T-1 from 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.

Monitoring Year	2013	2014
Transect Length (feet)	422	422
Vegetation Community Transitions along Transect	4	3
Vegetation Communities along Transect	2	2
Hydrophytic Vegetation Communities along Transect	1	1
Total Vegetative Species	27	30
Total Hydrophytic Species	9	9
Total Upland Species	18	21
Estimated % Total Vegetative Cover	90	95
Estimated % Unvegetated	10	5
% Transect Length Comprising Hydrophytic Vegetation Communities	30.6	30.3
% Transect Length Comprising Upland Vegetation Communities	56.9	52.8
% Transect Length Comprising Unvegetated Open Water	12.6	16.8
% Transect Length Comprising Mudflat	0	0




Chart 1. Transect maps showing community types on Transect T-1 in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.



14




Chart 2. Length of habitat types within Transect T-1 in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.

Data collected on Transect T-2 (Monitoring Form, Appendix B) are summarized in tabular and graphic formats (Table 4, Charts 3 and 4, respectively) with photographs taken at the endpoints provided on Page C-9 of Appendix C. This transect began at a mature cottonwood (*Populus sp.*) tree near the entrance of the site and extended 453 feet, alternating between upland community Type 1 and wetland community Type 2. Approximately 55 percent of the transect was located in wetland community Type 2 in 2014, a 10 percent increase since 2013.

Table 4. Data summary for Transect T-2 in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.

Monitoring Year	2013	2014
Transect Length (feet)	453	453
Vegetation Community Transitions along Transect	4	4
Vegetation Communities along Transect	2	2
Hydrophytic Vegetation Communities along Transect	1	1
Total Vegetative Species	26	27
Total Hydrophytic Species	8	7
Total Upland Species	18	20
Estimated % Total Vegetative Cover	90	95
Estimated % Unvegetated	10	5
% Transect Length Comprising Hydrophytic Vegetation Communities	44.6	55.2
% Transect Length Comprising Upland Vegetation Communities	55.4	44.8
% Transect Length Comprising Unvegetated Open Water	0	0
% Transect Length Comprising Mudflat	0	0



15




Chart 3. Transect maps showing community types on Transect T-2 in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.




Chart 4. Length of habitat types within Transect T-2 in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.



16

Transect T-3 was established in the south end of the mitigation site and traversed the excavated re-establishment and rehabilitation credit areas. Transect T-3 also began at a mature cottonwood tree and extended east for 320 feet (Figure 2, Appendix A). Photographs of the transect endpoints are shown on page C-10 (Appendix C). This transect originated in the upland *Phleum* community, transitioned into wetland community Type 2, continued through wetland Type 5 and the excavated open water depression, and ended in community Type 2. The *Glyceria/Typha* community (Type 5) replaced a majority of the open water observed on the transect in 2013. Hydrophytic plants dominated 88.4 percent of the transect intervals. Approximately 10 percent of the transect consisted of bare ground and decreased from 15 percent in 2013, a result of the recent disturbance associated with construction of the wetland cells.

Table 5. Data summary for Transect T-3 in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.

Monitoring Year	2013	2014
Transect Length (feet)	320	320
Vegetation Community Transitions along Transect	3	4
Vegetation Communities along Transect	2	3
Hydrophytic Vegetation Communities along Transect	1	2
Total Vegetative Species	25	31
Total Hydrophytic Species	14	16
Total Upland Species	11	15
Estimated % Total Vegetative Cover	85	90
Estimated % Unvegetated	15	10
% Transect Length Comprising Hydrophytic Vegetation Communities	65.3	88.4
% Transect Length Comprising Upland Vegetation Communities	6.6	6.6
% Transect Length Comprising Unvegetated Open Water	28.1	5
% Transect Length Comprising Mudflat	0	0






Chart 5. Transect maps showing community types on Transect T-3 in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.




Chart 6. Length of habitat types within Transect T-3 in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.



Priority 2B noxious weeds identified within the Rostad Ranch mitigation site included spotted knapweed (*Centaurea stoebe*), Gypsy-flower (Houndstongue – *Cynoglossum officinale*), Canadian thistle (*Cirsium arvense*), field bindweed (*Convulvulus arvensis*), common tansy (*Tanacetum vulgare*), and the Priority 2A listed hoary false madwort (Hoary alyssum-*Berteroa incana*). A total of 25 infestation areas were mapped in 2014, ranging in size from less than 0.1 acre to 1 to 5 acres in size. The majority of the infestations were located at the edge of the constructed wetlands in upland community Type 1. The invasive species appear to have established on the site prior to mitigation construction.

Approximately 2,000 willow cuttings were planted throughout the excavated wetland mitigation areas. Approximately 75 percent of the willow cuttings survived through 2014. The cuttings appeared healthy and vigorous with little to no sign of browse. One hundred (100) black cottonwoods (*Populus balsamifera*) and 100 quaking aspens (*Populus tremuloides*) were installed around the perimeter of the proposed open water areas in 2012. Survival of these containerized, 5-gallon plant materials was estimated at 80 percent in 2014.

#### 3.3. Soil

The project site was identified in the *Meagher County Soil Survey* (SSURGO 2012) within the Varney-Notter cobbly loams and Delpoint variant-Marmarth-Cabbart loams mapped soil series. The Varney-Notter mapped soil unit was located across the north half of the mitigation site and the Delpoint variant-Marmarth-Cabbart loams were mapped across the south half. The series generally consist of very deep, well-drained soils formed in alluvium. The mapped soil units were not identified on the Montana Hydric Soils list.

Soil test pits were excavated at four locations (Figure 2, Appendix A). Data points R-1w and R-2w were located in areas that exhibited hydric soils. The soil at R-1w, situated at the edge of an excavated depression, consisted of a dark gray (10YR 4/1) sandy loam matrix with ten percent yellowish brown (10YR 5/6) redoximorphic concentrations, positive indicators of a depleted matrix (F3). The soil profile at R-2w, located in a drainage area between two cells, revealed a dark gray (10YR 4/1), sandy loam with fifteen percent yellowish brown (10YR 5/6) redoximorphic concentrations, which met the hydric criteria for a depleted matrix (F3). Data point R-1u, located upslope from R-1w, displayed a very dark, grayish brown (10 YR 3/2), sandy clay loam, with 10 percent gravel and cobbles. No redoximorphic characteristics were evident. Test pit R-2u was located upslope from R-2w. The soil profile revealed a very dark grayish brown (10 YR 3/2) loam without redoximorphic features. There were no positive indicators of hydric soil at either upland data point.

#### 3.4. Wetland Delineation

Four data points were used to define the wetland boundary in 2014 (Figure 2, Appendix A and Wetland Determination Data Forms, Appendix B). Data points R-1w and R-2w were located in areas that met the wetland criteria. The total wetland acreage delineated in 2014, including pre-existing wetland areas, was



14.40 acres (Table 6). The proposed wetland areas identified within the mitigation plan were overlaid with the wetlands surveyed in 2014 to identify the extent of wetlands within each crediting areas. The wetland area within the Rostad Ranch mitigation site increased approximately 0.66 acres in 2014. The 2014 wetland delineation included 0.25 acre within the preservation credit area, 9.91 acres within the re-establishment credit area, 1.56 acres within the wetland rehabilitation credit area, and 2.68 acres within the creation credit area. The decreased noted within the re-establishment area between 2013 and 2014 was the result of refinement of wetland boundaries for the crediting areas as presented within the 2007 wetland mitigation plan. Specifically, some of the created wetland areas were erroneously included within the restoration wetland areas in 2013. The construction activities completed to raise the groundwater table site wide are expected to support the expansion and development of additional jurisdictional wetlands over the course of the 5-year monitoring period.

Table 6. Total wetland acres delineated in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.

WETLAND AND UPLAND HABITATS	2013 Delineated Acres	2014 Delineated Acres
Project Area	60.00	60.00
Created Wetlands	1.07	2.68
Restoration Wetlands (Re-establishment)	10.89	9.91
Restoration Wetlands (Rehabilitation)	1.53	1.56
Preservation Wetlands	0.25	0.25
Total Wetlands	13.74	14.40

#### 3.5. Wildlife

A comprehensive list of bird and other wildlife species observed directly or indirectly in 2014 is presented in Table 7. Ten bird species were identified in 2014 including two American white pelicans (*Pelecanus erythrorhynchos*), two northern harriers (*Circus cyaneus*), two sandhill cranes (*Grus canadensis*), five Wilson's snipe (*Gallinago delicata*), a blue-winged teal (*Anas discors*), and eight common grackle (*Quiscalus quiscula*). Bank swallows (*Riparia riparia*) were observed occupying the bird boxes. One Boreal chorus frog (*Pseudacris maculata*) was observed during the site visit.

#### 3.6. Functional Assessment

The 1999 MDT MWAM (Berglund 1999) was used to evaluate the three existing wetlands identified within the site in 2004. The 2008 MWAM (Berglund and McEldowney 2008) has been used to evaluate the site in 2013 and 2014. All wetlands identified in 2013 and 2014 were evaluated as one AA. The results of the 2004, 2013, and 2014 assessments are summarized in Table 8. The completed 2014 MWAM form is located in Appendix B.



The 2004 assessment identified a total of 3.4 acres of Category III wetlands. The majority of the existing wetlands within the site prior to construction consisted of man-made drainage and irrigation ditches constructed to drain and disperse water throughout the site. The only remnants of the historic wetlands are a willow thicket and roadside drainage ditch. The pre-existing wetlands averaged 34 percent of the possible score and attained a total of 12.46 functional units.

Table 7. Wildlife species observed in 2013 and 2014 at the Rostad Ranch Wetland Mitigation Site.

COMMON NAME	SCIENTIFIC NAME					
AMPHIBIANS						
Boreal Chorus Frog	Pseudacris maculata					
BIRDS						
American Goldfinch	Spinus tristus					
American Robin	Turdus migratorius					
American White Pelican	Pelecanus erythrorhynchos					
Bank Swallow	Riparia riparia					
Blue-winged Teal	Anas discors					
Brewer's Blackbird	Euphagus cyanocephalus					
Canada Goose	Branta canadensis					
Common Grackle	Quiscalus quiscula					
Sandhill Crane	Grus canadensis					
Spotted Sandpiper*	Actitis macularius					
Tree Swallow*	Tachycineta bicolor					
Wilson's Snipe	Gallinago delicata					
Grasshopper Sparrow	Ammodramus savannarum					
Green-winged Teal	Anas crecca					
Mallard	Anas platyrhynchos					
Northern Harrier	Circus cyaneus					
Red-tailed Hawk	Buteo jamaicensis					
Red-winged Blackbird	Agelaius phoeniceus					
Sandhill Crane	Grus canadensis					
Spotted Sandpiper	Actitis macularius					
Tree Swallow	Tachycineta bicolor					
Willet	Tringa semipalmata					
Wilson's Snipe	Gallinago delicata					
MAM	MALS					
Black Bear	Ursus americanus					
Coyote	Canis latrans					
Deer Sp.	Odocoileus sp.					
Muskrat	Ondatra zibethicus					
Raccoon	Procyon lotor					

Species identified in 2014 are bolded.



Due to the complex boundaries of the proposed mitigation credits within the site, the Rostad Ranch mitigation wetland was assessed as one AA in 2013 and 2014. The functional ratings displayed a decrease between 2013 and 2014, primarily due to re-evaluation of the water regime within the site from perennial to seasonal. The sediment/shoreline stabilization rating was also included in 2014 due to the susceptibility of the northern cell to erosion from wave action. The AA was rated as a Category III wetland in 2014, scoring 51.7 percent of the possible points and attaining 67.0 functional units. There was a slight increase in the extent of wetland within the site in 2014. The AA received high ratings for MTNHP species habitat due to the documented primary habitat for the Great Basin calico-flower. The ratings and functional units are expected to increase as the recently disturbed areas establish wetland vegetation and as additional wetland areas develop as a result of the site wide rise in the groundwater table.

Table 8. Functions and Values of the Rostad Ranch Wetland Mitigation Site from 2004, 2013 and 2014.

Function and Value Parameters from the	2004*	2004*	2004*	224244	2244	
Montana Wetland Assessment Method	W-1-04	W-2-04	W-3-04	2013**	2014**	
Listed/Proposed T&E Species Habitat	Low (0.0)	Low (0.0)	Low (0.0)	Low (0.0)	Low (0)	
MTNHP Species Habitat	Low (0.2)	Low (0.2)	Low (0.2)	High (0.9)	High (0.9)	
General Wildlife Habitat	Low (0.3)	Low (0.3)	Low (0.3)	Mod (0.5)	Low (0.3)	
General Fish/Aquatic Habitat	NA	NA	NA	NA	NA	
Flood Attenuation	NA	NA	NA	NA	NA	
Short and Long Term Surface Water Storage	Low (0.2)	Low (0.2)	Low (0.2)	High (0.8)	Mod (0.6)	
Sediment/Nutrient/Toxicant Removal	Mod (0.6)	Mod (0.6)	Mod (0.6)	Mod (0.7)	Mod (0.7)	
Sediment/Shoreline Stabilization	Mod (0.6)	Mod (0.6)	NA	NA	Mod (0.6)	
Production Export/Food Chain Support	Mod (0.7)	Mod (0.7)	Low (0.3)	High (0.9)	Mod (0.6)	
Groundwater Discharge/Recharge	High (1.0)	High (1.0)	NA	High (1.0)	Mod (0.7)	
Uniqueness	Low (0.2)	Low (0.2)	Low (0.2)	Mod (0.4)	Low (0.2)	
Recreation/Education Potential (bonus points)	Low (0.1)	Low (0.1)	Low (0.1)	Low (0.05)	Low (0.05)	
Actual Points/Possible Points	3.9 / 10	3.9 / 10	1.9 / 8	5.25 / 8	4.65 / 9	
% of Possible Score Achieved	39.0%	39.0%	24.0%	65.6%	51.7%	
Overall Category	III	III	III	II	III	
Total Acreage of Assessed Wetlands within Site	1.2	1.8	0.4	13.74	14.40	
Functional Units (acreage x actual points)	4.68	7.02	0.76	72.1	67.0	

<sup>\*1999</sup> MWAM form (Berglund, 1999)

#### 3.7. Photo Documentation

Photographs taken in 2014 at photo points one through seven (PP1 through PP7; Figure 2, Appendix A) are shown on pages C-1 to C-7 of Appendix C. Vegetation transect end points are shown on pages C-8 to C-10. Photographs of the data points are included on page C-5.

#### 3.8. Maintenance Needs

Priority 2B noxious weeds identified within the Rostad Ranch mitigation site included spotted knapweed, Gypsy-flower, Canadian thistle, field bindweed, common tansy, and the Priority 2A listed hoary false madwort. A total of 25 infestation areas were mapped in 2014, ranging in size from less than 0.1 acre to



<sup>\*\*2008</sup> MWAM form (Berglund and McEldowney, 2008)

1 to 5 acres in size. The majority of the infestations were located in upland community Type 1 and appeared to have been established within the site prior to mitigation construction. MDT, as its overall goal to achieve a natural wetland ecosystem, will continue to conduct weed control at this site based upon the findings of the annual wetland monitoring and site inspections.

The irrigation diversion structure was closed during the July 2014 investigation due to regulatory requirements associated with DNRC's approval of water rights for this site. The water rights were approved in September 2014. Several areas of the constructed embankment dike around the northern cell had been breached during early summer in 2013. The MDT made some temporary repairs with coir logs and rock to prevent further washouts and degradation of the structure. An MDT contractor undertook corrective actions in November 2013 to raise the level of the dike and repair all the breaches in the structure. Besides the corrective actions undertaken by MDT to repair the northern embankment structure, no maintenance was identified for any of the structures in 2014.

The wildlife-friendly fence installed around the easement area was intact except for one bent fence post observed in 2014 near the northeast corner of the site. Seven bluebird boxes were installed around the site perimeter in 2012. Bank swallows occupied several of the bird boxes in 2014. The bluebird boxes were in good condition in 2014.

#### 3.9. Current Credit Summary

Table 9 summarizes the estimated wetland credits based on the USACE-approved credit ratios and the wetland delineation completed in July 2014. Proposed mitigation credits from the 2007 Rostad Ranch Mitigation Plan included the re-establishment of 27.11 wetland acres, rehabilitation of 2.63 wetland acres, creation of 9.84 wetland acres, preservation of 0.25 wetland acres, and maintenance of 6.76 acres of upland buffer (Table 1). The wetland acreages delineated in 2014 included 9.91 acres of re-established wetlands, 1.56 acres of rehabilitated wetland, 2.68 acres of created wetland, and 0.25 acres of preservation wetland (community Type 3). The total mitigation credit estimated in 2014, including the upland buffer credit and the deduction for the 0.41-acre wetland impact incurred during mitigation construction, totaled 14.63 credit acres.

Table 10 provides a summary of the approved performances standards and success criteria based on site conditions documented in 2014. All wetlands delineated at the Rostad Ranch mitigation site in 2014 satisfied the three criteria of wetland hydrology, hydrophytic vegetation, and hydric soils. Willow stakes planted within the site exhibited a 75 percent survival rate during the second year of planting, an approximate 20 percent decrease from the 95 percent survival rate observed in 2013. Although recently disturbed, the site was well vegetated with aerial coverage by desirable plants estimated at greater than 80 percent. The coverage of state-listed noxious weeds in the upland buffer exceeded 5 percent in 2014. The cover of noxious weeds within the delineated wetlands was less than 5 percent. The extent of the open water surveyed in 2014 comprised



20 percent of the total wetland acreage, exceeding the cap of 10 percent stipulated in the USACE-approved performance criteria. The percentage of open water is expected to decrease as additional emergent wetlands develop on site. The entire 60-acre easement area has been fenced to exclude grazing.



Table 9. Summary of wetland credits at the Rostad Ranch Wetland Mitigation Site from 2013 to 2014.

Compensatory Mitigation Type	Wetland Type (Cowardin)	Approved Migiation Ratios*	Anticipated Mitigation Area (acres)	Anticipated Mitigation Credit (acres)	2013 Delineated Mitigation Areas (acres)	2013 Estimated Mitigation Credit (acres)	2014 Delineated Mitigation Areas (acres)	2014 Estimated Mitigation Credit (acres)
Restoration (Re-establishment)	Palustrine Emergent	1:1	27.11	27.11	10.89	10.89	9.91	9.91
Creation (Establishment)	Palustrine Emergent	1:1	9.84	9.84	1.07	1.07	2.68	2.68
Restoration (Rehabilitation)	Palustrine Emergent	1.5:1	2.63	1.75	1.53	1.02	1.56	1.04
Preservation	Palustrine, Scrub/shrub	4:1	0.25	0.06	0.25	0.06	0.25	0.06
Upland Buffer	N/A	5:1	6.76**	1.35	6.76	1.35	6.76	1.35
Permanent Wetland Impact	N/A	1:1	N/A	-0.41	N/A	-0.41	N/A	-0.41
*Mikiwaki wa ana alikuwaki a ukili	Totals		46.59	39.70	20.5	13.98	21.16	14.63

<sup>\*</sup>Mitigation credit ratios utilized were from the Montana Corps Regulatory Programs 2005 Wetland Credit Ratios (USACE 2005).



<sup>\*\*</sup>Anticipated upland buffer credit utilized until wetland areas expand to full enxtent.

Table 10. Summary of performance standards and success criteria.

Performance Standards	Success Criteria	Criteria Achieved Y/N	Discussion
Wetland Characteristics	Meet the three parameter criteria for hydrology, vegetation, and soils as outlined in the 1987 Wetland Delineation Manual and 2010 Great Plains Region.	Υ	Areas identified as wetland habitat within the mitigation site meet the three parameter criteria.
Wetland Hydrology	Soil saturation present for at least 12.5 percent of the growing season.	Υ	Areas identified as wetland habitat within the mitigation site exhibit soil saturation for a minimum 12.5 percent of growing season.
Hydric Soil	Hydric soil conditions present or appear to be forming.	Y	The recently constructed wetland complex exhibits weak hydric soil development in areas originally identified as upland prior to construction. Pre-existing hydric soil characteristics are present in several areas identified as wetland prior to project construction.
	Soil is sufficiently stable to prevent erosion.	Y	Disturbed soil is stable and does not exhibit signs of erosion.
	Soil is able to support plant cover.	Y	Plant cover has continued to develop across disturbed soils.
Hydrophytic Vegetation	Achieved where combined absolute cover of facultative or wetter species is greater than or equal to 70 percent.	Υ	Areas identified as wetland habitat within the mitigation site support a prevalence of hydrophytic vegetation (OBL, FACW, and FAC).
	Noxious weeds do not exceed 5 percent cover.	Y	Numerous noxious weed infestations have been mapped across this site, primarily outside of site wetlands. Estimated noxious weed cover within delineated wetlands is below 5 percent.
Woody Plants	Plantings will be considered successful where they exceed 50 percent survival after 5 years.	Υ	Approximately 75 percent of the woody plantings observed were alive in 2014, exceeding the 50 percent survival rate.
Herbaceous Plants	At the conclusion of the monitoring period, ocular coverage of desirable hydrophytic vegetation will be at least 80 percent.	Y	Aside from the 2.85 acres identified as open water, created wetlands generally exhibited greater than 80 percent vegetation cover during the 2014 monitoring event and showed increased vegetation cover from 2013.
Open Water Areas	Open water that is established within the designated wetland cells will be considered successful and creditable if it does not exceed 10 percent of the total wetland acreage.	N	Open water was mapped within 20% of the total wetland acreage in 2014. These areas are exhibiting emergent vegetation development and are anticipated to convert to aquatic macrophyte communities within the 5 year monitoring period.
Upland Buffer	Success will be achieved when noxious weeds do no exceed 5 percenct cover within the buffer areas on site.	N	Numerous noxious weed infestations, including field bindweed, gypsy-flower, Canadian thistle, spotted knapweed, and hoary alyssum were mapped within the site in 2014. It is currently estimated that noxious weeds cover greater than 5 percent of the upland buffer within the conservation easement area. MDT will need to continue to implement weed control measures to meet this criteria.
	Any area disturbed within creditable buffer zone must have at least 50 percent aerial cover of desirable upland plant species by end of monitoring period.	Y	Upland buffers surround wetland areas within the site exhibited greater than 50 percent aerial cover of non-weed species in 2014.
Weed Control	Implement weed control measures to minimize and/or eliminate infestations of state-listed noxious weed species within the site.	N	State-listed noxious weed species across the site have been estimated at greater than 5 percent absolute cover in 2014.
Fencing	Install wildlife-friendly fencing along the easement boundaries.	Υ	Wildlife-friendly fencing has been installed around the easement boundaries and is in good condition.



#### 4. REFERENCES

- Berglund, J. and R. McEldowney. 2008. *MDT Montana Wetland Assessment Method*. Prepared for Montana Department of Transportation, Helena, Montana. Post, Buckley, Schuh, & Jernigan, Helena, Montana. 42pp.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. FWS/OBS-79/31. U.S.D.I Fish and Wildlife Service. Washington D.C.
- Environmental Laboratory. 1987. *Corps of Engineers Wetlands Delineation Manual*. U.S. Army Corps of Engineers. Washington, DC.
- Lichvar, R.W., M. Butterwick, N.C. and W.N. Kirchner. 2014. *The National Wetland Plant List. 2014 Update of Wetland Ratings.* Phytoneuron 2014-41:1-42.
- USDA, Natural Resource Conservation Service. *Montana Hydric Soils List*. April 2012.
- U.S. Army Corps of Engineers. 2010. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Great Plains Region (Version 2.0), ed. J. S. Wakeley, R. W. Lichvar, and C. V. Noble. ERDC/EL TR-10-1.Vicksburg, MS: U.S. Army Engineer Research and Development Center.

#### Websites:

- Montana Natural Heritage Program website. Accessed in September 2013 at http://mtnhp.org/nwi/PUB\_PAB.asp.
- USDA, Natural Resources Conservation Service Soil Survey Geographic (SSURGO) Data. Meagher County, Montana. Time Stamped September 2012.
- WRCC United States Historical Climatology Network. Accessed October 2014 at: http://www.wrcc.dri.edu/CLIMATEDATA.html.





Rostad Ranch 2014 Wetland	Mitigation Monitoring Report
---------------------------	------------------------------

# Appendix A

Project Area Maps – Figures 2 and 3

MDT Wetland Mitigation Monitoring Rostad Ranch Meagher County, Montana





Rostad Ranch 2014 Wetland Mitigation Monitoring Report

# Appendix B

2014 MDT Wetland Mitigation Site Monitoring Form 2014 USACE Wetland Determination Data Forms 2014 MDT Montana Wetland Assessment Form

MDT Wetland Mitigation Monitoring Rostad Ranch Meagher County, Montana

# MDT WETLAND MITIGATION SITE MONITORING FORM

Project Site: Rostad Ranch Assessment Date/Time	<u>7/2</u> 0
Person(s) conducting the assessment: Erik Nyquist	
Weather: Sunny, approx. 75 degrees Location: Martinsdale, MT	
MDT District: 5Milepost:	
Legal Description: T_8N_R_11E_Section(s)_12 and 13	
Initial Evaluation Date: 8/21/2013 Monitoring Year: 2_#Visits in Year: 1	
Size of Evaluation Area: 60 (acres)	
Land use surrounding wetland:	
Agriculture	
HYDROLOGY	
Surface Water Source: Groundwater, supplemental hydrology from ditch/headgate, surface runoff	
nundation: Average Depth: 0.5 (ft) Range of Depths: 0.25-3.5 (ft)	
Percent of assessment area under inundation: 40 %	
Depth at emergent vegetation-open water boundary:0.5 (ft)	
If assessment area is not inundated then are the soils saturated within 12 inches of surface:Yes	
Other evidence of hydrology on the site (ex. – drift lines, erosion, stained vegetation, etc:	
Drainage patterns, soil saturation, water marks, drift deposits, iron deposits, surface soil cracks,	7
algal mat, geomorphic position, positive FAC-neutral test.	
Cusumdurates Manitarina Walla	_
Groundwater Monitoring Wells	
Record depth of water surface below ground surface, in feet.	
Well ID Water Surface Depth (ft)	
MW-1	
dditional Activities Checklist:	
Map emergent vegetation-open water boundary on aerial photograph.	
Observe extent of surface water during each site visit and look for evidence of past surface water	
levations (drift lines, erosion, vegetation staining, etc.)	
Use GPS to survey groundwater monitoring well locations, if present.	
lydrology Notes:	
MW-1 groundwater level at greater than 6 feet below ground surface, located in upland near levee.	

# **VEGETATION COMMUNITIES**

# Site Rostad Ranch

(Cover Class Codes  $\mathbf{0} = < 1\%$ ,  $\mathbf{1} = 1-5\%$ ,  $\mathbf{2} = 6-10\%$ ,  $\mathbf{3} = 11-20\%$ ,  $\mathbf{4} = 21-50\%$ ,  $\mathbf{5} = >50\%$ )

Community #	<b>1</b> Community Type:	Phleum pratense / Trifolium spp.	Acres	<u>45.6</u>
-------------	--------------------------	----------------------------------	-------	-------------

	<u> </u>			_
Species	Cover class	Species	Cover class	
Achillea millefolium	1	Amaranthus retroflexus	0	
Ambrosia acanthicarpa	0	Aster sp.	0	
Bare Ground	0	Bassia scoparia	3	
Berteroa incana	0	Brassica kaber	0	
Bromus arvensis	0	Bromus carinatus	1	
Bromus inermis	2	Centaurea stoebe	2	
Chenopodium album	0	Chenopodium sp.	2	
Cirsium arvense	1	Cynoglossum officinale	1	
Deschampsia caespitosa	0	Descurainia sophia	1	
Elymus repens	2	Elymus trachycaulus	1	
Festuca pratensis	2	Helianthus annuus	1	
Hordeum jubatum	1	Juncus balticus	1	
Lactuca serriola	0	Medicago sativa	1	
Melilotus albus	0	Melilotus officinalis	2	
Pascopyrum smithii	1	Phalaris arundinacea	0	
Phleum pratense	4	Poa palustris	1	
Populus angustifolia	1	Potentilla gracilis	0	
Rumex crispus	0	Rumex occidentalis	0	
Tanacetum vulgare	0	Taraxacum officinale	1	
Thlaspi arvense	1	Tragopogon dubius	0	
Trifolium arvense	0	Trifolium pratense	1	
Trifolium repens	3			
Comments:				

#### Comments:

One upland community on site, previously grazed meadow.

Community # 2 Co	ommunity Type:	Juncus balticus / Carex nebrascens	sis Acres	<u>11.2</u>
Species	Cover class	Species	Cover class	
Algae, green	0	Bare Ground	1	
Bassia scoparia	0	Beckmannia syzigachne	3	
Carex nebrascensis	4	Centaurea stoebe	0	
Chenopodium album	0	Chenopodium sp.	0	
Cyrtorhyncha cymbalaria	0	Deschampsia caespitosa	1	
Eleocharis palustris	1	Elymus repens	0	
Elymus trachycaulus	0	Epilobium ciliatum	0	
Glyceria grandis	0	Hordeum jubatum	2	
Juncus articulatus	0	Juncus balticus	4	
Juncus bufonius	0	Lactuca serriola	0	
Lepidium densiflorum	0	Melilotus officinalis	0	
Open Water	0	Pascopyrum smithii	0	
Phalaris arundinacea	2	Phleum pratense	0	
Poa palustris	1	Rumex crispus	1	
Rumex occidentalis	0	Salix exigua	1	
Sonchus arvensis	1	Thlaspi arvense	0	
Trifolium pratense	0	Typha latifolia	1	
Veronica peregrina	0			
Comments:				
Wet meadow, revegetation	successful since 201	3		
Community # 3 Co	ommunity Type:	Salix exigua /	Acres	0.31
•	Jimmenney Type.	<u> </u>	710100	0.01
Species	Cover class	Species	Cover class	<u>0.01</u>
				<u> </u>
Species	Cover class	Species		<u> </u>
Species Agrostis gigantea	Cover class	Species Alopecurus pratensis		<u> </u>
Species Agrostis gigantea Beckmannia syzigachne	Cover class 0 1	Species  Alopecurus pratensis  Carex nebrascensis	Cover class  1 1	<u> </u>
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata	Cover class 0 1	Species  Alopecurus pratensis  Carex nebrascensis  Deschampsia caespitosa	Cover class  1 1 2	<u> </u>
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata Poa palustris	0 1 1 2	Species  Alopecurus pratensis  Carex nebrascensis  Deschampsia caespitosa	Cover class  1 1 2	<u> </u>
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata Poa palustris Veronica peregrina	0 1 1 2 0	Species  Alopecurus pratensis Carex nebrascensis Deschampsia caespitosa Salix exigua	Cover class  1 1 2	<u> </u>
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata Poa palustris Veronica peregrina Comments: Undisturbed salix communit	0 1 1 2 0	Species  Alopecurus pratensis Carex nebrascensis Deschampsia caespitosa Salix exigua	Cover class  1 1 2	2.85
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata Poa palustris Veronica peregrina Comments: Undisturbed salix communit	Cover class  0 1 1 2 0	Species  Alopecurus pratensis Carex nebrascensis Deschampsia caespitosa Salix exigua	Cover class  1 1 2 5	
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata Poa palustris Veronica peregrina Comments: Undisturbed salix communit Community # 4 Communi	Cover class  0 1 2 0 y near southern externormunity Type:	Species  Alopecurus pratensis Carex nebrascensis Deschampsia caespitosa Salix exigua  nt of monitoring boundary.  Open Water /	Cover class  1 1 2 5	
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata Poa palustris Veronica peregrina Comments: Undisturbed salix communit Community # 4 Community # 4 Community # 4 Community # 5 Communi	Cover class  0 1 2 0 y near southern externommunity Type:  Cover class	Species  Alopecurus pratensis Carex nebrascensis Deschampsia caespitosa Salix exigua  nt of monitoring boundary.  Open Water / Species	Cover class  1 1 2 5  Acres  Cover class	
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata Poa palustris Veronica peregrina Comments: Undisturbed salix communit Community # 4 Communi	Cover class  0 1 2 0 y near southern externormunity Type:  Cover class 0	Species  Alopecurus pratensis Carex nebrascensis Deschampsia caespitosa Salix exigua  nt of monitoring boundary.  Open Water /  Species Beckmannia syzigachne	Cover class  1 1 2 5  Acres  Cover class 1	
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata Poa palustris Veronica peregrina Comments: Undisturbed salix communit Community # 4 Communi	Cover class  0 1 2 0 y near southern externommunity Type:  Cover class  0 0	Species  Alopecurus pratensis Carex nebrascensis Deschampsia caespitosa Salix exigua  nt of monitoring boundary.  Open Water /  Species  Beckmannia syzigachne Downingia laeta	Cover class  1 1 2 5  Acres  Cover class 1 0	
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata Poa palustris Veronica peregrina Comments: Undisturbed salix communit Community # 4 Communi	Cover class  0 1 1 2 0 y near southern exter community Type:  Cover class  0 0 1	Species  Alopecurus pratensis Carex nebrascensis Deschampsia caespitosa Salix exigua  nt of monitoring boundary.  Open Water /  Species  Beckmannia syzigachne Downingia laeta Glyceria grandis	Cover class  1 1 2 5  Acres  Cover class  1 0 0	
Species Agrostis gigantea Beckmannia syzigachne Carex utriculata Poa palustris Veronica peregrina Comments: Undisturbed salix communit Community # 4 Co Species Algae, green Carex nebrascensis Eleocharis palustris Juncus balticus	Cover class  0 1 1 2 0 y near southern exter community Type:  Cover class  0 0 1 0	Species  Alopecurus pratensis Carex nebrascensis Deschampsia caespitosa Salix exigua  nt of monitoring boundary.  Open Water /  Species  Beckmannia syzigachne Downingia laeta Glyceria grandis Open Water	Cover class  1 1 2 5  Acres  Cover class  1 0 0 5	

Community # 5 Co	mmunity Type: 🧿	Glyceria grandis / Typha latifolia	Acres	0.03
Species	Cover class	Species	Cover class	
Beckmannia syzigachne	2	Eleocharis palustris	3	
Glyceria grandis	4	Open Water	3	
Typha latifolia	3			

Comments:

**Total Vegetation Community Acreage** 

59.99

(Note: some area within the project bounds may be open water or other non-vegetative ground cover.)

# **VEGETATION TRANSECTS**

Rostad Ranch		Da	te:	7/17/2014
Transect Number: 1		_ Compass Di	rection from Start: 2	90
Interval Data:				
Ending Station	135	Community Type:	Phleum pratense / Trifolium	n spp.
Species		Cover class	Species	Cover class
Achillea millefolium		1	Aster sp.	1
Bromus inermis		5	Centaurea stoebe	0
Cirsium arvense		0	Cynoglossum officinale	0
Medicago sativa		1	Pascopyrum smithii	1
Phleum pratense		1	Rumex crispus	0
Taraxacum officinale		1	Tragopogon dubius	1
Trifolium pratense		2		
<b>Ending Station</b>	263	Community Type:	Juncus balticus / Carex net	orascensis
Species		Cover class	Species	Cover class
Carex nebrascensis		2	Deschampsia caespitosa	1
Eleocharis palustris		1	Juncus balticus	3
Phalaris arundinacea		1	Phleum pratense	1
Poa palustris		3	Rumex crispus	0
Trifolium pratense		2		
Ending Station	351	Community Type:	Phleum pratense / Trifolium	ı spp.
Species		Cover class	Species	Cover class
Amaranthus retroflexus		1	Bare Ground	1
Bromus carinatus		2	Chenopodium album	1
Cynoglossum officinale		0	Helianthus annuus	1
Lactuca serriola		1	Medicago sativa	1
Melilotus officinalis		3	Pascopyrum smithii	2
Phleum pratense		3	Thlaspi arvense	1
Trifolium pratense		4	•	
<b>Ending Station</b>	422	Community Type:	Open Water /	
Species		Cover class	Species	Cover class
•			-	
Beckmannia syzigachne		1	Carex nebrascensis	0
Beckmannia syzigachne		1	Carex nebrascensis Juncus balticus	0 1
•		1		0 1 0

Transect Notes:

**Interval Data:** 90 Community Type: Phleum pratense / Trifolium spp. **Ending Station Species** Cover class **Species Cover class** Achillea millefolium 0 Aster sp. 1 Bare Ground 1 Bassia scoparia 1 2 Bromus inermis 2 Chenopodium album Cirsium arvense 1 Descurainia sophia 1 Elymus repens 2 Melilotus officinalis 3 2 0 Phleum pratense Populus angustifolia Rumex occidentalis 1 Taraxacum officinale 1 Thlaspi arvense Trifolium pratense 3 253 Community Type: Juncus balticus / Carex nebrascensis **Ending Station Species** Cover class Species Cover class Carex nebrascensis 3 Elymus repens 0 4 2 Juncus balticus Phalaris arundinacea 2 0 Phleum pratense Rumex occidentalis Salix exigua 1 Trifolium pratense 3 Typha latifolia 1 301 **Community Type:** Phleum pratense / Trifolium spp. **Ending Station** Cover class **Species Species** Cover class 0 3 Achillea millefolium Bromus inermis Elymus trachycaulus 1 Hordeum jubatum 1 2 Juncus balticus Pascopyrum smithii 0 5 Phleum pratense Trifolium arvense 2 Trifolium pratense 388 Community Type: **Ending Station** Juncus balticus / Carex nebrascensis **Species Cover class Cover class** Species 3 Bare Ground Carex nebrascensis 3 1 Juncus balticus Pascopyrum smithii Phalaris arundinacea 3 1 Phleum pratense Poa palustris 1 Rumex occidentalis 0 0 Salix exigua 1 Trifolium pratense Typha latifolia 1

Compass Direction from Start: 120

Transect Number: 2

Ending Station 453 Community Type: Phleum pratense / Trifolium spp.

Species	Cover class	Species	Cover class
Achillea millefolium	1	Aster sp.	0
Bromus inermis	2	Elymus repens	2
Elymus trachycaulus	2	Hordeum jubatum	0
Juncus balticus	2	Medicago sativa	0
Pascopyrum smithii	2	Phalaris arundinacea	1
Phleum pratense	2	Rumex occidentalis	0
Taraxacum officinale	0	Trifolium pratense	1

Transect Notes:

Interval Data:	0.4			
Ending Station	21	Community Type:	Phleum pratense / Trifolium	
Species		Cover class	Species	Cover class
Amaranthus retroflexus		1	Bare Ground	2
Brassica kaber		1	Bromus arvensis	1
Cynoglossum officinale		0	Deschampsia caespitosa	0
Elymus repens		2	Hordeum jubatum	0
Phleum pratense		1	Populus angustifolia	4
Tanacetum vulgare		0		
Ending Station	165	Community Type:	Juncus balticus / Carex nebr	ascensis
Species		Cover class	Species	Cover class
Bare Ground		1	Beckmannia syzigachne	1
Carex nebrascensis		1	Chenopodium album	1
Cyrtorhyncha cymbalaria		0	Deschampsia caespitosa	3
Epilobium ciliatum		1	Glyceria grandis	0
Hordeum jubatum		3	Juncus articulatus	0
Juncus balticus		1	Juncus bufonius	2
Sonchus arvensis		0		
<b>Ending Station</b>	238	Community Type:	Glyceria grandis / Typha latif	olia
Species		Cover class	Species	Cover class
Beckmannia syzigachne		2	Eleocharis palustris	3
Glyceria grandis		4	Open Water	2
Typha latifolia		3		
<b>Ending Station</b>	254	Community Type:	Open Water /	
Species		Cover class	Species	Cover class
Algae, green			-	0010.0.000
Aigac, green		1	Beckmannia syzigachne	0
= =		1 0	Beckmannia syzigachne	
Downingia laeta Glyceria grandis			•	0
Downingia laeta		0	Beckmannia syzigachne Eleocharis palustris	0 0
Downingia laeta Glyceria grandis		0 0	Beckmannia syzigachne Eleocharis palustris Open Water	0 0 5
Downingia laeta Glyceria grandis Polypogon monspeliensis		0 0 0	Beckmannia syzigachne Eleocharis palustris Open Water Typha latifolia	0 0 5 2
Downingia laeta Glyceria grandis Polypogon monspeliensis Veronica peregrina		0 0 0 0	Beckmannia syzigachne Eleocharis palustris Open Water Typha latifolia	0 0 5 2
Downingia laeta Glyceria grandis Polypogon monspeliensis Veronica peregrina Ending Station		0 0 0 0 Community Type:	Beckmannia syzigachne Eleocharis palustris Open Water Typha latifolia Juncus balticus / Carex nebr	0 0 5 2 ascensis
Downingia laeta Glyceria grandis Polypogon monspeliensis Veronica peregrina  Ending Station Species		0 0 0 0 <b>Community Type:</b>	Beckmannia syzigachne Eleocharis palustris Open Water Typha latifolia  Juncus balticus / Carex nebr	0 0 5 2 ascensis
Downingia laeta Glyceria grandis Polypogon monspeliensis Veronica peregrina  Ending Station Species Beckmannia syzigachne		0 0 0 0 <b>Community Type:</b> <b>Cover class</b>	Beckmannia syzigachne Eleocharis palustris Open Water Typha latifolia  Juncus balticus / Carex nebr  Species Deschampsia caespitosa	0 0 5 2 ascensis Cover class
Downingia laeta Glyceria grandis Polypogon monspeliensis Veronica peregrina  Ending Station Species Beckmannia syzigachne Eleocharis palustris		0 0 0 0 <b>Community Type:</b> <b>Cover class</b> 1 3	Beckmannia syzigachne Eleocharis palustris Open Water Typha latifolia  Juncus balticus / Carex nebr  Species Deschampsia caespitosa Elymus trachycaulus	0 0 5 2 rascensis Cover class

Transect Number: 3 Compass Direction from Start: 30

Transect Notes:

### **PLANTED WOODY VEGETATION SURVIVAL**

# Rostad Ranch

Planting Type	#Planted	#Alive Notes	_
Populus balsamifera	100	80 80% survival rate	
Populus tremuloides	100	80 80% survival rate	
Salix spp.	2000	1500 estimate approximately 75% survival	

### Comments

Willow stakes were planted in spring 2013 with observations of approximately 75% survival. Plants looked healthy with minimal browse. Approximately 80% survival for cottonwoods and aspen.

### Rostad Ranch

#### **WILDLIFE**

Were man-made nesting structures installed?  If yes, type of structure: Blue bird boxes	Yes
How many?7	
Are the nesting structures being used?	Yes
Do the nesting structures need repairs?	Yes
Nesting Structure Comments:	

Box in NE corner of site needs repair.

Species	#Observed	Behavior	Habitat	
American Robin	3	FO	SS, UP	
American White Pelican	1 2	FO	OW	
Bank Swallow	10	BD, F, FO, N	AB, OW, UP, US	
Blue-winged Teal	1	F, L	OW	
Common Grackle	8	FO, L	UP	
Mallard	2	L, N	AB, OW	
Northern Harrier	2	FO, N	UP, WM	
Red-winged Blackbird	6	BP, BD, F, FO, L,	SS, UP, WM	
Sandhill Crane	2	FO	WM	
Wilson's Snipe	5	L, N	AB, MA, WM	
Bird Comments				
Swallows occupying bird bo	oxes			

#### **BEHAVIOR CODES**

 $\textbf{BP} = \text{One of a } \underline{\text{breeding pair}} \ \ \textbf{BD} = \underline{\text{Breeding display}} \ \ \textbf{F} = \underline{\text{Foraging}} \ \ \textbf{FO} = \underline{\text{Flyover}} \ \ \underline{\textbf{L}} = \underline{\text{Loafing}} \ \ \textbf{N} = \underline{\text{Nesting}}$ 

#### **HABITAT CODES**

**AB** = Aquatic bed **SS** = Scrub/Shrub **FO** = Forested **UP** = Upland buffer **I** = Island

WM = Wet meadow MA = Marsh US = Unconsolidated shore MF = Mud Flat OW = Open Water

# **Mammals and Herptiles**

Species	# Observed	Tracks	Scat	Burrows	Comments
Boreal Chorus Frog	1	No	No	No	

Wildlife Comments:

#### Rostad Ranch

#### **PHOTOGRAPHS**

Take photographs of the following permanent reference points listed in the check list below. Record the direction of the photograph using a compass. When at the site for the first time, establish a permanent reference point by setting a ½ inch rebar or fencepost extending 2-3 feet above ground. Survey the location with a resource grade GPS and mark the location on the aerial photograph.

### **Photograph Checklist:**

- ☑ One photograph for each of the four cardinal directions surrounding the wetland.
- At least one photograph showing upland use surrounding the wetland. If more than one upland exists then take additional photographs.
- At least one photograph showing the buffer surrounding the wetland.
- ☑ One photograph from each end of the vegetation transect, showing the transect.

Photo #	Latitude	Longitude	Bearing	Description
14-20	46.460579	-110.294502	270	PP-3, panoramic 160-360 degrees
				3
1-5	46.463894	-110.292686	140	PP-1, panoramic 140-240 degrees
21-26	46.458241	-110.29377	290	PP-4, panoramic 190-340 degrees
27-32	46.458417	-110.296185	200	PP-5, panoramic 300-110 degrees
33	46.459839	-110.298195	30	PP-6
34	46.45982	-110.298035	100	PP-6
35-39	46.461119	-110.299371	300	PP-7, panoramic 0-300 degrees
41	46.463043	-110.291222	290	T-1, start
42	46.463577	-110.29274	110	T-1, end
43	46.46286	-110.296341	130	T-2, start
44	46.46191	-110.295059	310	T-2, end
48	46.459347	-110.296814	30	T-3, start
54	46.459827	-110.295876	210	T-3, end
55	46.462532	-110.294189	45	R-1w
56	46.462399	-110.294083	340	R-1u
57	46.459026	-110.295227	250	R-2w
58	46.458927	-110.295059	260	R-2u
6-12	46.461612	-110.294534	180	PP-2, panoramic 180-70 degrees

#### **Comments:**

#### Rostad Ranch

#### ADDITIONAL ITEMS CHECKLIST

# Hydrology $\square$ Map emergent vegetation/open water boundary on aerial photos. $\overline{\mathbf{Q}}$ Observe extent of surface water. Look for evidence of past surface water elevations (e.g. drift lines, vegetation staining, erosion, etc). **Photos** One photo from the wetland toward each of the four cardinal directions $\overline{\mathbf{V}}$ One photo showing upland use surrounding the wetland. One photo showing the buffer around the wetland One photo from each end of each vegetation transect, toward the transect Vegetation ☑ Map vegetation community boundaries ☑ Complete Vegetation Transects Soils ✓ Assess soils **Wetland Delineations** lacksquareDelineate wetlands according to applicable USACE protocol (1987 form or Supplement) Delineate wetland – upland boundary onto aerial photograph. Wetland Delineation Comments Slight increase in wetland area from 2013. **Functional Assessments** $\checkmark$ Complete and attach full MDT Montana Wetland Assessment Method field forms. **Functional Assessment Comments:**

#### Maintenance

were man-made nesting structure installed at this site?
If yes, do they need to be repaired?  Yes
If yes, describe the problems below and indicate if any actions were taken to remedy the problems
Were man-made structures built or installed to impound water or control water flow
into or out of the wetland?  Yes
If yes, are the structures in need of repair?

If yes, describe the problems below.

One bent fence post near NE corner of site. The spillway out of the northern cell was intact and a minimal amount of water was flowing into the overflow rock drain.

# WETLAND DETERMINATION DATA FORM - Great Plains Region

Project/Site: Rostad Ranch	City/Cou	nty: Meagher		Sampling Dat	te:7/1	7/2014
Applicant/Owner: MDT			State: MT			
Investigator(s): E Nyquist				8N 1		
Landform (hillslope, terrace, etc.): Levee				x	Slope (%)	. 2
Subregion (LRR): LRR F						
Soil Map Unit Name: Varney-Notter cobbly loam			NWI class		a.u	
Are climatic / hydrologic conditions on the site typical for this tim						
Are Vegetation Soil, or Hydrology signi					<b>☑</b> N	In
Are Vegetation Soil , or Hydrology nature	relly problematic		ed, explain any ans			
SUMMARY OF FINDINGS - Attach site map sho	owing sampl	ling point loca	itions, transec	ts, important	. feature	s, etc.
Hydrophytic Vegetation Present?  Hydric Soil Present?  Wetland Hydrology Present?  Remarks:  No  No  No  No  No  No  No  No  No  N	<u> </u>	s the Sampled Are vithin a Wetland?		□ No ☑		
VEGETATION - Use scientific names of plant						
	Domiant Indic Species? Statu	cator us	Dominance Test v	vorksheet		
		1	Number of Domina that are OBL, FAC		0 (A)	
			Total Number of Do Species Across All		3 (B)	
Sapling/Shrub Stratum Plot size (15 Foot Radius)			Percent of Domina That Are OBL, FAC		0.0 % (	(A/B)
			Prevalence Index		* 4. dtiply k	- 14
		<del>-</del>	Total % Cove OBL species	or of: 0 X 1	Multiply b	<u>)y:</u>
			FACW species	-	10	=
		ı	FAC species	0 X3	0	
Herbaceous Stratum Plot size ( 5 Foot Radius)			FACU species		300	_
Elymus trachycaulus 10	FACU		UPL species		25	
Medicago sativa 5	UPL		Column Totals	85 (A)	335	(B)
Melilotus officinalis 20	<b>▼</b> FACU		Prevalence In	dex = B/A =	3.	94
Phleum pratense 30 Poa palustris 5	FACU FACW		Hydrophytic Vege			
Trifolium pratense 15	☐ FACW FACU		_ ·	est for Hydrophyti	ŭ	ion
Thouam praterio	V 17100	<u> </u>	_	ince Test is >50%		
			3 - Prevaler	nce Index is <= 3.	.0	
				logical Adaptations data in remarks of		
			_	l Non-Vascular Pla	ants	ļ
			_	c Hydrophytic Veg		volain)
Woody Vine Stratum Plot size ( 30 Foot Radius)					,	
		pr	dicators of hydric s esent, unless distu	urbed or problema		
Percent Bare Ground 15			Hydrophytic Vege Present?	Yes [	□ NO	$\checkmark$
Remarks:			-			

US Army Corps of Engineers Great Plains - Version 2.0

SOIL Sampling Point: R-1u

Profile Desc	ription: (Describe	to the depth n	eeded to docume	nt the indicator or o	confirm the absence	of indicators.)
Depth	Matrix		Redox F	eatures		
(inches)	Color (maist)	%(	Calar (maist)	% Type <sup>1</sup> I	_oc <sup>2</sup> Texture	Remarks
<u>0-6</u>	10YR 4/2	100	55		Sandy Clay Loam	2
6-20	10YR 3/2	100			Sandy Clay Loam	10% gravel/cobble
0-20	101K 3/2	100			Salidy Clay Loalli	10% grave//cobble
3	9					
9	9	-379 9		<u> </u>		<u> </u>
	3					
	-					
-	9					
-	-				<del></del>	
				overed or Coated S		ation: PL=Pore Lining, M=Matrix.
Hydric Soil	Indicators: (Appli	cable to all LRF	Rs, unless otherwi	se noted.)	Indicators	for Problematic Hydric Soils <sup>3</sup> :
Histosol	(A1)			yed Matrix (S4)		uck (A9) (LRR I, J)
	pipedon (A2)		Sandy Red	28 28		Prairie Redox (A16) (LRR F, G, H)
Black Hi			Stripped M	8 8	· —	urface (S7) (LRR G)
	n Sulfide (A4)			cky Mineral (F1)	9 <del>7 - 1</del> 7 - 76	ains Depressions (F16)
_	Layers (A5) (LRR			yed Matrix (F2)		R H outside of MLRA 72 & 73)
	ick (A9) (LRR F, G		Depleted N			ed Vertic (F18)
	d Below Dark Surfa	ce (A11)		k Surface (F6)		rent Material (TF2)
	ark Surface (A12)			ark Surface (F7)		nallow Dark Surface (TF12)
	lucky Mineral (S1)	(64) (LBB & II		ressions (F8)		Explain in Remarks)
	Aucky Peat or Peat			Depressions (F16)		of hydrophytic vegetation and
TT 5 CHI MIC	icky Peat or Peat (	) (LKK F)	(IVILIKA	72 & 73 of LRR H)		hydrology must be present, disturbed or problematic.
Restrictive I	_ayer (if present):				unicss	distanced of problematic.
Type:	1 \		2%			Present? Yes D No 🔽
Depth (in	8 0		<u>\$</u> 0		Hydric Soil	Present? Yes No
Remarks: N	o hydric soil indic	ators observe	d.			
	OV					
HYDROLO	363-369.					
	drology Indicators					
Primary India	ators (minimum of	опе required; ch	eck all that apply)		Seconda	ry Indicators (minimum of two required)
Surface	Water (A1)		Salt Crust (B	1)	Surfa	ace Soil Cracks (B6)
High Wa	ter Table (A2)		Aquatic Inver	ebrates (B13)	☐_ Span	sely Vegetated Concave Surface (B8)
Saturation	on (A3)		Hydrogen Su	fide Odor (C1)	Drair	nage Patterns (B10)
Water M	arks (B1)		☐ Dry-Season V	Vater Table (C2)	☐ Oxid	ized Rhizospheres on Living Roots (C3)
Sedimer	it Deposits (B2)		Oxidized Rhiz	ospheres on Living	Roots (C3) (wl	here tilled)
Drift Dep	osits (B3)		(where not	tilled)	Cray	fish Burrows (C8)
Algal Ma	it or Crust (B4)		Presence of F	Reduced Iron (C4)	☐ Satu	ration Visible on Aerial Imagery (C9)
1,570	iosits (B5)		Thin Muck Su		_	morphic Position (D2)
Inundation	on Visible on Aerial	Imagery (B7)	Other (Explain	n in Remarks)	☐ FAC	-Neutral Test (D5)
The state of the s	tained Leaves (B9)	WE 183389 111	20.00	- <del>-</del>		t-Heave Hummocks (D7) (LRR F)
Field Obser	vations:					
Surface Water	er Present?	Yes No	Depth (inche	s):		
Water Table				s):		
Saturation Pr		30 500 500	Depth (inche	20100110	Wetland Hydrology	Present? Yes No
(includes cap		I GS TTT INO T	_ rebi⊓ (inche	aj	wedand nydrology	rieaent: 168NO
		n gauge, monito	ring well, aerial pho	tos, previous inspec	ctions), if available:	
	58	5,000 ES	100 m	702 2,5	<b>**</b> **********************************	
Remarks: Na	hydrology indca	tore observed				
INC	riyurology iridca	iois obseived.				

# WETLAND DETERMINATION DATA FORM - Great Plains Region

Project/Site: Rostad Ranch	City/County: Meagher	S	ampling Date: 7/17/2014
Applicant/Owner: MDT			
Investigator(s): E Nyquist			11E
Landform (hillslope, terrace, etc.): Swale			Slape (%)· 2
Subregion (LRR): LRR F Lat	46.462921	-110.2	Olopo (70)
Soil Map Unit Name: Varney-Notter cobbly loam		NWI classification	
Are climatic / hydrologic conditions on the site typical for this time			
Are Vegetation Soil, or Hydrology signific			
Are Vegetation, Soil, or Hydrology natura	lly problematic? (If nee	eded, explain any answers i	n Remarks.)
SUMMARY OF FINDINGS – Attach site map show	wing sampling point lo	cations, transects, ir	nportant features, etc.
Hydrophytic Vegetation Present?  Yes  No  Hydric Soil Present?  Yes  No  No	is the sampled /	23720 COC	No 🗆
Wetland Hydrology Present? Yes   No		ur 169	. NO <u>—</u>
Remarks:			
VEGETATION - Use scientific names of plant			
	omiant Indicator pecies? Status	Dominance Test worksh	
		Number of Dominant Spe that are OBL, FACW or F	
	l	Total Number of Dominar Species Across All Strata	
Continue Chartes Plataire (45 Foot Padius)	l	Percent of Dominant Spe That Are OBL, FACW, or	
Sapling/Shrub Stratum Plot size (15 Foot Radius)	l	Prevalence Index works	sheet
	Į	Total % Cover of:	Multiply by:
	!	•	X 1 25
	!	'	X 2 60
	Į		X 3 0 X 4 100
Herbaceous Stratum Plot size ( 5 Foot Radius)			X 5 0
-	✓ OBL	Column Totals 80	(A) 185 (B)
-	✓ FACW ✓ OBL		
	FACW	Prevalence Index =	
	FACU	Hydrophytic Vegetation	Indicators Hydrophytic Vegetation
	FACW	· _ ·	, , , ,
	<b>✓</b> FACU	2 - Dominance Te	
	<u></u>	✓ 3 - Prevalence Inc	dex is <= 3.0
			Adaptations (Provide n remarks or on separate
		5 - Wetland Non-\	Vascular Plants
Woody Vine Stratum Plot size ( 30 Foot Radius)			ophytic Vegetation (Explain)
TTOOL THE STATE OF		Indicators of hydric sil and present, unless disturbed c	wetland hydrology must be pr problematic for #3, 4, 5.
Percent Bare Ground 20	l	Hydrophytic Vegetation Present?	Yes ☑ NO □
Remarks:			

US Army Corps of Engineers Great Plains - Version 2.0

SOIL Sampling Point: R-1w

Depth		Matrix		34 3 <del>4</del>		x Feature			<del></del> 0		8	
(inches)	Color (r	noist)	%	Cal	or (moist)	%	Type <sup>1</sup>				Remarks	
0-24	10YR	4/1	90	10YR	5/6	_ 10	_C	<u>M</u>	Sandy Loa	<u> </u>		
	8		<u> </u>	<u>-</u>		-	200	-	_2 12	<u></u>		
	4			<u> </u>			244 <u></u>					
	4		274	- S <u>-</u>			39 <u></u>					
	<u></u>		-			-						
	<del></del>		<del>-</del>	( <del>S</del>		-	100	-	<del></del>			
1	-									2.	Water - Harange - Santa Areas -	
					ed Matrix, C: unless othe			ed Sand			L=Pore Lining, Note that Line Line Line Line Line Line Line Line	
⊟ Histosol		(Applio	able to at	I LKKS,		Gleyed Ma				cm Muck (A9)		SOIIS .
_	pipedon (A2	ì				Redox (S5					edox (A16) (LRF	l F. G. H)
_	istic (A3)	,				d Matrix (S	3/4			ark Surface (9		, ~,,
	en Sulfide (A	4)			St	Mucky Mir	15	ĺ.		110	préssions (F16)	
_	d Layers (A				_	Gleyed Ma			- A		side of MLRA 7	2 & 73)
	ick (A9) ( <b>LR</b>					ed Matrix (				educed Vertic	The state of the s	
	d Below Dar ark Surface		e (A11)			Dark Surfa ed Dark Su	and the state of the state of	N.	A	ed Parent Ma	terial (TF2) ark Surface (TF1	2)
	ark Surrace Jucky Miner					ed Dark St Depressio		1	0.00	ery Snallow D ther (Explain i	the analysis of the second of the State section is	2)
	Mucky Peat		S2) (LRR	G, H)		ains Depre		F16)			phytic vegetation	and
	ucky Peat or					RA 72 &					gy must be pres	
									ur	nless disturbe	d or problematic	
										mode dibiance		
Restrictive	Layer (if pro	esent):										
Type:												
Depth (in-											? Yes ☑	No
Type:												
Type: Depth (in-												
Type: Depth (in-												
Type: Depth (in Remarks:	ches):											
Type: Depth (in- Remarks: YDROLO	ches):											
Type: Depth (in- Remarks:  YDROLO Wetland Hy	ches): GY drology Ind	licators:			k all that app	ly)			Hydric	Soil Present		No 🗆
Type: Depth (in- Remarks:  YDROLO Wetland Hyd Primary India	ches): GY drology Ind	licators:			k all that app	-			Hydric Sec	Soil Present	? Yes 🔽	No 🗆
Type: Depth (in- Remarks:  YDROLO Wetland Hy- Primary Indice	ches): GY drology Ind	licators:				(B11)	rs (B13)		Hydric Sec	Soil Present	? Yes 🔽	No
Type: Depth (in- Remarks:  YDROLO Wetland Hy- Primary Indice V Surface Ligh Wa	ches): GY drology Ind cators (minir Water (A1) ater Table (A	licators:		*	Salt Crust	(B11) vertebrate			Hydric Sec	Soil Present	? Yes  white the second of the	No
Type: Depth (in- Remarks:  YDROLO Wetland Hy- Primary India V Surface V High Wa V Saturation	ches): GY drology Ind cators (minir Water (A1) ater Table (A	licators:		*	Salt Crust Aquatic In	(B11) vertebrate Sulfide O	dor (C1)	)	Hydric  Sec	soil Present condary Indica Surface Soil Sparsely Veg Drainage Par	? Yes  white the second of the	No
Type: Depth (in- Remarks:  YDROLO Wetland Hyd Primary India V Surface V High Wa V Saturation Water M Sedimer	drology Indicators (mining Water (A1) atter Table (A3) larks (B1) at Deposits (A3)	licators: num of c		*	Salt Crust Aquatic In Hydrogen	(B11) vertebrate Sulfide Or on Water I	dor (C1) Fable (C2		Hydric  Sec	soil Present condary Indica Surface Soil Sparsely Veg Drainage Par	? Yes   ttors (minimum of Cracks (B6) getated Concave ttems (B10) zospheres on Line	No
Type: Depth (in- Remarks:  YDROLO Wetland Hy- Primary India V Surface V High Wa V Saturatia Water M Sedimer Drift Dep	drology Indicators (minimater (A1) after Table (A2) larks (B1) and Deposits (B3)	num of c		ed; chec	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized I	(B11) vertebrate Sulfide Or on Water I Rhizosphe not tilled)	dor (C1) Fable (C2 res on Li	ving Ro	Hydric  Sec	condary Indica Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tille Crayfish Burn	etors (minimum of Cracks (B6) getated Concave ttems (B10) zospheres on Lined) rows (C8)	No
Type: Depth (in- Remarks:  YDROLO Wetland Hy- Primary Indic V Surface V High Wa V Saturatic V Water M Sedimer Drift Dep	drology Indicators (minimater Table (Aon (A3)) larks (B1) at Deposits (B3) at or Crust (B3)	num of c		ed; chec	Salt Crust Aquatic In Hydrogen Dry-Seasc Oxidized I (where	(B11) vertebrate Sulfide Or on Water I Rhizosphe not tilled) of Reduce	dor (C1) Fable (C2 res on Li	ving Ro	Hydric  Sec	condary Indica Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tilled Crayfish Burn Saturation Vi	ettors (minimum of Cracks (B6) getated Concave tterns (B10) zospheres on Lined) rows (C8) isible on Aerial In	No
Type: Depth (in- Remarks:  YDROLO Wetland Hye Primary India V Surface V High Wa V Saturatio  Vater M Sedimer Drift Dep Algal Ma	drology Indicators (minimal Water (A1) after Table (A1) after Table (B2) and Deposits (B3) at or Crust (B2) cosits (B5)	licators: num of c (2) (B2)	one require	ed; chec	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized I (where Presence Thin Muck	(B11) vertebrate Sulfide Or on Water T Rhizosphe not tilled) of Reduce c Surface (	dor (C1) Fable (C2 res on Li ed Iron (C	ving Ro	Hydric  Sec	condary Indica Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tille Crayfish Burn Saturation Vi Geomorphic	ettors (minimum of Cracks (B6) getated Concave ttems (B10) zospheres on Lined) rows (C8) isible on Aerial In Position (D2)	No  f two required  Surface (B8)  ving Roots (C
Type: Depth (in- Remarks:  YDROLO Wetland Hyd Primary India V Surface V High Wa V Saturatio  Water M  Sedimer  Drift Dep  Algal Ma  Iron Dep  Inundation	drology Indicators (mining Water (A1) after Table (A) alarks (B1) and Deposits (B3) at or Crust (B5) on Visible or	licators: num of c (B2) (B2) n Aerial	one require	ed; chec	Salt Crust Aquatic In Hydrogen Dry-Seasc Oxidized I (where	(B11) vertebrate Sulfide Or on Water T Rhizosphe not tilled) of Reduce c Surface (	dor (C1) Fable (C2 res on Li ed Iron (C	ving Ro	Hydric  Sec	condary Indica Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tille Crayfish Burn Saturation Vi Geomorphic FAC-Neutral	? Yes	No Surface (B8)
Type: Depth (in- Remarks:  YDROLO Wetland Hyd Primary India V Surface V High Wa V Saturatia Vater M Sedimer Drift Dep Algal Ma Iron Dep Inundatia	drology Indicators (minimum Water (A1) ater Table (A2) larks (B1) at Deposits (B3) at or Crust (B2) on Visible or stained Leave	licators: num of c (B2) (B2) n Aerial	one require	ed; chec	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized I (where Presence Thin Muck	(B11) vertebrate Sulfide Or on Water T Rhizosphe not tilled) of Reduce c Surface (	dor (C1) Fable (C2 res on Li ed Iron (C	ving Ro	Hydric  Sec	condary Indica Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tille Crayfish Burn Saturation Vi Geomorphic FAC-Neutral	ettors (minimum of Cracks (B6) getated Concave ttems (B10) zospheres on Lined) rows (C8) isible on Aerial In Position (D2)	No Surface (B8)
Type:	drology Indicators (mining Water (A1) and (A3) a	(B2) (B2) n Aerial es (B9)	ne require	ed; chec	Salt Crust Aquatic In Hydrogen Dry-Seasc Oxidized I (where Presence Thin Muck Other (Ex	(B11) vertebrate Sulfide Or on Water I Rhizosphe not tilled) of Reduce c Surface ( plain in Re	dor (C1) Fable (C2 res on Li ed Iron (C (C7) emarks)	ving Ro	Hydric  Sec	condary Indica Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tille Crayfish Burn Saturation Vi Geomorphic FAC-Neutral	? Yes	No Surface (B8)
Type:	drology Indicators (mining Water (A1) after Table (And (A3) after (B3) after Crust (B3) after Crust (B3) after Crust (B4) and (B4) after Crust (B5) and (B5) after Crust (B5) after	licators: num of c (B2) (B2) 34) n Aerial es (B9)	magery (I	ed; chec	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized I (where Presence Thin Muck Other (Ex	(B11) vertebrate Sulfide Or on Water I Rhizosphe not tilled) of Reduce Surface ( plain in Re	dor (C1) Fable (C2 res on Li ed Iron (C C7) emarks)	ving Ro	Hydric  Sec	condary Indica Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tille Crayfish Burn Saturation Vi Geomorphic FAC-Neutral	? Yes	No Surface (B8)
Type: Depth (in- Remarks:  YDROLO Wetland Hyd Primary India V Surface V High Wa V Saturatio  Vater M  Sedimer  Drift Dep  Algal Ma  Iron Dep  Inundatio  Water-S Field Obser Surface Water Water Table	drology Indicators (mining Water (A1) and (A3) arks (B1) and Deposits (B3) and or Crust (B4) and Crust (B5) and Crust (B5) and Crust (B5) and Crust (B5) are resents (B5) and Crust (B5) and Crust (B5) and Crust (B5) are resents (B5) are resents?	(B2) (B2) n Aerial es (B9)	magery (i	ed; chec	Salt Crust Aquatic In Hydrogen Dry-Sease Oxidized I (where Presence Thin Much Other (Ex	(B11) vertebrate Sulfide Or on Water I Rhizosphe not tilled) of Reduce (Surface ( plain in Re ches): ches):	dor (C1) Fable (C2 res on Li ed Iron (C C7) emarks)	ving Roo	Hydric  Sec  Cots (C3)  Cots (C3)  Cots (C3)	condary Indica Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tille Crayfish Burn Saturation Vi Geomorphic FAC-Neutral Frost-Heave	etors (minimum of Cracks (B6) getated Concave ttems (B10) zospheres on Lined) rows (C8) isible on Aerial In Position (D2) Test (D5) Hummocks (D7)	No Contagery (C9)
Type:	drology Indicators (mining Water (A1) after Table (A2) after Table (B3) after Crust (B5) af	(B2) (B2) Aerial es (B9)	magery (I	ed; chec	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized I (where Presence Thin Muck Other (Ex	(B11) vertebrate Sulfide Or on Water I Rhizosphe not tilled) of Reduce (Surface ( plain in Re ches): ches):	dor (C1) Fable (C2 res on Li ed Iron (C C7) emarks)	ving Roo	Hydric  Sec  Cots (C3)  Cots (C3)  Cots (C3)	condary Indica Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tille Crayfish Burn Saturation Vi Geomorphic FAC-Neutral Frost-Heave	? Yes	No Surface (B8)
Type:	drology Indicators (mining Water (A1) after Table (Ai) after Table (Ai) after Table (B3) after Crust (B3) after Crust (B5) and Visible of tained Leav vations:  er Present?  Present?  positing fringe	icators: num of c (B2) (B2) n Aerial es (B9) Y Y	magery (I	ed; chec	Salt Crust Aquatic In Hydrogen Dry-Sease Oxidized I (where Presence Thin Much Other (Ex	(B11) vertebrate Sulfide Or on Water I Rhizosphe not tilled) of Reduce c Surface ( plain in Re ches): ches): ches):	dor (C1) Fable (C2 res on Li ed Iron (C C7) emarks)  0.5 0	ving Roo 4)	Hydric  Sec  Cots (C3)  Cots (C3)  Cots (C3)	condary Indical Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tille Crayfish Burn Saturation Vi Geomorphic FAC-Neutral Frost-Heave	etors (minimum of Cracks (B6) getated Concave ttems (B10) zospheres on Lined) rows (C8) isible on Aerial In Position (D2) Test (D5) Hummocks (D7)	No Conagery (C9)
Type:	drology Indicators (mining Water (A1) after Table (Ai) after Table (Ai) after Table (B3) after Crust (B3) after Crust (B5) and Visible of tained Leav vations:  er Present?  Present?  positing fringe	icators: num of c (B2) (B2) n Aerial es (B9) Y Y	magery (I	ed; chec	Salt Crust Aquatic In Hydrogen Dry-Sease Oxidized I (where Presence Thin Much Other (Ex	(B11) vertebrate Sulfide Or on Water I Rhizosphe not tilled) of Reduce c Surface ( plain in Re ches): ches): ches):	dor (C1) Fable (C2 res on Li ed Iron (C C7) emarks)  0.5 0	ving Roo 4)	Hydric  Sec  Signification  Sec  Signification  Sec  Signification  Signification  Sec  Signification  Sec  Signification  Sig	condary Indical Surface Soil Sparsely Veg Drainage Par Oxidized Rhi (where tille Crayfish Burn Saturation Vi Geomorphic FAC-Neutral Frost-Heave	etors (minimum of Cracks (B6) getated Concave ttems (B10) zospheres on Lined) rows (C8) isible on Aerial In Position (D2) Test (D5) Hummocks (D7)	No Contagery (C9)

# WETLAND DETERMINATION DATA FORM - Great Plains Region

Project/Site: Rostad Ranch	_ City/Cr	ounty: Meagh	er	Sampling Dat	re: 7/17/2014
Applicant/Owner: MDT			State: MT		
Investigator(s): E Nyquist			Range: 12		1E
Landform (hillslope, terrace, etc.): Lowland					Slope (%):
Subregion (LRR): LRR F	 Lat:	46.4616	316 Long:	-110.295866 D	vatum: WGS84
Soil Map Unit Name: Varney-Notter cobbly loam			NWI clas		
Are climatic / hydrologic conditions on the site typical for this tin	me of year? Ye	es 🔽 No	(If no, explain	in Remarks.)	
Are Vegetation Soil, or Hydrology signi					✓ No □
Are Vegetation, Soil, or Hydrology natu	ırally problemat		needed, explain any an		
SUMMARY OF FINDINGS - Attach site map she					
Hydrophytic Vegetation Present?  Hydric Soil Present?  Wetland Hydrology Present?  Remarks:  Yes	<b>V</b>	is the Sample	ed Area	□ No <u>☑</u>	0
VEGETATION - Use scientific names of plant  Absolute	Domiant Ind	dicator	Dominous Test		
		atus	Dominance Test		
			Number of Dominathat are OBL, FAC		0 (A)
			Total Number of D Species Across A		2 (B)
Sapling/Shrub Stratum Plot size (15 Foot Radius)			Percent of Domina That Are OBL, FA		0.0 % (A/B)
,			Prevalence Index		
			Total % Cov OBL species	ver of: 0 X 1	Multiply by:
			FACW species	-	0
			FAC species	0 X3	0
Herbaceous Stratum Plot size ( 5 Foot Radius)			FACU species		340
Chenopodium album 15	<b>✓</b> FAC	;U	UPL species		0
Elymus trachycaulus 5	FAC		Column Totals	85 (A)	340 (B)
Melilotus officinalis 40	FAC		Prevalence In	ndex = B/A =	4.00
Phleum pratense 10 Thlaspi arvense 5	FAC			etation Indicators	
Trifolium pratense 5	☐ FAC			Test for Hydrophyti	-
Thomas practice				ance Test is >50%	
			☐ ☐ 3 - Prevale	ence Index is <= 3.	0
				ological Adaptation g data in remarks o	
			5 - Wetlan	d Non-Vascular Pla	ants
			Problemati	ic Hydrophytic Veg	etation (Explain)
Woody Vine Stratum Plot size ( 30 Foot Radius)			Indicators of hydric		, , ,
			present, unless dist	turbed or problema	tic for #3, 4, 5.
Percent Bare Ground 15			Present?	Yes [	□ NO 🗹
Remarks:					

US Army Corps of Engineers Great Plains - Version 2.0

SOIL Sampling Point: R-2u

Profile Desc	ription: (	Describe	to the depth	needed to docur	nent the i	indicator (	or confirm	n the absence of ind	icators.)
Depth	***	Matrix	- 100 m		x Feature				65
(inches)	-	(moist)	<u>%</u> _	Calar (maist)	%	Type <sup>1</sup>	_Loc <sup>2</sup> _	Texture	Remarks
0-3	10YR	4/2	100		<u>5</u> X5	70 <u></u>	Sano	d <u>y Clay Loam</u>	
3-24	10YR	3/2	100					Loam	
32	14				-	Pa2		4 4	
G	19		33 <u></u> 3 <u></u>			··· <u> </u>		<u> </u>	<u> </u>
×	12				. 100			<u> </u>	
7/2 607	8		78.5		3.5	602	V/	100	
102	1.								
<sup>1</sup> Type: C=Co	oncentratio	on D=Den	letion RM=R	educed Matrix, CS	S=Covere	d or Coate	d Sand Gi	rains <sup>2</sup> Location:	PL=Pore Lining, M=Matrix.
				RRs, unless other			u cana ci		oblematic Hydric Soils <sup>3</sup> :
Histosol					Sleyed Ma			1 cm Muck (A	
Histic Ep	ipedon (A	(2)			Redox (S5	0.000			Redox (A16) (LRR F, G, H)
_	stic (A3)			S (S (S	d Matrix (S	15			(S7) (LRR G)
	n Sulfide	S - 1.5	-v1	The state of the s	1.5	neral (F1)		20 TO THE RESERVE TO	Depressions (F16)
	-	45) (LRR F .RR F, G, I		_	Gleyed Ma d Matrix (			Reduced Ver	utside of MLRA 72 & 73) tic (F18)
		ark Surfac			Dark Surfa			Red Parent N	
☐ Thick Da	ark Surfac	e (A12)		Deplete	d Dark Su	ırface (F7)		☐ Very Shallow	Dark Surface (TF12)
	lucky Mine				Depressio		200		in in Remarks)
			S2) (LRR G,	사용하는 - 8 <del>7</del>		essions (F			rophytic vegetation and
TT 2 CUI MIN	іску Реас	or Pear (S.	3) (LRR F)	(IVIL	KA 12 &	73 of LRR	п)		plogy must be present, bed or problematic.
Restrictive L	Layer (if p	resent):						diness distan	bod of problematic.
Type:	1000								
Depth (inc	ches):							Hydric Soil Prese	nt? Yes 🔲 No 🔽
Remarks: No	o hvdric s	soil indica	tors observ	ed.					26 55 51 59
	,								
	CV								
HYDROLO	JASO 1739.								
Wetland Hyd					i.			6111	
			ne requirea;	check all that apply					icators (minimum of two required)
	Water (A1 iter Table			Salt Crust Aquatic In		e (B13)			oil Cracks (B6) /egetated Concave Surface (B8)
☐ Saturation		(72)		Hydrogen		96 06			Patterns (B10)
	arks (B1)			☐ Dry-Seaso				28 <u></u> 28	Rhizospheres on Living Roots (C3)
The state of the s	it Deposits	s (B2)		Oxidized F			ng Roots		en formation de la compactation de la compactation de la final de la final de la final de la final de la final De la final de
☐ Drift Dep	osits (B3)				not tilled)				urrows (C8)
1000	it or Crust			Presence			)	Saturation	Visible on Aerial Imagery (C9)
- 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12	osits (B5)			Thin Muck				— — — — — — — — — — — — — — — — — — —	ic Position (D2)
The state of the s			magery (B7)	Other (Exp	olain in Re	emarks)			ral Test (D5)
20 <sup>12</sup> - 2001-2014-1501-1500 2015	tained Lea	aves (B9)						☐ Frost-Heav	ve Hummocks (D7) (LRR F)
Field Observ		o V	es 🔲 No	Danie Ca	ala a a V-				
Surface Water			es 🖳 No es 🔲 No	Depth (ind					
Water Table Saturation Pr			W067 - 100553.	Depth (inc				and Hydrology Pres	ent? Yes No V
(includes cap			es III Nu	Deptil (in	Jiles)		_   ***	and Hydrology Fres	ent: res No
Describe Rec	corded Da	ta (stream	gauge, moni	toring well, aerial p	photos, pr	evious ins	pections),	if available:	
Remarks: No	hydrolo	gy indicat	ors observe	ed.					

# WETLAND DETERMINATION DATA FORM - Great Plains Region

Project/Site: Rostad Ranch	City/County: Meagh	ner	Sampling Date:7/17/2014
Applicant/Owner: MDT		State: MT	
	Section, Township, F		11E
Landform (hillslope, terrace, etc.): Channel (active)	Local relief (concave	.ungo.	
Subregion (LRR): LRR F Lat:			. 0.000 (70).
Soil Map Unit Name: Varney-Notter cobbly loam		NWI classifica	
Are climatic / hydrologic conditions on the site typical for this time of			
Are Vegetation Soil , or Hydrology significan			
Are Vegetation, Soil, or Hydrology naturally	problematic? (If	needed, explain any answer	s in Remarks.)
SUMMARY OF FINDINGS – Attach site map showi	ng sampling point	locations, transects,	important features, etc
Hydrophytic Vegetation Present? Yes Veg No	- Is the Sample	ed Area	
Hydric Soil Present? Yes V No	and the second s		No <u>□</u>
Wetland Hydrology Present? Yes V No	Add better to a trade time to a second	939 X FOREA 900-	9,6509
Remarks:			
VECTATION Has acceptific names of plant			
VEGETATION - Use scientific names of plant  Tree Stretum - Plat size (20 Feet Redius) Absolute Domi		Dominance Test work	ksheet
Tree Stratum Plot size (30 Foot Radius) % Cover: Spec	cies? Status	Number of Dominant S	Species
		that are OBL, FACW o	
		Total Number of Domir Species Across All Stra	
Sapling/Shrub Stratum Plot size (15 Foot Radius)		Percent of Dominant S That Are OBL, FACW,	
Submitted that the submitted of the subm		Prevalence Index wo	
		Total % Cover of	
		•	10 X 1 10
			130 130 130 100 X3 30
District Cont Dedice)		· ·	10 X 4 40
Herbaceous Stratum Plot size ( 5 Foot Radius)  Deschampsia caespitosa 35 ✓	FACW	· ·	0 X 5 0
Deschampsia caespitosa 35 ☑ Glyceria grandis 5	OBL	Column Totals 9	5 (A) 210 (B)
Hordeum jubatum 10	FACW	Prevalence Index	
Phalaris arundinacea 20 🔽		Hydrophytic Vegetation	4 - B/A -
Rumex crispus 10	FAC	· _ · · _ ·	on Indicators for Hydrophytic Vegetation
Trifolium pratense 10	FACU	✓ 2 - Dominance	
Typha latifolia 5	OBL	✓ 3 - Prevalence	
		· ·	cal Adaptations (Provide a in remarks or on separate
		5 - Wetland No	n-Vascular Plants
		Problematic Hy	drophytic Vegetation (Explain)
Woody Vine Stratum Plot size ( 30 Foot Radius)		Indicators of hydric sil ar	nd wetland hydrology must be
			d or problematic for #3, 4, 5.
Percent Bare Ground 5		Hydrophytic Vegetation Present?	on Yes ✓ NO □
Remarks:			

US Army Corps of Engineers Great Plains - Version 2.0

SOIL Sampling Point: R-2W

Depth		/latrix				x Feature			<del></del> _				
(inches)	Color (m		%		or (moist)	%	Type <sup>1</sup>	Loc		<u>cture</u>		Remarks	
0-24	10YR 4	4/1	85	10YR	5/6	_ 15	_C	<u>M</u>	Sandy L	<u>oam</u>			
	192		88 <u></u>	<u> </u>				-	-8 8				
	14		: <u></u>				<u> </u>						
	14		31 <u>2</u>	<u> </u>		- 43 - 33	868						
	1.0		0-0										
	18			· ·		_	197						
Tuno: C-C	oncentration,	D-Dan	letion DM	I-Dadua	ad Matrix Ct	S-Covers	d or Coat	ed Cane	d Crains	21 occ	ntion: DI -E	ore Lining, N	-Matrix
	Indicators: (							eu sand				natic Hydric	
☐ Histoso		Car Face		Tormine Edition 1		Gleyed Ma					uck (A9) (LI		
=	pipedon (A2)					Redox (S5						x (A16) (LRF	F, G, H)
🔲 Black H	istic (A3)				☐ Stripper	d Matrix (S	66)				ırface (S7)	MARKS SAFE	
	en Sulfide (A4	35			Section 1997	Mucky Mir		ı	П	- <del>-</del>		sions (F16)	
_	d Layers (A5)				_	Gleyed Ma						of MLRA 72	& 73)
	uck (A9) ( <b>LRF</b> d Below Dark					ed Matrix ( Dark Surfa			Η		d Vertic (F1 rent Materia		
	ark Surface (A		(611)		The state of the s	d Dark Su		'n				Surface (TF1	2)
	Mucky Minera					Depressio		·			Explain in R	with the part of the title property of	-/-
2.5 cm l	Mucky Peat o	r Peat (	S2) (LRR	G, H)	☐ High PI	ains Depre	essions (	F16)	<sup>3</sup> lnc	dicators o	if hydrophyi	ic vegetation	and
5 cm Mi	ucky Peat or F	Peat (S3	B) (LRR F	)	(ML	.RA 72 & 1	73 of LRI	RH)				must be prese	ent,
N	Layer (if pres	0								unless o	disturbed or	problematic.	
	Laver III pres	senti:											
		150											
Type:									LI.A	ria Cail I	Proceed?	v 🔽	No $\square$
Type: Depth (in									Hyd	ric Soil f	Present?	Yes 🔽	No _
Type:									Hyd	ric Soil f	Present?	Yes 🔽	No _
Type: Depth (in									Hyd	ric Soil F	Present?	Yes 🔽	No 🗆
Type: Depth (in Remarks:	ches):								Hyd	ric Soil I	resent?	Yes 🔽	No
Type: Depth (in Remarks: YDROLO	oches):	•							Hyd	ric Soil F	Present?	Yes 🔽	No 🔽
Type: Depth (in Remarks: YDROLO Wetland Hy	oches):	cators:			7 DMOD 44	200							
Type:	oches): DGY drology India cators (minim	cators:		ed; check						Secondar	y Indicators	: (minimum o	No
Type:	OGY drology Indicators (minim	cators:		ed; check	] Salt Crust	(B11)				Secondar	y Indicators ce Soil Cra	(minimum o	two required
Type: Depth (in Remarks:  YDROLO Wetland Hy Primary Indi Surface High Wa	oches): PGY Pdrology Indic cators (minim Water (A1) ater Table (A2	cators:		ed; check	Salt Crust Aquatic In	(B11) vertebrate			<u>\$</u>	Secondar ]_ Surfa ]_ Spare	y Indicators ce Soil Cra sely Vegeta	: (minimum o cks (B6) ted Concave	
Type: Depth (in Remarks:  YDROLO Wetland Hy Primary Indi Surface High Wa Saturati	oches):  Idrology Indicators (minimal Water (A1) after Table (A2) on (A3)	cators:		ed; check	Salt Crust Aquatic In Hydrogen	(B11) vertebrate Sulfide O	dor (C1)	<b>Y</b>	<u>\$</u>	Gecondar  Surfa  Spark  Drain	<u>y Indicators</u> ce Soil Cra sely Vegeta age Patterr	: (minimum o cks (B6) ted Concave ns (B10)	two required Surface (B8)
Type: Depth (in Remarks:  YDROLO Wetland Hy Primary Indi Surface J High Wa J Saturati J Water M	OGY drology Indicators (minimater Table (A2) on (A3)	cators: um of o		ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso	(B11) vertebrate Sulfide Oo on Water T	dor (C1) able (C2	36		Secondar  Surfa  Spare  Drain  Oxidi	y Indicators ce Soil Cra sely Vegeta age Patten zed Rhizos	: (minimum o cks (B6) ted Concave ns (B10)	two required Surface (B8)
Type:	oches):  drology Indicators (minimal Water (A1) and (A3) Marks (B1) on (Deposits (B	cators: um of o		ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized F	(B11) vertebrate Sulfide Od on Water T Rhizosphe	dor (C1) able (C2 res on Li	36		Gecondar Surfa Spars Drain Oxidi	y Indicators ce Soil Cra sely Vegeta age Patten zed Rhizos nere tilled)	s (minimum o cks (B6) ted Concave ns (B10) pheres on Liv	two required Surface (B8)
Type:	oches): drology Indicators (minimal Water (A1) ater Table (A2) fon (A3) Marks (B1) nt Deposits (B3)	cators: num of o		ed; check	Salt Crust Aquatic In Hydrogen Dry-Seasc Oxidized F	(B11) vertebrate Sulfide Ocon Water T Rhizosphe not tilled)	dor (C1) able (C2 res on Li	ving Ro		Gecondar Surfa Spara Drain Oxidi (wh	y Indicators ce Soil Cra sely Vegeta age Patten zed Rhizos nere tilled) ish Burrows	i (minimum o cks (B6) ted Concave ns (B10) pheres on Liv	two required Surface (B8) ing Roots (C
Type:	oches):  ordrology Indicators (minimal Water (A1) ater Table (A2) on (A3)  Marks (B1) ont Deposits (B3) at or Crust (B-4)	cators: num of o		ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized F (where	(B11) vertebrate Sulfide Oc on Water T Rhizosphe not tilled) of Reduce	dor (C1) Table (C2 res on Line ed Iron (C	ving Ro		Gecondar Surfa Spars Drain Oxidi (wh Crayl	y Indicators ce Soil Cra sely Vegeta age Patten zed Rhizos nere tilled) ish Burrows ation Visibl	: (minimum o cks (B6) ted Concave ns (B10) pheres on Liv s (C8) e on Aerial In	two required Surface (B8) ing Roots (C
Type:	ordes):	cators: um of o  2)  32)	ne require	ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized F (where Presence Thin Muck	(B11) vertebrate Sulfide Or on Water T Rhizosphe not tilled) of Reduce (Surface (	dor (C1) Table (C2 res on Lir ed Iron (C	ving Ro		Gecondar Surfa Spars Drain Oxidi (wh Crayt Satur Geon	y Indicators ce Soil Cra sely Vegeta age Pattern zed Rhizos nere tilled) ish Burrows ation Visibl norphic Pos	cks (B6) ted Concave as (B10) pheres on Live s (C8) e on Aerial In	two required Surface (B8) ing Roots (C
Type:	oches):  ordrology Indicators (minimal Water (A1) ater Table (A2) on (A3)  Marks (B1) ont Deposits (B3) at or Crust (B-4)	cators: um of o 2) 32) 4)	ne require	ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized F (where	(B11) vertebrate Sulfide Or on Water T Rhizosphe not tilled) of Reduce (Surface (	dor (C1) Table (C2 res on Lir ed Iron (C	ving Ro		Gecondar  Surfa  Spare  Drain  Oxidi  Crayl  Satur  Geon  FAC-	y Indicators ce Soil Cra sely Vegeta age Pattern zed Rhizos nere tilled) ish Burrows ation Visibl norphic Pos Neutral Tes	cks (B6) ted Concave as (B10) pheres on Live s (C8) e on Aerial In	Surface (B8) ing Roots (C
Type:	order (A1) ater Table (A2) on (A3) Marks (B1) nt Deposits (B3) at or Crust (B4) posits (B5) ion Visible on Stained Leave	cators: num of o 2) 32) 4) Aerial II s (B9)	ne require magery (E	ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized F (where Presence Thin Muck	(B11) vertebrate Sulfide Or on Water T Rhizosphe not tilled) of Reduce (Surface (	dor (C1) Table (C2 res on Lir ed Iron (C	ving Ro		Gecondar  Surfa  Spare  Drain  Oxidi  Crayl  Satur  Geon  FAC-	y Indicators ce Soil Cra sely Vegeta age Pattern zed Rhizos nere tilled) ish Burrows ation Visibl norphic Pos Neutral Tes	cks (B6) ted Concave ns (B10) pheres on Liv s (C8) e on Aerial In sition (D2)	Surface (B8) ing Roots (C
Type:	order (A1) ater Table (A2) on (A3) Marks (B1) nt Deposits (B3) at or Crust (B4) posits (B5) ion Visible on Stained Leave	cators: num of o 2) 32) 4) Aerial II s (B9)	ne require	ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized F (where Presence Thin Muck	(B11) vertebrate Sulfide Or on Water I Rhizosphe not tilled) of Reduce Surface ( plain in Re	dor (C1) Table (C2 res on Lir ed Iron (C	ving Ro		Gecondar  Surfa  Spare  Drain  Oxidi  Crayl  Satur  Geon  FAC-	y Indicators ce Soil Cra sely Vegeta age Pattern zed Rhizos nere tilled) ish Burrows ation Visibl norphic Pos Neutral Tes	cks (B6) ted Concave ns (B10) pheres on Liv s (C8) e on Aerial In sition (D2)	Surface (B8) ing Roots (Ca
Type:	ordes):	cators: num of o 2) 32) 4) Aerial II s (B9)	ne require magery (E	ed; check	Salt Crust Aquatic In Hydrogen Dry-Seasc Oxidized F (where Presence Thin Muck Other (Ex	(B11) vertebrate Sulfide Or on Water I Rhizosphe not tilled) of Reduce Surface ( plain in Re	dor (C1) Table (C2 res on Li ed Iron (C C7) emarks)	ving Roo	ots (C3)	Gecondar Surfa Spars Drain Oxidi (wh Crayl Satur Geon FAC-	y Indicators ce Soil Cra sely Vegeta age Patteri zed Rhizos nere tilled) ish Burrows ation Visibl morphic Pos Neutral Tes	ted Concave us (B6) ted Concave us (B10) pheres on Liv s (C8) e on Aerial In sition (D2) st (D5) mmocks (D7)	Surface (B8) ing Roots (Conagery (C9)
Type:	orches):	cators: um of o  2)  32)  4)  Aerial II s (B9)	ne require magery (E	ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized F (where Presence Thin Muck Other (Exp	(B11) vertebrate Sulfide Or on Water T Rhizosphe not tilled) of Reduce (Surface ( plain in Re ches): ches):	dor (C1) Table (C2 res on Li dd Iron (C C7) emarks)	ving Roo	ots (C3)	Gecondar Surfa Spars Drain Oxidi (wh Crayl Satur Geon FAC-	y Indicators ce Soil Cra sely Vegeta age Patteri zed Rhizos nere tilled) ish Burrows ation Visibl morphic Pos Neutral Tes	ted Concave us (B6) ted Concave us (B10) pheres on Liv s (C8) e on Aerial In sition (D2) st (D5) mmocks (D7)	Surface (B8) ing Roots (C
Type:	ordes):  order  order	cators: num of o 2) 32) 4) Aerial II s (B9)	magery (E	ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized F (where Thin Much Other (Exp	(B11) vertebrate Sulfide Or on Water T Rhizosphe not tilled) of Reduce (Surface ( plain in Re ches): ches): ches):	dor (C1) Fable (C2 res on Lir ed Iron (C C7) emarks)  0.5 0	ving Roo 4)	ots (C3)	Secondar Surfa Spare Drain Oxidi (wh Crayl Satur FAC- Frost	y Indicators ce Soil Cra sely Vegeta age Pattern zed Rhizos nere tilled) ish Burrows ation Visibl norphic Pos Neutral Tes	ted Concave us (B6) ted Concave us (B10) pheres on Liv s (C8) e on Aerial In sition (D2) st (D5) mmocks (D7)	Surface (B8) ing Roots (C nagery (C9)
Type:	orches):	cators: num of o 2) 32) 4) Aerial II s (B9)	magery (E	ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized F (where Thin Much Other (Exp	(B11) vertebrate Sulfide Or on Water T Rhizosphe not tilled) of Reduce (Surface ( plain in Re ches): ches): ches):	dor (C1) Fable (C2 res on Lir ed Iron (C C7) emarks)  0.5 0	ving Roo 4)	ots (C3)	Secondar Surfa Spare Drain Oxidi (wh Crayl Satur FAC- Frost	y Indicators ce Soil Cra sely Vegeta age Patteri zed Rhizos nere tilled) ish Burrows ation Visibl morphic Pos Neutral Tes	ted Concave us (B6) ted Concave us (B10) pheres on Liv s (C8) e on Aerial In sition (D2) st (D5) mmocks (D7)	Surface (B8) ing Roots (C nagery (C9)
Type:	ordes):  order  order	cators: num of o 2) 32) 4) Aerial II s (B9)	magery (E	ed; check	Salt Crust Aquatic In Hydrogen Dry-Seaso Oxidized F (where Thin Much Other (Exp	(B11) vertebrate Sulfide Or on Water T Rhizosphe not tilled) of Reduce (Surface ( plain in Re ches): ches): ches):	dor (C1) Fable (C2 res on Lir ed Iron (C C7) emarks)  0.5 0	ving Roo 4)	ots (C3)	Secondar Surfa Spare Drain Oxidi (wh Crayl Satur FAC- Frost	y Indicators ce Soil Cra sely Vegeta age Patteri zed Rhizos nere tilled) ish Burrows ation Visibl morphic Pos Neutral Tes	ted Concave us (B6) ted Concave us (B10) pheres on Liv s (C8) e on Aerial In sition (D2) st (D5) mmocks (D7)	Surface (B8) ing Roots (C nagery (C9)

### MDT Montana Wetland Assessment Form (revised March 2008)

1. Project name	Rostad Ranch			2. MDT	project#	STI	PX-0002(749)		Contro	ol#	5565
3. Evaluation Date	7/17/2014 <b>4. E</b>	valuators	E. Nyq	uist	5	Wetla	and/Site# (s)	Rostad R	Ranch - created and existi		nd existina w
6. Wetland Location(s			туч 1Е	Sec1	12	_	8N R	11E		13	5,404119 W
•	,										
Approx Stationing or									•		
Watershed 10040	)201 	Wa	itershe	ed/Count	<b>y</b> Upper	Musse	elshell River W	atershed,	Meagher (	County	<u>'</u>
7. Evaluating Agency	Confluence	for MDT					8. Wetland s	ize acres			14.4
Purpose of Evaluation	on						How assesse	ed:	Measured	e.g. t	y GPS
☐ Wetlands potenti	ally affected by M	DT project					9. Assesssn				14.4
☐ Mitigation Wetlar	nds: pre-construct	ion					(AA) size (ac	•	Measured	aa h	v GPS
☑ Mitigation Wetlar	nds: post constru	ction					now assesse	su.	Measured	e.g. b	y Oi O
Other											
10. Classification of	Wetland and Agu	etia Habitata	in AA								
HGM Class (Brinson	•	owardin)	III AA		er (Coward	in)	Water Re	aimo	0/	₀ of A	٨
Slope	Emergent			Excavat		··· <i>)</i>	Seasonal/Int			) OI A	60
				LXCavat	.eu						
Slope	Scrub-Shru	ub Wetland					Seasonal/Int	ermittent			5
Depressional	Unconsolid	lated Bottom		Excavat	ed		Seasonal/Int	ermittent			35
		_									
11. Estimated Relativ		Common									
<ol><li>General Condition</li><li>Disturbance: (use</li></ol>		mine [circle] ap	opropria	ate respon	se – see inst	truction	s for Montana-lis	sted noxiou	s weed and		
aquatic nuisance veg	etation species (ANV	S) lists)			Predo	minant	conditions adjacent	to (within 500	I feet of AA		
				ed in predo	minantly	Land	not cultivated, but	may be	Land cultiva		neavily grazed
Conc	ditions within AA		hayed,	I state; is no logged, or	otherwise	selec	rately grazed or ha tively logged; or ha	s been	placement,	grading	o substantial fill , clearing, or
557.			roads		and noxious	few ro	ct to minor clearing pads or buildings; n	oxious	building de	nsity; or	ion; high road or noxious weed
			weed o	or ANVS cov	/er is <=15%.	weed	or ANVS cover is	<=30%.	or ANVS co	ver is >	=30%.
AA occurs and is managed in grazed, hayed, logged, or oth					,						
roads or occupied buildings; a <=15%.			lov	w disturl	oance		low disturbar	nce	moderate disturbance		
AA not cultivated, but may be	moderately grazed or ha	/ed or	_								
selectively logged; or has been placement, or hydrological alt				modera		mo	derate distur	bance	hiah	ı distı	ırbance
noxious weed or ANVS cover  AA cultivated or heavily graze		letively		disturba	nce	_					
substantial fill placement, gra-	ding, clearing, or hydrolog	ical alteration;	hio	h distur	hance		high disturba	nce	high	dict	ırbance
high road or building density; >=30%.	or noxious weed or ANV	S cover is	- 1119	iii distai	barice		riigir distarba	iicc	Higi	า นเรเ	irbance
Comments: (types of											
The wetland mitigation out water moving acros	site was constructe	d in Fall 2012	2/Sprin								
following construction a											
ii. Prominent noxious	aquatic nuisance	other evoti	c sner	cies:							
Spotted knapweed, Ca					d bindweed	l, com	mon tansy				
iii. Provide brief desc							<u> </u>				

The AA is a historically drained wetland area/meadow that was heavily grazed by cattle. A drainage ditch bisected the property prior to wetland mitigation construction. Existing wetlands were expanded through construction activities with emergent and scrub-shrub wetland communities present. Surrounding land use includes transportation (county road, historic railroad berm), agriculture (hay production and cattle grazing), and the South Fork of the Musselshell River located to the north of the mitigation site.

13. Structural Diversity: (based on number of "Cowardin" vegetated classes present [do not include unvegetated classes], see #10 above) Initial Is current management preventing (passive) Modified Existing # of "Cowardin" Vegetated Classes in AA Rating existence of additional vegetated classes? Rating >=3 (or 2 if 1 is forested) classes NA NΑ NA Н 2 (or 1 if forested) classes NA NΑ NA Μ 1 dass, but not a monoculture Μ L YFS> <NO 1 class, monoculture (1 species comprises>=90% of total cover) NA NΑ NA L Comments: Emergent and scrub-shrub vegetative communities on site. SECTION PERTAINING to FUNCTIONS VALUES ASSESSMENT 14A. Habitat for Federally Listed or Proposed Threatened or Endangered Plants or Animals: i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions): Primary or critical habitat (list species)  $\bigcirc$  D  $\bigcirc$  S Secondary habitat (list Species) Incidental habitat (list species)  $\bigcirc$  D  $\bigcirc$  S ✓ S No usable habitat ii. Rating (use the condusions from i above and the matrix below to arrive at [check] the functional points and rating) Highest Habitat Level doc/primary sus/primary doc/secondary sus/secondary doc/incidental sus/incidental None Functional Points and .9H .8H 1H .7M .3L .1L 0L Rating USFWS list for Meagher County; no habitat specification present for species or documented occurences. Sources for documented use 14B. Habitat for plant or animals rated S1, S2, or S3 by the Montana Natural Heritage Program: (not including species listed in14A above) i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions): Primary or critical habitat (list species) Long-billed curlew (S3B); Mountain plover (S2B)  $\odot$  D  $\bigcirc$  S Secondary habitat (list Species) Incidental habitat (list species) No usable habitat ii. Rating (use the conclusions from above and the matrix below to arrive at [check] the functional points and rating)

ii. Kating (use the conc	Idolollo Ilolli Id	DOVE UNG THE H	du ix bolow to dili w	c at folicoit the fair	otional points and	raurig)	_
Highest Habitat Level	doc/primary	sus/primary	doc/secondary	sus/secondary	doc/incidental	sus/incidental	None
S1 Species: Functional Points and Rating	1H	8H	.7M	6M	2L	1L	OL_
<b>S2 and S3 Species:</b> Functional Points and Rating	.9Н	7M	6M	.5M	2L	1L	_ OL

Sources for documented use Observed Downingia laeta in wetland during 2013/2014 site visits; past observations of curlew/plover

																			Mod	erate	9	
ı <b>bstantial</b> (based	d on any	of the	followin	ıg [che	ck]):						_		ased or									
observations	of abund	ant wil	dlife #s	or high	h specie	es dive	rsity (du	ring an	y period	i)	fe	ew or r	no wildlit	e obsei	vations	during	g peak ι	use per	iods			
abundant wild	llife sign	such a	is scat,	tracks,	, nest s	tructure	s, game	e trails,	etc.	☐ little to no wildlife sign												
presence of e	xtremely	limitin	g habita	at featu	ires not	availal	ole in the	e surro	unding													
interviews wit	h local bi	ologis	ts with k	nowle	dge of t	he AA					in	itervie	ws with	local bi	ologists	with k	nowled	ge of th	ne AA			
oderate (based o	on any of	the fo	llowing	[check	:]):																	
observations	of scatte	red wil	dlife gro	oups or	r individ	luals or	relative	ly few	species	during	peak pe	eriods										
common occu	urrence c	f wildli	fe sign	such a	s scat,	tracks,	nest str	ucture	s, game	trails, e	etc.											
adequate adja	acent upl	and fo	od sour	ces																		
interviews wit	h local bi	ologis	ts with k	knowle	dge of t	he AA																
i. Wildlife hab rom #13. For other in terms of permanent/pere	class co	over to perce	be con	onside ipositi	ered ever	enly o	listribu (see #	ted, th #10).	ne mos Abbrev	t and I /iations	east p s for su	revale urface	ent <b>veç</b> e water	<b>jetate</b> durati	d class ons ar	es m	ust be ollows	within : P/P =	20% c	of each	า	
erms]) tructural iversity (see 13)				Hi	gh							Mod	erate					L	ow			
Class cover listribution (all egetated lasses)		Eve	en			Une	ven			Eve	en			Une	ven			Ev	/en			
uration of urface water in ≥ 0% of AA	P/P	S/I	T/E	А	P/P	S/I	T/E	А	P/P	S/I	T/E	А	P/P	S/I	T/E	А	P/P	S/I	T/E	А		
ow disturbance t AA (see #12i)	Е	E	E	н	Е	Е	Н	н	Е	Н	Н	М	Е	Н	М	М	Е	Н	М	М		
Moderate isturbance at AA see #12i)	н	Н	Н	н	Н	Н	Н	М	H H M M H M N				М	L	Н	М	L	L				
ligh disturbance at AA (see #12i)	М	М	М	L	М	М	L	L	М	М	L	L	М	L	L	L	L	L	L	L		
ii. Rating (u Evidence of v							above	and t	:he ma	V	Vildlife		ive at itat fe		ratin	g (ii)		point	s and	rating		
Substantial			+		xcep	1		┢		High			+			derat			╅		Low	1
Moderate					1E			Ͱ		.91	_					.8H			-		.7M	
vioderate					.91	1		L		.71	М					.5M					.3L	
Minimal					.6N	1				.41	M					.2L					.1L	
D. General I build be used storable due NA here	Fish H by fish to hab	abita [i.e.,	i <b>t Rati</b> fish u	ng: (	Asses	ss this	by per	tion if	the A	Aisu	other b	arrie	er, etc.	]. If ti	ne AA	is no	t use	d by f	ish, fis	sh us	e is not	
Habitat Qu		d Kno	own / S	Suspe	cted F	ish Sı	oec ie s	in AA	(usen	natrix t	o arrive	e at [c	heck t	ne fund	ctional	points	and ra	ating)				
n AA				Pe	emane	nt / Per	ennial					Seas	onal / Ir	termitte	nt		_		Temporary / Ephemeral			
Aquatic hiding / re	sting/		Optim	al	А	dequate	e	Po	or	Or	otimal		Adeq	uate		Poor		Opti	mal	Ad	equate	Po
escape cover						aoquu.						J										

i. Habitat Quality and	Habitat Quality and Known / Suspected Fish Species in AA (use matrix to arrive at [check the functional points and rating)																	
Duration of surface water in AA	Permanent / Perennial					Seasonal / Intermittent					Temporary / Ephemeral							
Aquatic hiding / resting / escape cover	Opt	timal	Adeq	uate	Po	oor	Opti	mal	Ade	quate	Po	or	Opti	mal	Adeo	quate	Po	oor
Thermal cover optimal/ suboptimal	0	S	0	S	0	S	0	S	0	S	0	S	0	S	0	S	0	S
FWP Tier I fish species	1E	.9Н	.8H	.7M	.6M	.5M	.9H	.8H	.7M	.6M	.5M	.4M	.7M	.6M	.5M	.4M	.3L	.3L
FWP Tier II or Native Game fish species	.9H	.8H	.7M	.6M	.5M	.5M	.8H	.7M	.6M	.5M	.4M	.4M	.6M	.5M	.4M	.3L	.2L	.2L
FWP Tier III or Introduced Game fish	.8H	.7M	.6M	.5M	.5M	.4M	.7M	.6M	.5M	.4M	.4M	.3L	.5M	.4M	.3L	.2L	.2L	.1L
FWP Non-Game Tier IV or No fish species	.5M	.5M	.5M	.4M	.4M	.3L	.4M	.4M	.4M	.3L	.3L	.2L	.2L	.2L	.2L	.1L	.1L	.1L

Sources used for identifying fish sp. potentially four  ii. Modified Rating (NOTE: Modified score can  a) Is fish use of the AA significantly reduced by a c  current final MDEQ list of waterbodies in need of T  fishery or aquatic life support, or do aquatic nuisan  yes, reduce score in i above by 0.1: Modified R	not exceed ulvert, dike MDL deve ce plant o	e, or other m lopment with	an-made s listed "Pro	bable Imp	paired Úses'	" including	g cold or w	arm w <u>a</u> ter		
b) Does the AA contain a documented spawning area or other critical habitat feature (i.e., sanctuary pool, upwelling area, etc specify in comments) for native fish or introduced game fish?  No perennially flowing water within AA for fish habitat. Potential warm										
iii. Final Score and Rating: ONA Comments: No perennially flowing water within AA for fish habitat. Potential warm water fishery in depressional area if water remains permanent/perennial in subsequent years.										
14E. Flood Attenuation: (Applies only to wetland channel or overbank flow, click  NA here a	ds subject and procee	to flooding ved to 14F.)	ia in-chanr	nel or over	bank flow.	If wetland	s in AA ar	e not floode	ed from in-	
i. Rating (working from top to bottom, use the management of Calculated Entrenchment (Rosgen 1994, 1996)	Slightly	to arrive at lentrenched - stream types	C, D, E	Modera	Il points and tely entrench stream type		Entrencl	ned-A, F, G	stream	
% of flooded wetland classified as forested and/or scrub/shrub	75%	25-75%	<25%	75%	25-75%	<25%	75%	25-75%	<25%	
AA contains no outlet or restricted outlet	1H	.9Н	.6M	.8H	.7M	.5M	.4M	.3L	.2L	
AA contains unrestricted outlet	.9H	.8H	.5M	.7M	.6M	.4M	.3L	.2L	1L	
Slightly Entrenched   Moderately Entrenched   Entrenched   ER = >2.2   ER = 1.0 - 1.4										
C stream type D stream type E stream ty	ре	B stream		A	stream type		F stream typ		stream type	
2 x Bankfull Dept		Bankfull De	epth (		Traine	lood-pror full Widt				
Floodprone width  ii. Are ≥10 acres of wetland in the AA subject to flo	/ Bankfo width coding AN		nade featur	es which	= may be sign	Entrend ratio hificantly of		y floods loo	cated	
within 0.5 mile downstream of the AA (check)?  Comments:  No flooding occurs via in-cha	Y () annel or	N ( )	flow.							
14F. Short and Long Term Surface Wate upland surface flow, or groundwater flow. If 14G.)	r Storage no wetlar	: (Applies ands in the A	to wetland A are sul	ds that flo	ood or pond ooding or p	d from ov	verbank o		nel flow, pre e and proce	
<ul> <li>i. Rating (Working from top to bottom, use water durations are as follows: P/P = perma further definitions of these terms].)</li> </ul>										
Estimated maximum acre feet of water contained in wetlands within the AA that are subject to periodic		>5 acre feet			1.1 to 5	acre feet			≤1 acre foot	

_further definitions of these terms].)									
Estimated maximum acre feet of water contained in wetlands within the AA that are subject to periodic flooding or ponding		>5 acre feet		1.	1 to 5 acre feet			≤1 acre foot	
Duration of surface water at wetlands within the AA	P/P	S/I	T/E	P/P	S/I	T/E	P/P	S/I	T/E
Wetlands in AA flood or pond ≥ <b>5 out of 10 years</b>	1H	.9Н	.8Н	.8H	.6M	.5M	.4M	.3L	.2L
Wetlands in AA flood or pond < 5 out of 10 years	.9Н	.8H	.7M	.7M	.5M	.4M	.3L	.2L	.1L

Comments:

Depressional area and portions of slope wetlands maintain water perennially. Estimating approximately 10 acres indundated to 0.5 foot.

<ul><li>i. Rating (working from top to bot = low])</li></ul>		put. II 110 v	wetlands ir	n the AA are	with poter e subject							
	tom, use the mat	rix below to	o arrive at	[check] the	functiona	l points	and rat	ing [H	= high, N	∕l = m	oderate,	or L
Sediment, nutrient, and toxicant input levels within AA  % cover of wetland vegetation in AA	compounds at l not substantial sources of n	vels of sedim evels such th ly impaired. I	nents, nutrie nat other fun Minor sedim xicants, or s	nts, or actions are nentation, signs of	deve nutrients with pot compoun	lopment to s, or toxic ential to ds such to	for "prob cants <b>or</b> a deliver hi that othe ion, sour of eutro	able cau AA rece gh leve r functio ces of n	ises" rela ives or su is of sedir ins are su	ted to surround ments, bs tanti	d of TMDL ediment, ing land us nutrients, ally impair unts, or sig	se or ed.
Evidence of flooding / ponding in AA					.,					1		_
AA contains no or restricted outlet	Yes No	Ye	es	No	Yes		No		Yes		No	
AA contains unrestricted outlet	1H .8F	.71	М	.5M	.5N	1	.4N	1	.3L		.2L	Ц
AA CONTAINS UNITESTRICTED OUTEL	.9H .7M	.61	м	.4M	.4N	1	.3L		.2L		.1L	
Comments: Approximately 60 per overflow channel.	ercent of the AA i	s vegetated	d. A restri	cted outlet	is located	on the	depress	sional a	irea as a	a cons	tructed	
14H Sediment/Shoreline Stabilization drainage, or on the shoreline of a stand proceed to 14I.)  i. Rating (working from top to bottom, % Cover of wetland streambank or	ling water body whi	ch is subject ow to arrive a	t to wave ad at [check] ti	ction. If 14H	does not a points and	pply, clic		ıral or n <b>NA</b> her		е		
shoreline by species with stability ratings of ≥6 (see Appendix F).	Permanent / Pere			onal / Intermitte	Ī	•	mporary /	Epheme	al			
≥ 65%	1H			.9H			.71	_				
35-64%	.7M			.6M			.5	М				
< 35%	.3L			.2L			.1	L				
	n Support: thesis of wildlife and eneral Wildlife Ha	d fish habitat bitat Rating	t ratings [ch	neck])								
Rating (14D.iii.) E/H		1	L	1								
E/H H	H	1	M									
M		+										
L	M	1	L	_								
N/A H												
ii. Rating (Working from top to bottom wetland component in the AA; Factor B subsurface outlet; the final three rows p [see instructions for further definitions of the component in the compone	= level of biologica pertain to duration of of these terms].)	al activity rati of surface wa	ing from ab iter in the A	ove (14I.i.); F A, where P/F	actor C =	whether	or not th as previo	e AA co usly def	ntains a ined, and	surface d A = "a	e or	
ii. Rating (Working from top to bottom wetland component in the AA; Factor B subsurface outlet; the final three rows p [see instructions for further definitions of A Vegetated component >5 a B High Moderate	e = level of biologica pertain to duration of these terms].)	al activity rati of surface wa Veq High	ing from abouter in the A	ove (14I.i.); F A, where P/F nent 1-5 acres ate	Factor C = S P, S/I, and	whether of the	or not thas previo	e AA co usly det tated comp Mode	intains a fined, and conent <1 a	surface d A = "a cre	e or absent"	
ii. Rating (Working from top to bottom wetland component in the AA; Factor B subsurface outlet; the final three rows p [see instructions for further definitions of the component of the componen	e level of biological pertain to duration of these terms].)  acres  Low  Yes No	al activity ration of surface was very High Yes No	ing from ab- iter in the A getated compoi Moder: Yes	ove (14I.i.); FA, where P/FA nent 1-5 acres ate No Yes	Eactor C = P, S/I, and Low No	whether T/E are a	or not the sprevious Vege	e AA cously det	onent <1 ac	surface d A = "a	e or absent"	
ii. Rating (Working from top to bottom wetland component in the AA; Factor B subsurface outlet; the final three rows p [see instructions for further definitions of the component of the componen	e level of biological pertain to duration of these terms].)  acres  Low  Yes  No  .6M  .4M	al activity ration of surface was a surface	getated composing Yes  .7H	ove (14I.i.); FA, where P/FA, where P/FA	Low No	whether T/E are a	vege h No	e AA cously defined company Moder Yes	ontains a fined, and conent <1 a erate No	surface d A = "a	e or absent"	
ii. Rating (Working from top to bottom wetland component in the AA; Factor B subsurface outlet; the final three rows p [see instructions for further definitions of A Vegetated component >5 B High Moderate C Yes No Yes No	e level of biological pertain to duration of these terms].)  acres  Low  Yes  No  .6M  .4M  .5M  .3L	al activity ration of surface was very High Yes No	ing from ab- iter in the A getated compoi Moder: Yes	ove (14I.i.); FA, where P/FA nent 1-5 acres ate No Yes	Low No 1 .3L	whether T/E are a	or not the sprevious Vege	e AA cously det	onent <1 a	surface d A = "a	e or absent"	

14J. Groundwater Discharge/Recharge: (check the appropriate indicators in i & ii below) i. Discharge Indicators ii. Recharge Indicators  $\square$ Permeable substrate present without underlying impeding layer The AA is a slope wetland Springs or seeps are known or observed Wetland contains inlet but no outlet Vegetation growing during domant season/drought Stream is a known 'losing' stream; discharge volume decreases Wetland occurs at the toe of a natural slope Other Seeps are present at the wetland edge AA permanently flooded during drought periods Wetland contains an outlet, but no inlet Shallow water table and the site is saturated to the surface Other: iii. Rating (use the information from i and ii above and the table below to arrive at [check] the functional points and rating) Duration of saturation at AA Wetlands <u>FROM GROUNDWATER</u> <u>DISCHARGE OR WITH WATER</u> THAT IS RECHARGING THE GROUNDWATER SYSTEM Criteria P/P None **Groundwater Discharge or Recharge** 1H .4M .1L .7M Insufficient Data/Information NA Comments: Seasonal water regime within AA. 14K. Uniqueness: i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating) AA does not contain previously AA contains fen, bog, warm springs cited rare types and structural AA does not contain previously Replacement potential or mature (>80 yr-old) forested diversity (#13) is high or contains cited rare types or associations wetland or plant association listed plant association listed as "S2" by and structural diversity (#13) is as "S1" by the MTNHP the MTNHP low-moderate Estimated relative abundant abundant abundant commo rare common rare common rare abundance (#11) n Low disturbance at AA .9H .8H 1H .8H .6M .5M .5M .4M .3L (#12i) Moderate disturbance at .9H .8H .7M .7M .5M .4M .4M .3L .21 AA (#12i) High disturbance at AA .8H .6M .4M .3L .7H .6M .3L .1L .2L (#12i) Comments: 14L. Recreation/Education Potential: (affords "bonus" points if AA provides recreation or education opportunity) i. Is the AA a known or potential rec./ed. site: (check) Y NО (if 'Yes' continue with the evaluation; if 'No' then click NA here and proceed to the overall summary and rating page) Check categories that apply to the AA: V Educational/scientific study; Consumptive rec.; Non-consumptive rec.; I Other iii. Rating (use the matrix below to arrive at [check] the functional points and rating) Known or Potential Recreation or Education Area Known Potential Public ownership or public easement with general public access (no permission required) 2H 15H Private ownership with general public access (no permission required) .15H .1M Private or public ownership without general public access, or requiring permission for public access .1M .05L Comments: Currently no recreation/education occurs at the site. **General Site Notes** A supplemental hydrology source was identified during the 2014 site visit. In the northeast corner of the site along the southern boundary, water is entering the site from the ditch located upslope. This additional hydrology resulted in wetland acreage increase in 2014.

Function & Value Variables	Rating	Actual Functional Points	Possible Functional Points	Functional Units: (Actual Points x Estimated AA Acreage)	Indicate the four most prominent functions with an asterisk (*)
A. Listed/Proposed T&E Species Habitat	L	0	1	0	
B. MT Natural Heritage Program Species Habitat	Н	.9	1	12.96	V
C. General Wildlife Habitat	L	.3	1	4.32	
D. General Fish Habitat	NA	0	0	0	
E. Flood Attenuation	NA	0	0	0	
F. Short and Long Term Surface Water Storage	М	.6	1	8.64	V
G. Sediment/Nutrient/Toxicant Removal	М	.7	1	10.08	
H. Sediment/Shoreline Stabilization	М	.6	1	8.64	
Production Export/Food Chain Support	М	.6	1	8.64	V
J. Groundwater Discharge/Recharge	М	.7	1	10.08	V
K. Uniqueness	L	.2	1	2.88	
L. Recreation/Education Potential (bonus points)	L	.05	NA	0.72	
Totals:		4.65	9	66.96	
Percent of Possible Score			51.67 %		

Category I Wetland: (must satisfy one of the following criteria; otherwise go to Category II)  Score of 1 functional point for Listed/Proposed Threatened or Endangered Species; or  Score of 1 functional point for Uniqueness; or  Score of 1 functional point for Flood Attenuation and answer to Question 14E.ii is "yes"; or  Percent of possible score > 80% (round to nearest whole #).
Category II Wetland: (Criteria for Category I not satisfied and meets any one of the following criteria; otherwise go to Category IV)  Score of 1 functional point for MT Natural Heritage Program Species Habitat; or  Score of .9 or 1 functional point for General Wildlife Habitat; or  Score of .9 or 1 functional point for General Fish Habitat; or  "High" to "Exceptional" ratings for both General Wildlife Habitat and General Fish/Aquatic Habitat; or  Score of .9 functional point for Uniqueness; or  Percent of possible score > 65% (round to nearest whole #).
Category III Wetland: (Criteria for Categories I, II, or IV not satisfied)
Category IV Wetland: (Criteria for Categories I or II are not satisfied and all of the following criteria are met; otherwise go to Category III)  "Low" rating for Uniqueness; and Vegetated wetland component < 1 acre (do not include upland vegetated buffer); and Percent of possible score < 35% (round to nearest whole #).

# **OVERALL ANALYSIS AREA RATING:** (check appropriate category based on the criteria outlined above)

1 11	III	IV
------	-----	----

Rostad Ranch 2014 Wetla	nd Mitigation	Monitoring Poport
Rosiau Ranch zu 14 Welia	na iviiliaalion	Monitorina Report

# Appendix C

Project Area Photographs

MDT Wetland Mitigation Monitoring Rostad Ranch Meagher County, Montana



Photo Point 1 – Panorama Bearing: 140-240 degrees Location: Northeast corner of site

Taken in 2013



Photo Point 1 – Panorama Bearing: 140-240 degrees

Location: Northeast corner of site

Taken in 2014



Photo Point 2 – Panorama Bearing: 180 -70 degrees

Location: East fence corner Taken in 2013



Photo Point 2 – Panorama Bearing: 180 -70 degrees

Location: East fence corner Taken in 2014



Photo Point 3 – Panorama Bearing: 160-360 degrees

Location: East fence line Taken in 2013



Photo Point 3 – Panorama Bearing: 160-360 degrees

Location: East fence line Taken in 2014



Photo Point 4 – Panorama Bearing: 190-340 degrees

Location: Southeast fence corner Taken in 2013



Photo Point 4 – Panorama Bearing: 190-340 degrees

Location: Southeast fence corner Taken in 2014



Photo Point 5 – Panorama Bearing: 300-110 degrees

Location: Southwest fence corner Taken in 2013



Photo Point 5 – Panorama Bearing: 300-110 degrees

Location: Southwest fence corner Taken in 2014



Photo Point 6 – Photo 1
Bearing: 30 degrees

Location: West fence line Taken in 2013



Photo Point 6 – Photo 1
Bearing: 30 degrees

Location: West fence line Taken in 2014



Photo Point 6 – Photo 2 Bearing: 100 degrees

Location: West fence line Taken in 2013



Photo Point 6 – Photo 2 Bearing: 100 degrees

Location: West fence line Taken in 2014



Photo Point 7 – Panorama Bearing: 0-330 degrees

Location: West fence corner Taken in 2013



Photo Point 7 – Panorama Bearing: 0-330 degrees

Location: West fence corner Taken in 2014



Transect 1 – Beginning Bearing: 290 degrees

Location: NE branch of site Taken in 2013



Transect 1 – Beginning Bearing: 290 degrees

**Location:** NE branch of site **Taken in 2014** 



**Transect 1** – *End* **Location:** NE branch of site **Bearing:** 110 degrees **Taken in 2013** 



Transect 1 – End Bearing: 110 degrees

**Location:** NE branch of site **Taken in 2014** 



Transect 2 – Beginning Bearing: 130 degrees

Location: North central Taken in 2013



Transect 2 – Beginning Bearing: 130 degrees

Location: North central Taken in 2014



Transect 2 – End Bearing: 310 degrees

Location: North central Taken in 2013



Transect 2 – End Bearing: 310 degrees

Location: North central Taken in 2014



Transect 3 – Beginning Bearing: 30 degrees

**Location:** Southern portion of site **Taken in 2013** 



Transect 3 – Beginning Bearing: 30 degrees

**Location:** Southern portion of site **Taken in 2014** 



Transect 3 – End Bearing: 210 degrees

**Location:** Southern portion of site **Taken in 2013** 



Transect 3 – End Bearing: 210 degrees

**Location:** Southern portion of site **Taken in 2014** 



Data Point - R-1u Bearing: 340 degrees

Location: Veg community 1 Taken in 2014



Data Point - R-1w Bearing: 45 degrees

**Location:** Veg community 2 **Taken in 2014** 



Data Point - R-2u Bearing: 260 degrees

Location: Veg community 1 Taken in 2014



Data Point - R-2w Bearing: 250 degrees

**Location:** Veg community 2 **Taken in 2014** 

Rostad Ranch 2014 Wetland	Mitigation Monitoring Report
---------------------------	------------------------------

# Appendix D


Project Plan Sheets

MDT Wetland Mitigation Monitoring Rostad Ranch Meagher County, Montana

# THIS PROJECT

# MONTANA DEPARTMENT OF TRANSPORTATION

## FEDERAL AID PROJECT NO. STPX 0002(749) ROSTAD RANCH WETLAND **MEAGHER COUNTY**



MORRISON-MAIERLE, INC. DATE 05.11-12 MONTANA DEPARTMENT OF TRANSPORTATION U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION

MEAGHER COUNTY

## TABLE OF CONTENTS

PLANS	SHEET NO.
TITLE SHEET	1
TABLE OF CONTENTS	2
NOTES	2
LINEAR & LEVEL DATA	2
CONTROL DIAGRAM	3
SUMMARIES	4
GRADING	4
REVEGETATION	4
CULVERTS	4
CULVERT SUMMARY RECAP	4
DIVERSION STRUCTURE	4
FENCING	4
ABANDON PIEZONETER	4
BROAD-CRESTED WER	4
DETAILS	5-9
DIVERSION STRUCTURE INLET	5
DIVERSION STRUCTURE CROSS SECTION	6
BROAD-CRESTED WEIR	6
FENCING	7
OBLITERATE DRAIN	8
SPREADER BERM	9
EXISTING SITE OVERVIEW	10
PROPOSED SITE OVERVIEW	11
PROPOSED GRADING PLAN	12
TOPSOIL SALVAGE PLAN	13
WORK AREA #1 PLAN	1.4
WORK AREA #2 PLAN	15
WORK AREA #3 PLAN	16
WETLAND MITIGATION OVERVIEW	17
CONCEPTUAL REVEGETATION PLAN	18
WATER DISTRIBUTION OVERVIEW	19

## NOTES

#### TEMPORARY EROSION AND SEDIMENT CONTROL

REFER TO SECTION 208 OF THE MOT DETAILED DRAWINGS FOR EROSION AND SEDIMENT CONTROL BEST MANAGEMENT PRACTICES. MISTALL TEMPORARY EROSION CONTROL MAGASINERS AS DECEMD INCESSARY BY THE ENGINEER. PARKANT TO BE DETERMINED BY USING THE EROSION AND SEDIMENT CONTROL RATE SCHEDULE AND PAID FOR UNDER MISCELLAROUS WHIRE. ALL MISTALLED TEMPORARY EROSION CONTROL BLANKTIS MUST BE COMPOSED AND CONSTRUCTED OF 100% BODGERADABLE FREAS, METTING, AND STITCHMEN.

#### SOILS INFORMATION

TO OBTAIN THE COMPLETE SOILS INFORMATION CONTACT THE MOT GEOTECHNICAL SECTION AT (406) 444-6281.

#### UTILITIES

CONTACT THE UTELITIES UNDERGROUND LOCATION CENTER (1-800-424-5555) OR OTHER NOT FICATION SYSTEM FOR THE MARKING AND LOCATION OF ALL LINES AND SERVICES BEFORE EXCAVATING.

#### CLEARING AND GRUBBING

CLEAR AND GRUB TO STAKED GRADING LIMITS. INCLUDE THE COST OF CLEARING AND GRUBBING IN THE UNIT PRICE BID FOR UNCLASSIFIED EXCAVATION.

#### TOPSOIL SALVAGING AND PLACING

TOPSOL QUANTITIES SHOWN IN THE PLANS ARE SUFFICIENT TO RE-TOPSOL IN AREAS WHERE CUTS OR FILLS EXCEED 1 FOOT, ALL REMAINING GRADING IS CONSIDERED UNCLASSIFIED EXCAVATION.

#### PIEZOMETER REMOVAL

SEE SHEET 10 FOR LOCATIONS OF PIEZOMETERS ON THE PROJECT.
ABANDON WELLS IN ACCORDANCE WITH ARM 36, 21, 810.

#### WETLANDS

ONLY METLANDS WITHIN THE PROJECT LIMITS HAVE BEEN DELINEATED.
WETLANDS MAY EXIST BEYOND THE PROJECT LIMITS AND ANY ACTION AFFECTING
SUCH METLANDS IS THE RESPONSIBILITY OF THE CONTRACTOR.

#### WETLANDS LEGEND



IMPACTED WETLANDS

#### COMBINATION SCALE FACTOR

ALL SURVEY AND STAKING WILL REQUIRE THE USE OF A COMBINATION SCALE FACTOR (DSF) 0, 99922160. ALL DAMENSIONS ON THE PLANS ARE GRID DIMENSIONS AND MUST BE DIVIDED BY THE CSF TO ARRIVE AT GROUND DIMENSIONS.

#### SURVEY DATA

DTM FILES FORMATTED FOR TRIMBLE, LEICA, AND TOPCON SURVEY CONTROLLERS ARE AVAILABLE UPON RECUEST. CONTACT WADE SALVARDS, MOT WETLAND ENGINEER, AT 444-0451.

## LINEAR & LEVEL DATA

#### BEARING SOURCE

NAD 83 (1992)

#### LEVEL DATUM SOURCE

NAVD 88

#### BENCH MARKS

SEE CONTROL ABSTRACT FOR BENCHMARK INFORMATION

3 MONTANA DEPARTMENT c'\dgn\5565000nthiz01.dgn	DESIGNED BY	WETLAND PLANS	ROSTAD RAN	CH WETLAND	PROJECT NO. STPX 0002(749)
2 MDT MORTANA DEPARTMENT OF TRANSPORTATION 1031:40 AM CPS-U2160	CHECKED BY	MEAGHER COUNTY	CSF = 0.99922160	UPN NUMBER 5565	SHEET 2 OF 19

Control marks 1 through 1 were established to provide control in the areas of future wellands siftgation. MCI secondary control procedures were used to establish the state place coordinates and UPS Certived orthogeneric heights of the new control.

Coordinates shown hereon are referenced to the Montana Coordinate System NAD83(1992), international feat. Elevations are referenced to NAVB8. U.S. Feet (Geológ3). Redundont which was tied to the National Spatial Reference System through first-order order or better control points "A 295", "8BOREST" and "K812", using CPS static pracedures with oul-frequency CPS receivers.

In order to maintain a relative occuracy of 1:50,000, one Combination Scale Factor can be used for this project: .99922160, which is the Combination Scale Factor for CN 4889.

			CONTR	OL MARK ABSTRACT
POINT NAME/NUMBER	N OR Y COORDINATE	E OR X COORDINATE	POINT	LOCATION AND DESCRIPTION
2JEB	820176.707	1755842.913	4837, 33	FOUND USGS BENDMARK, FROM THE JUNCTION OF HIGHRAY 294 AND 12, CO 2 MESS REST ALONG HOPMAY 12, THE MARK 15 95 NORTHWEST OF AND 30 NORTH OFF OF HIGHWAY 12, TI MEST OF AN URREATION DITCH CROSSING BRASS CAR 2 TAMED 2 2-26, 1972, "EXECUTED AND URBANCE SIGN."
TTE	815626.843	1773445, 444	4735, 58	FOUND NOT CONTINUE CAP AT ME 977.55. A STANDARD NOT CONTINUE CAP ON 5/2" REGIAN OF CAP OF CAP OF CAP STANDARD AND TENNES OF THE MODEL OF THE MOST OF CAP STANDARD OF THE MOST OF CAP STANDARD OF CAP STANDARD OF CAP
1	807908.694	1757815, 256	4781.01	SET MOT CONTROL CAP, FLUSH WITH GROUND, STAMPED "1 2008", MARK IS 2.6" NORTH O THE SOUTH ROW FENCE OF MARTINSDALE HOAD, IS' MEST OF AN APPROACH, AND 2.6" WORTH OF A WINNESS POST,
2	808455, 543	1769626, 308	4770.81	SET MOT CONTROL CAP, FLUSH WITH GROUND, STAMPED "2 2008". MARK IS 2' SOUTH OF THE SOUTH ROW FENCE OF MARTHASOALE ROAD, 7.7 MEST OF A FENCE CONNER, 35' MEST OF AN APPROACH, AND 2' SOUTH OF A WITHESS POST.
3	808076, 674	1768751.668	4775. 16	SET MOT CONTROL CAP, FLUSH WITH GROUND, STAMPED "3 2008". MARK IS 100' SOUTH O THE SOUTH ROW FENCE OF MARTH SDALE ROAD, AND 2' MORTH OF A MITNESS POST.
4	807615.353	1766864, 291	4781.63	SET MOT CONTROL CAP, FLUSH WITH GROUND, STAMPED "4 2008", MARK IS 3' SOUTH OF THE SOUTH MOW ENCE OF MARTHSDALE BOAD, 450' EAST OF A DIVERSION STRUCTURE. AND 2' SOUTH OF A MITNESS POST.
5	807432.042	1769072, 531	4808, 98	SET MOT CONTROL CAP, FLUSH WITH GROUND, STAMPED "5 2008", MARK IS 2" NORTH OF AN EAST-MEST FENCE, AND 2" SOUTH OF A MITMESS POST.
6	806616. 942	1768550, 880	4806, 07	SET MOT CONTROL CAP, FLUSH WITH CROUND, STAMPED "6 2008", MARK IS IN AN OPEN FELD, 30' EAST OF AN MRHIGATION CANAL, AND 2' SOUTH OF A WITNESS POST.
1	805695, 87.1	1768165, 498	4812.40	SET MOT CONTROL CAP, FLUSH WITH GROUND, STAMPED "7 2008", MARK IS ON TOP OF THE EAST BANK OF CANAL, 40" NORTH OF AN EAST-MEST FENCE, 120" SOUTHEAST OF CONCRETE DOVERSON STRUCTURE, AND 2" SOUTH OF A WITHESS POST.

NOTE: CONTROL DIAGRAM NOT TO SCALE



WETLAND PLANS 2 MDT WONT ANA DEPARTMENT OF TRANSPORTATION MEAGHER COUNTY CSF = 0.99922160

ROSTAD RANCH WETLAND PROJECT NO. STPX 0002(749) UPN NUMBER 5565 SHEET 3 OF 19

## **SUMMARY**

		GRAI	DING	
		cubic yards		
TOTAL	UNCL. EXC.	EXCESS EXCAVATION	EMB.+	REMARKS
	9,400	9,400	-	SITE GRADING
	500		500	KEYED BERM
TOTAL	9,900	# 9,400	# 500	

		lump	sum	cubic yards	acres			
STATION		REVEGE- TATION	TREE & SHRUB	TOPSOIL SALVAGING & PLACING	WETLAND SEEDING	REMARKS		
FROM	то		**	a rending				
		1	1	22,235	35.83			
TOT	AL	1	1	22,235	~			

ABANDON PIEZOMETER ITEM DESCRIPTION cubic yards square yards STATION REMARKS 4 SEE SHEET 10 FOR LOCATIONS ABANDON WELL TOTAL

# FOR INFORMATION ONLY NOTE: 20% SHRINK FACTOR APPLIED TO GRADING

													CULV	ERTS	INCLUDED I	N CULVERT	SUMMARY I	RECAP)							
						BASIC B	ID ITEMS					PIPE OPTIONS in						cub	ic yards		square vards	linear feet			
	CHANTER		linea	r feet				cubic yards			square	CONCRETE	CLASS	COATING	END SE	CTIONS	FOUND-			CULVERT	GEOTEX-	HEIGHT	SKEW	CULVERT IN PL.	REMARKS
CULVERT	CULVERT	LENGTH	RELAY	CLEAN	REMOVE	CULVERT	FOUND-	BEDDING	CLASS 'DD'	CULVERT	GEOTEX-	STEEL - 2 2/3 x 1/2 CORR.	OR	*			ATION	BEDDING MATERIA	CLASS *DD	RIPRAP	TILE	OF COVER	ANGLE	in x ft	KEMAKKS
	in	OF PIPE			CULVERT	EXC.	MATERIAL	MATERIAL	CONCRETE	CLASS	TILE #	ALUMINUM - 2 2/3 x 1/2 CORR.	THK.		LEFT	RIGHT	MATERIAL			CLASS	#	COVER			
LVERT A					23.0																	3		18 X 23.0 CMP	REMOVE
JLVERT B					75.0																			18 X 75.0 CMP	REMOVE
LVERT C				-	22.0																			18 X 22.0 CMP	REMOVE REMOVE
ULVERT C			_	_	42.0		_																1	18 X 42.0 CMP	REMOVE


				BROAL	D-CRES	TED WE	EIR			
		cubic yards	square yards			68	ach			
STATION		BANK PROTECTION	TURF REINFORCEMENT MAT	CANAL GATE	HEAD GATE	TRASH GUARD	CHECK	TURNOUT	STRUC-	REMARKS
FROM	TO	TYPE 3	TYPE C350	in	In				TURE	
		35	120							BROAD-CRESTED WEIR
тот	AL	35	120	~	~	~	~	~	~	

			CULVE	RT SUN	MARY I	RECAP			
		linear	r feet			cubic	yards		square yards
BASIC	100000			Annual Section				CULVERT	GEOTEXTILE
BID	NEW	RELAY	CLEAN	REMOVE	FOUND- ATION		CLASS "DD"	RIPRAP	PERM. EROS, CNTR
	(TOTAL)	CULVERT	CULVERT	CULVERT	MATERIAL	MATERIAL	CONCRETE	CLASS	SURV.
	_			452.0				CLASS	CLASS
-		-	-	162.0	_		_		
TOTAL	~	~	~	162.0	~	~	~	~	~


				FEN	CING					
		i i			each		linea	r feet		
STAT	ION	WILDLIFE FRI	WILDLIFE FRIENDLY FENCE		REMOVE WILDLIFE F		DEADMAN	FARM GATE*		REMARKS
FROM	TO	TYPE 1 - FM	TYPE 1 - FW		SINGLE	DOUBLE	1 1	TYPE G2	TYPE G3	
		2,592.4		2,592.4	4	1		12		
		495.2		2012/10/20	1	1		12		
		974.6				2				
		379.2			1	1				
		838.9				2				
		215,8			1	4		12		
		530.3				1				
		99,5			1	1				
		2,271,7		-	4	1				
TOT	AL	8,397.6	~	# 2,592.4	12	14	~	36	~	


			DIVERSION	N STRU	CTURE				
	cut	bic yard	square yard	ea	ich	feet	lump sum		
DIVERSION	CLASS	BANK PROTECTION	TURF REINFORCEMENT MAT	CANAL GATE	HEAD GATE	PVC PIPE	TOTAL	REMARKS	
	CONC.	TYPE 3	TYPE C350	15 in	15 in	15 in			
	4			1		20.0	1	SEE DETAIL	
	-	20	70				+ +	SEE DETAIL	
	~	20	70	~	~	~	1		

3 NONTANA DEPARTMENT c:dgnl6565000rdsumz01.dgn DESIGNED BY	WETLAND PLANS	ROSTAD RANCH WETLAND MITIGATION PROJECT NO. STPX 0002(749)
2 MDT OF TRANSPORTATION 5/21/2012 REVIEWED BY 10:31:49 AM CPS - U2160	MEAGHER COUNTY	CSF = 0.99922160 UPN NUMBER 5565 SHEET 4 OF 19



PLAN VIEW





DIVERSION INLET STRUCTURE

PROJECT NO. STPX 0002(749)

NOTE: ALL DIMENSION IN FEET UNLESS OTHERWISE NOTED WETLAND PLANS 3
2
MDT NONT ANA DEPARTMENT
OF TRANSPORTATION ROSTAD RANCH WETLAND MEAGHER COUNTY CSF = 0.99922160 UPN NUMBER 5565 SHEET 5 OF 19

WETLAND PLANS

MEAGHER COUNTY

| 3 | MDT | MONTANA DEPARTMENT | C/dgri556500 | 5/21/2012 | 10:32:12 AM

FENCING DETAIL

NOTE: THE CSF HAS BEEN APPLIED TO ALL DIMENSIONS ON THIS SHEET.


PROJECT NO. STPX 0002(749)

SHEET 7 OF 19


ROSTAD RANCH WETLAND MITIGATION

UPN NUMBER 5565

CSF = 0.99922160




PLAN VIEW



SPREADER BERM


NOTE: SEE POINTS BI THROUGH B36 ON SHEETS 14 AND 15.


OF TRANSPORTATION  OF TRANSPORTA	WETLAND PLANS MEAGHER COUNTY	ROSTAD RANCH WETLAND MITIGATION	PROJECT NO, STPX 0002(749)
		ROSTAD RANCH WEILAND MITIGATION	
1 10:32:29 AM CPS - U2:160		CSF = 0.99922160 UPN NUMBER 5565	SHEET 9 OF 19





NOTE: SALVAGE TOPSOIL A MINIMUM OF 10 INCHES IN THE AREA SHOWN.
ALL REMAINING GRADING IS CONSIDERED UNCLASSIFIED EXCAVATION.

CHIEFOCON BY  OF TRANSPORTATION  OF TRANSPORTATION  OF TRANSPORTATION  OF TRANSPORTATION  OF TRANSPORTATION	WETLAND PLANS	ROSTAD RANCH WETLAND MITIGATION		PROJECT NO. STPX 0002(749)
1 OF TRANSPORTATION SELECTION CPS - U2160 BY	MEAGHER COUNTY	CSF = 0.99922160	UPN NUMBER 5565	SHEET 13 OF 19









CSF = 0.99922160

UPN NUMBER

SHEET 18 OF 19

MEAGHER COUNTY

## WATER DISTRIBUTION OVERVIEW



NOTE: FOR INFORMATION PURPOSES ONLY

NOT ANA DEPARTECT   Compression and DEPARTECT   Compress	DESIGNED BY REVIEWED BY		WETLAND PLANS MEAGHER COUNTY		ROSTAD RANCH WE	PROJECT NO. STPX 0002(749)
	CHECKED BY				CSF = 0.99922160	UPN NUMBER 5565