

US 93 PETERSON MITIGATION SITE

Project Overview

MDT Project # NH-5-2(122)31 UPN# 1744

Watershed: Watershed #3 – Lower Clark Fork

Monitoring Year: 2021

Years Monitored: 13th year of monitoring

Corps Permit Number: NWO-2005-90-185

Monitoring Conducted By: Confluence Consulting Inc

Dates Monitoring Was Conducted: July 12, 2021

Purpose of the Approved Project:

US 93 Peterson is one of five sites developed in cooperation with the permitting and natural resources staff from the Confederated Salish and Kootenai Tribes (CSKT) of the Flathead Nation to mitigate for wetland impacts associated with eight segments of the US 93 Evaro-to-Polson highway reconstruction project by the Montana Department of Transportation (MDT). This report assesses the final of the five wetland mitigation sites, US 93 Peterson, that due to adaptive management actions in 2020 has not met required mitigation goals and objectives as determined by the US Army Corps of Engineers (USACE) and the CSKT Shoreline Protection Program. The 2004 wetland mitigation plan provided wetland mitigation concepts, identified wetland community types targeted for establishment, and calculated the wetland mitigation credits expected to be obtained from each onsite mitigation area. At the US 93 Peterson site, MDT was to establish mitigation for wetland impacts regulated by the USACE and the CSKT. This site was to provide 1.31 acres of CSKT mitigation credit and 2.39 acres of Corps mitigation credit (See Table 1-2 in 2017 Monitoring Report

https://www.mdt.mt.gov/other/webdata/external/planning/wetlands/2017_REPORTS/2017-FINAL-US-93.PDF).

Site Location:

Latitude: 47.361717 **Longitude:** -114.099755

County: Lake County **Nearest Town:** St. Ignatius, MT

Map Included: Figure #1 on page 7.

Mitigation Site Construction Started: 2004 **Construction Ended:** 2007

Dates of Any Recent Corrective or Maintenance Activities (since previous report):

Activity: Weed Spray. **Date:** June 28-July 1, 2021

Specific recommendations for any additional corrective actions: Weed management will continue in 2022.

Anticipated Wetland Credit Acres: USACE – 2.39, CSKT – 1.31

Wetland Credit Acres Generated to Date: USACE – 3.13, CSKT – 1.37

Previous Monitoring Reports:

https://www.mdt.mt.gov/publications/brochures/wetland_mitigation.shtml

Requirements (from approved mitigation plan, banking instrument, or Department of Army (DA) permit conditions)

Monitoring Period: 5 years from construction completion or until concurrence by the USACE.

Performance Standards: 1) Construction of impoundments using 12 log crib structures and earthen berms, 2) excavation of an oxbow basin along the outer fringe of existing wetland boundaries and 3) planting of shrubs and herbaceous plugs within the oxbow basin, wetland fringe, and earthen embankments associated with log crib structures. Target wetland types are scrub/shrub and emergent vegetation classes including communities of thin-leaf alder (*Alnus incana*), red osier dogwood (*Cornus alba*), Nebraska sedge (*Carex nebrascensis*), and Baltic rush (*Juncus balticus*). Revegetation was completed in 2006, and recent adaptive management associated with crib repairs made in May, 2020.

Summary Data

Wetland Delineation – During the July 12th site visit, the US Drought monitor report classified the site as abnormally dry. The report updated the site’s classification to moderate drought conditions beginning July 13th, 2021 (Fuchs and Rignati, 2022). Total wetland acreage delineated in 2021 was 3.60 acres, a decrease of 0.34 acres from 2020, and included palustrine emergent (PEM) wetlands and a developing palustrine scrub-shrub (PSS) component. The increase in wetland acreage reported in 2020 was supported by irrigation overflow that is no longer present in 2021 (Table 1; Figure A-3, Appendix A). The 2021 wetland acreage is a 0.40 acres increase from 2017 as a result of repairs made on two crib structures in May 2020, which improved hydrologic function by increasing water and sediment retention.

Table 1. Delineated Wetland Acreage from 2016 through 2017 and 2021 at the US 93 Peterson Site

Habitat Type	2016	2017	2020	2021
Wetland Area (acres)	3.20	3.20	3.94	3.60

Vegetation – A total of 94 plant species have been identified at the site in the 13 years of monitoring, with eleven new species reported in 2021 (Appendix B; Table B-1).

Two upland community types and three wetland community types were identified and mapped at the site in 2021 (Figure A-3, Appendix A). Wetland type 11 (*Dipsacus fullonum*/*Carex nebrascensis*) was replaced with wetland type 12 (*Carex nebrascensis*/*Poa pratensis*) in 2020, both of which are no longer present at the site and mapped in 2021 as wetland community 13 (*Carex nebrascensis*/*Nasturtium officinale*). Wetland type 2 (*Phalaris arundinacea*/*Carex spp.*) has been updated from *Phalaris arundinacea* to include *Carex spp.* and reflect the diversifying community. *Alnus incana* continues to mature within wetland community 2 and wetland community 8 (*Typha latifolia*/*Phalaris arundinacea*). Woody vegetation is diversifying within wetland community 8 with *Cornus alba* and *Salix exigua* observed for the first time in 2021. Species composition for each community type is provided in detail in the Wetland Mitigation Site Monitoring form (Appendix B). The vegetation community types identified within the site in 2021 include the following:

- Wetland Type 2 – *Phalaris arundinacea*/*Carex spp.*
- Wetland Type 8 – *Typha latifolia*/*Phalaris arundinacea*
- Wetland Type 13 – *Carex nebrascensis*/*Nasturtium officinale*
- Upland Type 7 – *Elymus repens*/*Poa pratensis*
- Upland Type 10 – *Elymus repens*/*Sisymbrium altissimum*

Vegetation cover was measured along two transects (T-1 and T-2) in 2021 (Figure A-2, Appendix A). Photographs of the transect end points are provided in Appendix C. Table 2 summarizes the data for T-1. T-1 is 144 feet long and intersected upland community Type 7 – *Elymus repens*/*Poa pratensis* and wetland community Type 8 – *Typha latifolia*/*Phalaris arundinacea*; 86.8 percent of the transect crossed wetland habitat, a 1.4% increase from 2020. The number of hydrophytic species increased from 12 to 13, and the total number of species increased from 14 to 17. Total vegetative cover remained

unchanged at 95 percent. The dominant wetland type at the site is classified as PEM, although woody species including gray alder provide approximately 10% cover across the entire wetland.

Table 2. Data Summary for T-1 From 2016 - 2017 and 2021 at the US 93 Peterson Site

Monitoring Year	2016	2017	2020	2021
Transect Length (feet)	144	144	144	144
Vegetation Community Transitions along Transect	2	2	2	2
Vegetation Communities along Transect	2	2	2	2
Hydrophytic Vegetation Communities along Transect	1	1	1	1
Total Vegetative Species	15	14	14	17
Total Hydrophytic Species	12	7	12	13
Total Upland Species	3	7	2	4
Estimated % Total Vegetative Cover	96	95	95	95
Estimated % Unvegetated	4	5	5	5
% Transect Length Comprising Hydrophytic Vegetation Communities	73.6	85.4	85.4	86.8
% Transect Length Comprising Upland Vegetation Communities	26.4	14.6	14.6	13.2
% Transect Length Comprising Unvegetated Open Water	0	0	0	0
% Transect Length Comprising Mudflat	0	0	0	0

Data collected on T-2 (Wetland Mitigation Site Monitoring form, Appendix B) are summarized in Table 3. T-2 is 325 feet long and intersects upland community Type 7 – *Elymus repens*/*Poa pratensis* and wetland community Type 8 – *Typha latifolia*/*Phalaris arundinacea*; 72 percent of the transect crossed wetland habitat in 2021, which is a consistent with results from 2020. The number of hydrophytic species remained unchanged from 2020 at 12, and the total number of species observed remained at 17. Total vegetative cover remained unchanged at 95 percent.

Table 3. Data Summary for T-2 From 2016 - 2017 and 2021 at the US 93 Peterson Site

Monitoring Year	2016	2017	2020	2021
Transect Length (feet)	325	325	325	325
Vegetation Community Transitions along Transect	3	3	3	3
Vegetation Communities along Transect	2	2	2	2
Hydrophytic Vegetation Communities along Transect	1	1	1	1
Total Vegetative Species	18	17	17	17
Total Hydrophytic Species	14	6	12	12
Total Upland Species	4	11	5	5
Estimated % Total Vegetative Cover	93	95	95	95
Estimated % Unvegetated	7	5	5	5
% Transect Length Comprising Hydrophytic Vegetation Communities	67.7	72.0	72.0	72.0
% Transect Length Comprising Upland Vegetation Communities	32.3	28.0	28.0	28.0
% Transect Length Comprising Unvegetated Open Water	0	0	0	0
% Transect Length Comprising Mudflat	0	0	0	0

Two areas containing state-listed Priority 2A and 2B noxious weeds were mapped at the US 93 Peterson site in 2021 (Figure A-3, Appendix A). Canada thistle (*Cirsium arvense*), and whitetop (*Lepidium draba*) ranged from trace to moderate occurrences, while oxeye daisy (*Leucanthemum vulgare*), houndstongue (*Cynoglossum officinale*), yellow flag iris (*Iris pseudacorus*) and ventenata (*Ventenata dubia*) occurred as trace and low cover classes.

Hydrology – The main source of hydrology at the Peterson site is an unnamed perennial tributary of Post Creek. The mitigation site is located within a ¼-mile-long wetland corridor aligned east to west that follows the topographic gradient toward Post Creek. The project area is exposed to seasonal flooding during spring runoff, seasonal high groundwater, and sustained flows during summer from irrigation returns. Additionally, small seeps occur north and south of the tributary at the toe of slope. Immediately east of US 93 and the Peterson site is a small reservoir located on private land. The landowner manipulates the channel flows from this reservoir that supply hydrology to the mitigation site. In May 2020, log crib structures (i.e., log dams 1, 1A, 2, and 6) and earthen berms were installed, repaired, and replaced to improve water impoundment and increase wetland creation across the site. During the 2021 monitoring event, all crib structures were functioning as intended and required no further repairs. Hydrology supplied by irrigation overflow in the southwest corner of the site in 2020 was absent in 2021.

Soils – Paired soil test plots were excavated at 2 locations (Figure A-2, Appendix A). One wetland test pit (DP01w) was located on the hillside along the eastern boundary of the mitigation site, south of the crib repair work. Another wetland test pit (DP02w) was located inside the excavated depressions in areas recently rehydrated by crib repair work. The paired upland soil plots (DP01u, DP02u) were located upslope from wetland sample points. Soil textures within wetland test pits ranged from loam to clay. Hydric soil indicators, including redox dark surface (F6), have developed around the crib repair work since the 2020 monitoring event when none were reported. No hydric soil indicators were observed in the upland test pits.

Photographs – Photographs were taken at photo points 1–8 (PP1 to PP8), transect endpoints, and data points. These and additional site photos of the repaired cribs and outflow structures are provided in Appendix C, with comparisons between 2021 and the first year of monitoring. MDT added photo point 8 in 2020 to monitor the newly installed Log Crib 1A. Please refer to past monitoring reports for all previous annual photographs at this weblink:

https://www.mdt.mt.gov/publications/brochures/wetland_mitigation.shtml.

Functional Assessment – The 2021 results of the functional assessments utilizing the 2008 version of the Montana Wetland Assessment (MWAM) is summarized in Table 4. In previous monitoring years, the 1999 version of the MWAM form was used, and changes in points scored between past years and 2021 may be related to substantial updates between the versions, and not necessarily indicative of a reduced function. Completed MWAM forms for the US 93 Peterson site are provided in Appendix B. Overall, the site rates as a Category II wetland and has generated 28.26 Functional Units. Due to observations of minnows in the channel, fish habitat, which was previously rated as N/A, was evaluated in 2021. Expected wetland mitigation credits are shown in Table 5.

Table 4. Montana Wetland Assessment Method Summary for the US 93 Peterson Site

Function and Value Parameters from the MDT Montana Wetland Assessment Method (2008)	2004 (Baseline) (AA-1)*	2017 (AA-1)*	2020 (AA-1)*	2021 (AA-1)
Listed/Proposed T&E Species Habitat	Low (0.3)	High (0.8)	High (0.8)	High (0.8)
MTNHP Species Habitat	Low (0.1)	Low (0.1)	Low (0.1)	Low (0.1)
General Wildlife Habitat	Low (0.5)	High (0.9)	High (0.9)	High (0.9)
General Fish/Aquatic Habitat	Low (0.1)	NA	NA	Low (0.3)
Flood Attenuation	Low (0.2)	High (0.8)	High (0.8)	Mod (0.6)
Short and Long Term Surface Water Storage	Mod (0.4)	High (0.8)	High (0.8)	High (0.8)
Sediment/Nutrient/Toxicant Removal	High (0.9)	High (1.0)	High (1.0)	High (1)
Sediment/Shoreline Stabilization	High (0.7)	High (1.0)	High (1.0)	High (1)
Production Export/Food Chain Support	High (0.8)	High (0.8)	High (0.8)	High (0.8)
Groundwater Discharge/Recharge	High (1.0)	High (1.0)	High (1.0)	High (1)
Uniqueness	Low (0.2)	Mod (0.4)	Mod (0.4)	Mod (0.4)
Recreation/Education Potential (Bonus Points)	Low (0.1)	High (1.0)	High (1.0)	High (0.15)
Actual Points / Possible Points	5.3/12	8.6/11	8.6/11	7.85/11
% of Possible Score Achieved	44%	78%	78%	71%
Overall Category	III	II	II	II
Total Acreage of Assessed Wetlands and Open Water within Easement (ac)	1.26	3.20	3.94	3.60
Total Functional Units (acreage x actual points) (fu)	6.68	27.52	33.88	28.26
Net Acreage Gain (ac)	NA	1.94	2.68	2.34
Net Functional Unit Gain	NA	20.84	27.2	21.58

*1999 MWAM form. 2008 MWAM first utilized at US 93 N Peterson in 2021.

Wildlife – Four bird species were identified at the site in 2021, including Turkey Vulture (*Cathartes aura*), Red-winged Blackbird (*Agelaius phoeniceus*), Northern Harrier (*Circus hudsonius*), and an owl pellet. In addition to the four bird species, one crayfish (*Faxonius virilis*) and 5 minnows were observed in the channel, while tracks and scat at the site indicate the presence of deer (*Odocoileus sp.*) (Appendix B, Site Monitoring Form). Woody vegetation provides usable habitat for wildlife and birds. Active nesting sites were observed by MDT staff in 2021.

Credit Summary – Including both creation and rehabilitation/secondary restoration credit acres, the site is currently receiving 3.13 USACE credit acres and 1.37 CSKT credit acres. Table 5 summarizes the estimated wetland credits based on USACE-approved credit ratios and the wetland delineation completed in July 2021. Credit acres calculated in 2021 exceed anticipated credit acres for both the USACE and CSKT. Wetland acreage totaled 3.60 acres in 2021, a decrease of 0.34 acres since 2020, but 0.4 acres more than previously reported in 2017 prior to adaptive management repairs to failed crib structures.


Table 5. Expected Wetland Mitigation Credits for US 93 Peterson Site from 2017 and 2020-2021

Targeted Mitigation Type	Credit Ratio		2017 Wetland (acre)	2017 Credit (acre)		2020 Wetland (acre)	2020 Credit (acre)		2021 Wetland (acre)	2021 Credit (acre)	
	USACE	CSKT		USACE	CSKT		USACE	CSKT		USACE	CSKT
Creation	1:1	3.36:1	1.95	1.95	0.58	2.69	2.69	0.80	2.35	2.35	0.70
Rehabilitation/secondary restoration	1.61:1 *(2014)	1.86:1	1.25	0.78	0.67	1.25	0.78	0.67	1.25	0.78	0.67
Total	--	--	3.20	2.73	1.25	3.94	3.47	1.47	3.60	3.13	1.37

*Corrected enhancement ratio.

Maps, Plans, Photos

Figure # 1: Site Location Map



Project Area Maps/Figures: See Appendix A (Figure 2 – Monitoring Activity Locations, Figure 3 – Mapped Site Features and Figure 4 – Wetland Delineation).

Data Forms: See Appendix B (Site Monitoring form, USACE data forms, and MWAM forms).

Tables: See Appendix B (Comprehensive Vegetation Species List, Table B-1).

Photos: See Appendix C.

Plans: See Appendix D of 2020 Monitoring Report

<https://www.mdt.mt.gov/other/webdata/external/planning/wetlands/2020-REPORTS/2020-FINAL-US93North-Peterson.PDF>

Conclusions

Based on the results of the thirteenth year of monitoring, the mitigation site has developed into a diverse wetland ecosystem consisting of emergent and developing scrub/shrub habitats. The site is meeting all its performance standards in 2021, including the construction of 12 log crib structures and earthen berms, excavation of an oxbow basin along the outer fringe of pre-existing wetland boundaries, and the planting of shrubs and herbaceous plugs within the oxbow basin, wetland fringe, and log crib structures. Decreases in wetland acreage from the previous year are a result of reduced hydrologic sources, specifically from irrigation overflow that is no longer present. The increase in wetland acreage from 2017 is a result of the repairs made on failed crib structures to improve water storage and enhance hydrologic function in lower areas of the site. (Figure A-4, Appendix A).

References

- Berglund, J. and R. McEldowney. 2008.** MDT Montana Wetland Assessment Method, PBS&J Project B43072.00, prepared by Post, Buckley, Schuh, & Jernigan, Helena, MT, for the Montana Department of Transportation, Helena, MT.
- Environmental Laboratory. 1987.** *Corps of Engineers Wetlands Delineation Manual*. U.S. Army Corps of Engineers. Washington, DC.
- Federal Geographic Data Committee (FGDC). 2013.** *Classification of wetlands and deepwater habitats of the United States*. FGDC-STD-004-2013. Second Edition. Wetlands Subcommittee, Federal Geographic Data Committee and U.S. Fish and Wildlife Service, Washington, DC.
- Fuchs, B. and C. Rignati. 2022.** U.S. Drought Monitor. National Drought Mitigation Center, University of Nebraska-Lincoln. Accessed January 23, 2022
at <https://droughtmonitor.unl.edu/CurrentMap/StateDroughtMonitor.aspx?MT>
- Lesica, P. 2012.** *Manual of Montana Vascular Plants*, Brit Press, Fort Worth, TX.
- Montana Natural Heritage Program (MTNHP). 2020.** *Montana Species of Concern Report*. Montana Natural Heritage Program. Provided on June 10, 2020.
- Natural Resources Conservation Service (NRCS). 2020.** *Soil Survey (SSURGO) Database for [Lake County Area, Montana]*. Accessed on 2 October 2020 at <http://websoilsurvey.nrcs.usda.gov/>
- Natural Resources Conservation Service (NRCS). 2018.** *Field Indicators of Hydric Soils in the United States*, Version 8.2. L.M. Vasilas, G.W. Hurt, and J.F. Berkowitz (eds.). USDA, NRCS, in cooperation with the National Technical Committee for Hydric Soils. 55 p.
- U.S. Army Corps of Engineers (USACE). 2005.** *Montana Mitigation Information*. Accessed on 10 October 2016 at <http://www.nwo.usace.army.mil/Missions/Regulatory-Program/Montana/Mitigation/>
- U.S. Army Corps of Engineers (USACE). 2010.** *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coasts Region* (Version 2.0), prepared by U.S. Army Corps of Engineers, U.S. Army Engineer Research and Development Center, Environmental Laboratory, Vicksburg, MS.
- U.S. Army Corps of Engineers (USACE). 2018.** *National Wetland Plant List (Version 3.4)*, prepared by U.S. Army Corps of Engineers, U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory, Hanover, NH.

APPENDIX A

PROJECT AREA MAPS

MDT Wetland Mitigation Monitoring
US 93 Peterson
Lake County, Montana





Figure A-2. 2021 Monitoring Activity Locations




US-93 Peterson Mitigation Site
2021 Monitoring Activity Locations



Legend

- Vegetation Transect
- Monitoring Limits
- Photo Points

Base Photography Date:
July, 2020



THIS FIGURE SHOWS THE APPROXIMATE LOCATION OF FEATURES ON THE SITE AND IS NOT INTENDED TO BE A DEFINITIVE SURVEY. IT IS INTENDED TO DISPLAY INFORMATION RELEVANT TO THE REFERENCED REPORT. RESPEC MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND REGARDING THIS DRAWING FOR ANY USE OTHER THAN THE ORIGINAL. ANY OTHER USE IS AT THE USER'S SOLE RISK.

Project:	STPX-STWD(813)
Location:	Lake Co., Montana
Date:	January 2022
Project Manager:	R. McElowney
Drawn By:	S. Weyant




Figure A-3. 2021 Mapped Site Features



Acreages	
Project Area	25.3 acres
Wetland Area	3.60 acres
Uplands	21.70 acres

Legend

Monitoring Limits ———

Wetland Limits ———

Vegetation Communities - - - - -

Base Photography Date:
July, 2020

Noxious Weeds

Cirsium arvense

Cynoglossum officinale

Iris pseudacorus

Lepidium draba

Leucanthemum vulgare

Ventenata dubia

Cover Class

T = Trace (<1% cover)

L = Low (1-5% cover)

M = Moderate (6-25% cover)

H = High (26-100% cover)

Vegetation Community Types

② Phalaris arundinacea/Carex spp.

⑦ Elymus repens/Poa pratensis

⑧ Typha latifolia/Phalaris arundinacea


⑩ Elymus repens/Sisymbrium altissimum

⑬ Carex nebrascensis/Nasturtium officinale


THIS FIGURE SHOWS THE APPROXIMATE LOCATION OF FEATURES ON THE SITE AND IS NOT INTENDED TO BE A DEFINITIVE SURVEY. IT IS INTENDED TO DISPLAY INFORMATION RELEVANT TO THE REFERENCED REPORT. RESPEC MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND REGARDING THIS DRAWING FOR ANY USE OTHER THAN THE ORIGINAL. ANY OTHER USE IS AT THE USER'S SOLE RISK.

US-93 Peterson Mitigation Site


2021 Mapped Site Features



Project: STPX-STWD(813)
Location: Lake Co., Montana
Date: January 2022
Project Manager: R. McElidowney
Drawn By: S. Weyant



US-93 Peterson Mitigation Site
2021 Wetland Delineation



Project: STPX-STWD(813)
Location: Lake Co., Montana
Date: January 2022
Project Manager: R. McElidowney
Drawn By: S. Weyant

APPENDIX B

MONITORING FORMS

MDT Wetland Mitigation Monitoring
US 93 Peterson
Lake County, Montana

MDT WETLAND MITIGATION SITE MONITORING FORM

Project Site: US 93 Peterson Assessment Date/Time 7/12/2021

Person(s) conducting the assessment: S Weyant

Weather: Smokey, calm, 85 degrees Location: St. Ignatius

MDT District: Missoula Milepost: 35.5

Legal Description: T 19N R 20W Section(s) 35

Initial Evaluation Date: 8/15/2008 Monitoring Year: 13 #Visits in Year: 1

Size of Evaluation Area: 25 (acres)

Land use surrounding wetland:

Residential & agriculture.

HYDROLOGY

Surface Water Source: Unnamed tributary to Post Creek; irrigation ditch diversion.

Inundation: ☒ Average Depth: 0.5 (ft) Range of Depths: 0-3 (ft)

Percent of assessment area under inundation: 25 %

Depth at emergent vegetation-open water boundary: 0 (ft)

If assessment area is not inundated then are the soils saturated within 12 inches of surface: Yes

Other evidence of hydrology on the site (ex. – drift lines, erosion, stained vegetation, etc.):

Drift lines, stained vegetation, and algal mats.

Groundwater Monitoring Wells

Record depth of water surface below ground surface, in feet.

Additional Activities Checklist:

- ☒ Map emergent vegetation-open water boundary on aerial photograph.
- ☒ Observe extent of surface water during each site visit and look for evidence of past surface water elevations (drift lines, erosion, vegetation staining, etc.)
- ☐ Use GPS to survey groundwater monitoring well locations, if present.

Hydrology Notes:

Inundation behind the crib structures at the downstream end was present during the site visit, indicating improvements made to the structures in May 2020 are successful and functioning as intended. No obvious signs of breaching due to voids, undercuts, etc. were observed. The wetland/upland boundary at the site is distinct.

VEGETATION COMMUNITIES

Site US 93 Peterson

(Cover Class Codes **0** = < 1%, **1** = 1-5%, **2** = 6-10%, **3** = 11-20%, **4** = 21-50% , **5** = >50%)

Community # 2 **Community Type:** Phalaris arundinacea / Carex spp. **Acres:** 1.6

Species	Cover class	Species	Cover class
Alnus incana	1	Brassica juncea	2
Carex aquatilis	1	Carex nebrascensis	2
Carex pellita	2	Carex stipata	2
Cirsium arvense	1	Dipsacus fullonum	1
Eleocharis palustris	1	Epilobium ciliatum	2
Juncus balticus	0	Juncus tenuis	1
Nasturtium officinale	2	Phalaris arundinacea	4
Poa palustris	1	Rosa woodsii	1
Schoenoplectus acutus	0	Solanum dulcamara	2
Typha latifolia	3		

Comments:

Wetland community type updated in 2021 from Phalaris arundinacea to Phalaris arundinacea/Carex spp.

Community # 7 **Community Type:** Elymus repens / Poa pratensis **Acres:** 20.4

Species	Cover class	Species	Cover class
Brassica juncea	2	Bromus inermis	2
Bromus tectorum	1	Carex nebrascensis	2
Cirsium arvense	1	Dipsacus fullonum	1
Elymus repens	4	Juncus balticus	0
Lepidium campestre	1	Lepidium draba	1
Lepidium perfoliatum	1	Pascopyrum smithii	2
Phalaris arundinacea	0	Poa pratensis	4
Rosa woodsii	0	Sisymbrium altissimum	2
Sonchus arvensis	1	Ventenata dubia	1

Comments:

Upland community type.

Community # 8 **Community Type:** Typha latifolia / Phalaris arundinacea **Acres:** 1.8

Species	Cover class	Species	Cover class
Alnus incana	2	Brassica juncea	1
Carex aquatilis	1	Carex nebrascensis	1
Carex stipata	0	Carex utriculata	2
Cirsium arvense	1	Cirsium vulgare	0
Cornus alba	1	Dipsacus fullonum	2
Epilobium ciliatum	3	Geum macrophyllum	1
Lemna minor	1	Nasturtium microphyllum	1
Nasturtium officinale	3	Nepeta cataria	1
Phalaris arundinacea	3	Poa palustris	1
Poa pratensis	1	Rosa woodsii	1
Salix exigua	1	Solanum dulcamara	3
Typha latifolia	4		

Comments:

Wetland community type.

Community # 10 **Community Type:** Elymus repens / Sisymbrium altissimum **Acres:** 1.4

Species	Cover class	Species	Cover class
Bromus inermis	1	Cirsium vulgare	0
Elymus repens	4	Sisymbrium altissimum	4

Comments:

Upland community type.

Community # 13 **Community Type:** Carex nebrascensis / Nasturtium officinale **Acres:** 0.2

Species	Cover class	Species	Cover class
Brassica juncea	3	Carex nebrascensis	5
Carex stipata	1	Elymus repens	0
Glyceria grandis	0	Nasturtium officinale	3
Pascopyrum smithii	0	Phalaris arundinacea	1
Poa pratensis	1	Sisymbrium altissimum	0
Typha latifolia	1		

Comments:

Community type 13 was added in 2021 to replace community type 12 (Carex nebrascensis/Poa pratensis).

Total Vegetation Community Acreage **25.3**

VEGETATION TRANSECTS

Site: US 93 Peterson Date: 7/12/2021

Transect Number: 1 Compass Direction from Start: 210

Interval Data:

Ending Station 15 **Community Type:** Elymus repens / Poa pratensis

Species	Cover class	Species	Cover class
Brassica juncea	1	Dipsacus fullonum	1
Elymus repens	4	Poa pratensis	4

Ending Station 140 **Community Type:** Typha latifolia / Phalaris arundinacea

Species	Cover class	Species	Cover class
Alnus incana	0	Brassica juncea	2
Carex nebrascensis	0	Carex stipata	1
Carex utriculata	1	Cirsium arvense	1
Cirsium vulgare	0	Dipsacus fullonum	2
Epilobium ciliatum	0	Nasturtium microphyllum	4
Phalaris arundinacea	2	Poa pratensis	0
Rosa woodsii	1	Solanum dulcamara	1
Typha latifolia	3		

Ending Station 144 **Community Type:** Elymus repens / Poa pratensis

Species	Cover class	Species	Cover class
Brassica juncea	1	Elymus repens	2
Poa pratensis	5	Sisymbrium altissimum	1

Transect Notes:

Wetland interval has increased 19 feet in length since 2017.
--

Transect Number: 2

Compass Direction from Start: 340

Interval Data:

Ending Station 193 **Community Type:** Typha latifolia / Phalaris arundinacea

Species	Cover class	Species	Cover class
Alnus incana	2	Brassica juncea	2
Dipsacus fullonum	2	Epilobium ciliatum	3
Geum macrophyllum	1	Nasturtium officinale	3
Phalaris arundinacea	1	Solanum dulcamara	4
Typha latifolia	4		

Ending Station 217 **Community Type:** Elymus repens / Poa pratensis

Species	Cover class	Species	Cover class
Brassica juncea	0	Dipsacus fullonum	0
Poa pratensis	5		

Ending Station 258 **Community Type:** Typha latifolia / Phalaris arundinacea

Species	Cover class	Species	Cover class
Alnus incana	1	Brassica juncea	1
Carex nebrascensis	3	Cirsium arvense	0
Geum macrophyllum	0	Nasturtium officinale	1
Poa palustris	0	Typha latifolia	5

Ending Station 325 **Community Type:** Elymus repens / Poa pratensis

Species	Cover class	Species	Cover class
Bromus tectorum	1	Carex nebrascensis	1
Pascopyrum smithii	1	Poa pratensis	5
Sisymbrium altissimum	0	Ventenata dubia	1

Transect Notes:

Transect composed of upland and wetland community types.
--

PLANTED WOODY VEGETATION SURVIVAL

US 93 Peterson

Planting Type	#Planted	#Alive	Notes
Alnus incana	1163		
Beula occidentalis	817		
Cornus alba	408		
Crataegus douglasii			
Ribes hudsonianum	245		
Rosa woodsii	450		
Salix exigua	408		

Comments

No planted woody vegetation survival was assessed during 2020 or 2021 monitoring events. Woody plants were evaluated based on ocular observation. *Alnus incana* has the highest woody plant density and is thriving. *Rosa woodsii* and *Cornus alba* are present along the wetland/upland boundary, and *Salix exigua* is present within community type 8. Overall, woody vegetation is maturing and diversifying and provides important wildlife habitat and structural diversity at the site.

WILDLIFE**Birds**Were man-made nesting structures installed? No

If yes, type of structure: _____

How many? _____

Are the nesting structures being used? No Do the nesting structures need repairs? No

Nesting Structure Comments:

Species	#Observed	Behavior	Habitat
Northern Harrier	1	FO	
Owl			
Red-winged Blackbird	10	FO, L	
Turkey Vulture	1	FO	

Bird Comments

Owl pellet observed on site.

BEHAVIOR CODES**BP** = One of a breeding pair **BD** = Breeding display **F** = Foraging **FO** = Flyover **L** = Loafing **N** = Nesting**HABITAT CODES****AB** = Aquatic bed **SS** = Scrub/Shrub **FO** = Forested **UP** = Upland buffer **I** = Island**WM** = Wet meadow **MA** = Marsh **US** = Unconsolidated shore **MF** = Mud Flat **OW** = Open Water

Mammals and Herptiles

Species	# Observed	Tracks	Scat	Burrows	Comments
Crayfish	1	No	No	No	
Fish sp.	5	No	No	No	
White-tailed Deer		Yes	Yes	No	

Wildlife Comments:

Sightings, tracks, and scat indicate wildlife presence. Minnows observed in channel in 2021.

PHOTOGRAPHS

Take photographs of the following permanent reference points listed in the check list below. Record the direction of the photograph using a compass. When at the site for the first time, establish a permanent reference point by setting a ½ inch rebar or fencepost extending 2-3 feet above ground. Survey the location with a resource grade GPS and mark the location on the aerial photograph.

Photograph Checklist:

- ☒ One photograph for each of the four cardinal directions surrounding the wetland.
- ☒ At least one photograph showing upland use surrounding the wetland. If more than one upland exists then take additional photographs.
- ☒ At least one photograph showing the buffer surrounding the wetland.
- ☒ One photograph from each end of the vegetation transect, showing the transect.

Photo #	Latitude	Longitude	Bearing	Description
DP01u	47.36203	-114.102007		
DP01w	47.362006	-114.102087		
DP02u	47.362592	-114.101359		
DP02w	47.362505	-114.101424		
PP1	47.361538	-114.098828	175	Photo point 1: Photo 1.
PP2-1	47.361169	-114.099105	35	Photo point 2: Photo 1.
PP2-2	47.361169	-114.099105	110	Photo point 2: Photo 2.
PP3	47.36115	-114.099117	45	Photo point 3.
PP4	47.361821	-114.101036	30	Photo point 4.
PP5	47.362254	-114.100645	175	Photo point 5.
PP6	47.361263	-114.100017	315	Photo point 6.
PP7-1	47.362521	-114.101066	5	Photo point 7: Photo 1.
PP7-2	47.362521	-114.101066	267	Photo point 7: Photo 2.
PP8	47.362257	-114.101944	34	Photo point 8.
T1-End	47.361169	-114.099105	45	Photo point 2. T-1 End.
T1-Start	47.361538	-114.098828	215	Photo point 1. T-1 Start.
T2-End	47.362242	-114.100633	315	Photo point 5. T-2 End.
T2-Start	47.361435	-114.100076	135	Transect 2 start.

Comments:

Photo point 8 created in 2020.

ADDITIONAL ITEMS CHECKLIST

Hydrology

- ☒ Map emergent vegetation/open water boundary on aerial photos.
- ☒ Observe extent of surface water. Look for evidence of past surface water elevations (e.g. drift lines, vegetation staining, erosion, etc).

Photos

- ☒ One photo from the wetland toward each of the four cardinal directions
- ☒ One photo showing upland use surrounding the wetland.
- ☒ One photo showing the buffer around the wetland
- ☒ One photo from each end of each vegetation transect, toward the transect

Vegetation

- ☒ Map vegetation community boundaries
- ☒ Complete Vegetation Transects

Soils

- ☒ Assess soils

Wetland Delineations

- ☒ Delineate wetlands according to applicable USACE protocol (1987 form or Supplement)
- ☒ Delineate wetland – upland boundary onto aerial photograph.

Wetland Delineation Comments

Overflow irrigation is no longer present to support wetland hydrology and hydric soil development, resulting in decreased wetland acreage previously gained in 2020.

Functional Assessments

- ☒ Complete and attach full MDT Montana Wetland Assessment Method field forms.

Functional Assessment Comments:

Category II Wetland.

Maintenance

Were man-made nesting structure installed at this site? No

If yes, do they need to be repaired?

If yes, describe the problems below and indicate if any actions were taken to remedy the problems

Were man-made structures built or installed to impound water or control water flow

into or out of the wetland? Yes

If yes, are the structures in need of repair? No

If yes, describe the problems below.

--

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: US 93 N Peterson City/County: Lake Sampling Date: 6/24/2021
 Applicant/Owner: MDT State: Montana Sampling Point: DP01u
 Investigator(s): S Weyant Section, Township, Range: S 35 T 19N R 20W
 Landform (hillslope, terrace, etc.): Undulating Local relief (concave, convex, none): flat Slope (%): 9
 Subregion (LRR): LRR E Lat: 47.36203 Long: -114.102007 Datum: NAD 83
 Soil Map Unit Name: 143: Ronan silty clay loam, 4-8% slopes NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No ☐ (If no, explain in Remarks.)
 Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☒ No ☐
 Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soil Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Remarks: Upland sample point located outside wetland boundary.					

VEGETATION - Use scientific names of plant

<u>Tree Stratum</u>	Plot size (30 Foot Radius)	Absolute % Cover:	Dominant Species?	Indicator Status	Dominance Test worksheet Number of Dominant Species that are OBL, FACW or FAC: <input type="text" value="1"/> (A) Total Number of Dominant Species Across All Strata: <input type="text" value="2"/> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <input type="text" value="50"/> % (A/B)														
<u>Sapling/Shrub Stratum</u>	Plot size (15 Foot Radius)					Prevalence Index worksheet <table border="1"> <thead> <tr> <th>Total % Cover of:</th> <th>Multiply by:</th> </tr> </thead> <tbody> <tr> <td>OBL species 1 X 1</td> <td><input type="text" value="1"/></td> </tr> <tr> <td>FACW species 0 X 2</td> <td><input type="text" value="0"/></td> </tr> <tr> <td>FAC species 27 X 3</td> <td><input type="text" value="81"/></td> </tr> <tr> <td>FACU species 7 X 4</td> <td><input type="text" value="28"/></td> </tr> <tr> <td>UPL species 35 X 5</td> <td><input type="text" value="175"/></td> </tr> <tr> <td>Column Totals <input type="text" value="70"/> (A)</td> <td><input type="text" value="285"/> (B)</td> </tr> </tbody> </table> Prevalence Index = B/A = 4.07143	Total % Cover of:	Multiply by:	OBL species 1 X 1	<input type="text" value="1"/>	FACW species 0 X 2	<input type="text" value="0"/>	FAC species 27 X 3	<input type="text" value="81"/>	FACU species 7 X 4	<input type="text" value="28"/>	UPL species 35 X 5	<input type="text" value="175"/>	Column Totals <input type="text" value="70"/> (A)
Total % Cover of:	Multiply by:																		
OBL species 1 X 1	<input type="text" value="1"/>																		
FACW species 0 X 2	<input type="text" value="0"/>																		
FAC species 27 X 3	<input type="text" value="81"/>																		
FACU species 7 X 4	<input type="text" value="28"/>																		
UPL species 35 X 5	<input type="text" value="175"/>																		
Column Totals <input type="text" value="70"/> (A)	<input type="text" value="285"/> (B)																		
<u>Herbaceous Stratum</u>	Plot size (5 Foot Radius)				Hydrophytic Vegetation Indicators <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input type="checkbox"/> 2 - Dominance Test is >50% <input type="checkbox"/> 3 - Prevalence Index is <= 3.0 <input type="checkbox"/> 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet. <input type="checkbox"/> 5 - Wetland Non-Vascular Plants <input type="checkbox"/> Problematic Hydrophytic Vegetation (Explain) Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.														
Brassica juncea 35 <input checked="" type="checkbox"/> UPL Carex nebrascensis 1 <input type="checkbox"/> OBL Cirsium arvense 1 <input type="checkbox"/> FAC Cirsium vulgare 3 <input type="checkbox"/> FACU Dipsacus fullonum 1 <input type="checkbox"/> FAC Pascopyrum smithii 4 <input type="checkbox"/> FACU Poa palustris 25 <input checked="" type="checkbox"/> FAC																			
<u>Woody Vine Stratum</u>	Plot size (30 Foot Radius)				Hydrophytic Vegetation Present? Yes <input type="checkbox"/> NO <input checked="" type="checkbox"/>														
Percent Bare Ground	30																		

Remarks:
 BG/litter=30%. Sample point located in area previously supported by irrigation overflow and delineated as wetland in 2020 with litter composed of Carex nebrascensis. This area is now upland and overgrown with Brassica juncea.

SOIL

Sampling Point: DP01u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-13	10YR	3/1	100				Clay Loam	Dry and compacted.

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains.²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- | | |
|--|---|
| <input type="checkbox"/> Histosol (A1) | <input type="checkbox"/> Sandy Redox (S5) |
| <input type="checkbox"/> Histic Epipedon (A2) | <input type="checkbox"/> Stripped Matrix (S6) |
| <input type="checkbox"/> Black Histic (A3) | <input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1) |
| <input type="checkbox"/> Hydrogen Sulfide (A4) | <input type="checkbox"/> Loamy Gleyed Matrix (F2) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Matrix (F3) |
| <input type="checkbox"/> Thick Dark Surface (A12) | <input type="checkbox"/> Redox Dark Surface (F6) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1) | <input type="checkbox"/> Depleted Dark Surface (F7) |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4) | <input type="checkbox"/> Redox Depressions (F8) |

Indicators for Problematic Hydric Soils³:

- ☐ 2 cm Muck (A10)
☐ Red Parent Material (TF2)
☐ Very Shallow Dark Surface (TF12)
☐ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☒

Remarks:

No evidence of hydric soil indicators observed. Soil pit excavated to a maximum depth of 13 inches due to dry and compacted soil, an upland plant community, and no evidence of wetland hydrology.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- | | |
|--|---|
| <input type="checkbox"/> Surface Water (A1) | <input type="checkbox"/> Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) |
| <input type="checkbox"/> High Water Table (A2) | <input type="checkbox"/> Salt Crust (B11) |
| <input type="checkbox"/> Saturation (A3) | <input type="checkbox"/> Aquatic Invertebrates (B13) |
| <input type="checkbox"/> Water Marks (B1) | <input type="checkbox"/> Hydrogen Sulfide Odor (C1) |
| <input type="checkbox"/> Sediment Deposits (B2) | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) | <input type="checkbox"/> Presence of Reduced Iron (C4) |
| <input type="checkbox"/> Algal Mat or Crust (B4) | <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) |
| <input type="checkbox"/> Iron Deposits (B5) | <input type="checkbox"/> Stunted or Stressed Plants (D1) (LRR A) |
| <input type="checkbox"/> Surface Soil Cracks (B6) | <input type="checkbox"/> Other (Explain in Remarks) |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | |
| <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) | |

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)
☐ Drainage Patterns (B10)
☐ Dry-Season Water Table (C2)
☐ Saturation Visible on Aerial Imagery (C9)
☐ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☐ FAC-Neutral Test (D5)
☐ Raised Ant Mounds (D6) (LRR A)
☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☒ Depth (inches): _____Water Table Present? Yes ☐ No ☒ Depth (inches): _____Saturation Present? Yes ☐ No ☒ Depth (inches): _____
(includes capillary fringe)Wetland Hydrology Present? Yes ☐ No ☒

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No evidence of wetland hydrology observed.

SOIL

Sampling Point: DP01w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		%	Redox Features				Type ¹	Loc ²	Texture	Remarks
	Color (moist)			Color (moist)		%					
0-16	10YR	4/1	97	7.5YR	4/6	3		C	M	Loam	

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains.²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- | | |
|--|---|
| <input type="checkbox"/> Histosol (A1) | <input type="checkbox"/> Sandy Redox (S5) |
| <input type="checkbox"/> Histic Epipedon (A2) | <input type="checkbox"/> Stripped Matrix (S6) |
| <input type="checkbox"/> Black Histic (A3) | <input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1) |
| <input type="checkbox"/> Hydrogen Sulfide (A4) | <input type="checkbox"/> Loamy Gleyed Matrix (F2) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input checked="" type="checkbox"/> Depleted Matrix (F3) |
| <input type="checkbox"/> Thick Dark Surface (A12) | <input type="checkbox"/> Redox Dark Surface (F6) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1) | <input type="checkbox"/> Depleted Dark Surface (F7) |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4) | <input type="checkbox"/> Redox Depressions (F8) |

Indicators for Problematic Hydric Soils³:

- ☐ 2 cm Muck (A10)
☐ Red Parent Material (TF2)
☐ Very Shallow Dark Surface (TF12)
☐ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☒ No ☐

Remarks:

Prominent redoximorphic features common throughout the depleted matrix.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- | | |
|--|---|
| <input type="checkbox"/> Surface Water (A1) | <input type="checkbox"/> Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) |
| <input type="checkbox"/> High Water Table (A2) | <input type="checkbox"/> Salt Crust (B11) |
| <input type="checkbox"/> Saturation (A3) | <input type="checkbox"/> Aquatic Invertebrates (B13) |
| <input type="checkbox"/> Water Marks (B1) | <input type="checkbox"/> Hydrogen Sulfide Odor (C1) |
| <input type="checkbox"/> Sediment Deposits (B2) | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) | <input type="checkbox"/> Presence of Reduced Iron (C4) |
| <input type="checkbox"/> Algal Mat or Crust (B4) | <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) |
| <input type="checkbox"/> Iron Deposits (B5) | <input type="checkbox"/> Stunted or Stressed Plants (D1) (LRR A) |
| <input type="checkbox"/> Surface Soil Cracks (B6) | <input type="checkbox"/> Other (Explain in Remarks) |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | |
| <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) | |

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)
☐ Drainage Patterns (B10)
☐ Dry-Season Water Table (C2)
☐ Saturation Visible on Aerial Imagery (C9)
☒ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☒ FAC-Neutral Test (D5)
☐ Raised Ant Mounds (D6) (LRR A)
☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☒ Depth (inches): _____Water Table Present? Yes ☐ No ☒ Depth (inches): _____Saturation Present? Yes ☐ No ☒ Depth (inches): _____
(includes capillary fringe)Wetland Hydrology Present? Yes ☒ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Evidence of wetland hydrology include geomorphic position and a positive FAC-Neutral test. Soil moist.

SOIL

Sampling Point: DP02u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-13	10YR	3/1	100				Clay Loam	Extremely compacted.

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains.²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils³:

- | | |
|--|---|
| <input type="checkbox"/> Histosol (A1) | <input type="checkbox"/> Sandy Redox (S5) |
| <input type="checkbox"/> Histic Epipedon (A2) | <input type="checkbox"/> Stripped Matrix (S6) |
| <input type="checkbox"/> Black Histic (A3) | <input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1) |
| <input type="checkbox"/> Hydrogen Sulfide (A4) | <input type="checkbox"/> Loamy Gleyed Matrix (F2) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Matrix (F3) |
| <input type="checkbox"/> Thick Dark Surface (A12) | <input type="checkbox"/> Redox Dark Surface (F6) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1) | <input type="checkbox"/> Depleted Dark Surface (F7) |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4) | <input type="checkbox"/> Redox Depressions (F8) |

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☒

Remarks:

No evidence of hydric soil indicators observed.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

Secondary Indicators (2 or more required)

- | | | |
|--|---|--|
| <input type="checkbox"/> Surface Water (A1) | <input type="checkbox"/> Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) | <input type="checkbox"/> Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) |
| <input type="checkbox"/> High Water Table (A2) | <input type="checkbox"/> Salt Crust (B11) | <input type="checkbox"/> Drainage Patterns (B10) |
| <input type="checkbox"/> Saturation (A3) | <input type="checkbox"/> Aquatic Invertebrates (B13) | <input type="checkbox"/> Dry-Season Water Table (C2) |
| <input type="checkbox"/> Water Marks (B1) | <input type="checkbox"/> Hydrogen Sulfide Odor (C1) | <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) |
| <input type="checkbox"/> Sediment Deposits (B2) | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) | <input type="checkbox"/> Geomorphic Position (D2) |
| <input type="checkbox"/> Drift Deposits (B3) | <input type="checkbox"/> Presence of Reduced Iron (C4) | <input type="checkbox"/> Shallow Aquitard (D3) |
| <input type="checkbox"/> Algal Mat or Crust (B4) | <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) | <input type="checkbox"/> FAC-Neutral Test (D5) |
| <input type="checkbox"/> Iron Deposits (B5) | <input type="checkbox"/> Stunted or Stressed Plants (D1) (LRR A) | <input type="checkbox"/> Raised Ant Mounds (D6) (LRR A) |
| <input type="checkbox"/> Surface Soil Cracks (B6) | <input type="checkbox"/> Other (Explain in Remarks) | <input type="checkbox"/> Frost-Heave Hummocks (D7) |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | | |
| <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) | | |

Field Observations:

Surface Water Present? Yes ☐ No ☒ Depth (inches): _____Water Table Present? Yes ☐ No ☒ Depth (inches): _____Saturation Present? Yes ☐ No ☒ Depth (inches): _____
(includes capillary fringe)Wetland Hydrology Present? Yes ☐ No ☒

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No evidence of wetland hydrology observed.

SOIL

Sampling Point: DP02w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		%	Redox Features				Type ¹	Loc ²	Texture	Remarks
	Color (moist)			Color (moist)		%					
0-14	10YR	3/1	85	10YR	4/6	15		C	M	Clay	Gravelly.

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains.²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
☐ Histic Epipedon (A2)
☐ Black Histic (A3)
☐ Hydrogen Sulfide (A4)
☐ Depleted Below Dark Surface (A11)
☐ Thick Dark Surface (A12)
☐ Sandy Mucky Mineral (S1)
☐ Sandy Gleyed Matrix (S4)
☐ Sandy Redox (S5)
☐ Stripped Matrix (S6)
☐ Loamy Mucky Mineral (F1) (except MLRA 1)
☐ Loamy Gleyed Matrix (F2)
☐ Depleted Matrix (F3)
☒ Redox Dark Surface (F6)
☐ Depleted Dark Surface (F7)
☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils³:

- ☐ 2 cm Muck (A10)
☐ Red Parent Material (TF2)
☐ Very Shallow Dark Surface (TF12)
☐ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☒ No ☐

Remarks:

Distinct redoximorphic concentrations common throughout the matrix.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
☐ High Water Table (A2)
☒ Saturation (A3)
☐ Water Marks (B1)
☐ Sediment Deposits (B2)
☐ Drift Deposits (B3)
☐ Algal Mat or Crust (B4)
☐ Iron Deposits (B5)
☐ Surface Soil Cracks (B6)
☐ Inundation Visible on Aerial Imagery (B7)
☐ Sparsely Vegetated Concave Surface (B8)
☐ Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B)
☐ Salt Crust (B11)
☐ Aquatic Invertebrates (B13)
☐ Hydrogen Sulfide Odor (C1)
☐ Oxidized Rhizospheres along Living Roots (C3)
☐ Presence of Reduced Iron (C4)
☐ Recent Iron Reduction in Tilled Soils (C6)
☐ Stunted or Stressed Plants (D1) (LRR A)
☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)
☐ Drainage Patterns (B10)
☐ Dry-Season Water Table (C2)
☐ Saturation Visible on Aerial Imagery (C9)
☒ Geomorphic Position (D2)
☐ Shallow Aquitard (D3)
☒ FAC-Neutral Test (D5)
☐ Raised Ant Mounds (D6) (LRR A)
☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☒ Depth (inches): _____Water Table Present? Yes ☐ No ☒ Depth (inches): _____Saturation Present? Yes ☒ No ☐ Depth (inches): 0Wetland Hydrology Present? Yes ☒ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Evidence of wetland hydrology include soils saturated to surface, geomorphic position and a positive FAC-Neutral test. FE deposits and 6" of surface water observed within 10' of the soil pit.

MDT Montana Wetland Assessment Form (revised March 2008)

1. Project name US 93 Peterson 2. MDT project# NH-5-2(122)31 Control# 9680000
3. Evaluation Date 7/12/2021 4. Evaluators S Weyant 5. Wetland/Site# (s) AA-1

6. Wetland Location(s): T 19 N R 20 W Sec1 35 T R Sec2

Approx Stationing or Mileposts RP 35.5 US 93 North

Watershed 4 - Flathead Watershed/County Lake County

7. Evaluating Agency CCI - MDT 8. Wetland size acres 3.6

Purpose of Evaluation

☐ Wetlands potentially affected by MDT project

☐ Mitigation Wetlands: pre-construction

☒ Mitigation Wetlands: post construction

☐ Other

How assessed: Measured e.g. by GPS

9. Assessment area (AA) size (acres) 3.6

How assessed: Measured e.g. by GPS

10. Classification of Wetland and Aquatic Habitats in AA

HGM Class (Brinson)	Class (Cowardin)	Modifier (Cowardin)	Water Regime	% of AA
Riverine	Emergent Wetland	Impounded	Permanent/Perennial	80
Riverine	Scrub-Shrub Wetland	Impounded	Permanent/Perennial	10
Slope	Emergent Wetland	Impounded	Seasonal/Intermittent	10

11. Estimated Relative Abundance Common

12. General Condition of AA

i. Disturbance: (use matrix below to determine [circle] appropriate response – see instructions for Montana-listed noxious weed and aquatic nuisance vegetation species (ANVS) lists)

Conditions within AA	Predominant conditions adjacent to (within 500 feet of) AA		
	Managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or buildings; and noxious weed or ANVS cover is <=15%.	Land not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to minor clearing; contains few roads or buildings; noxious weed or ANVS cover is <=30%.	Land cultivated or heavily grazed or logged; subject to substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >=30%.
AA occurs and is managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or occupied buildings; and noxious weed or ANVS cover is <=15%.	low disturbance	low disturbance	moderate disturbance
AA not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to relatively minor clearing, fill placement, or hydrological alteration; contains few roads or buildings; noxious weed or ANVS cover is <=30%.	moderate disturbance	moderate disturbance	high disturbance
AA cultivated or heavily grazed or logged; subject to relatively substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >=30%.	high disturbance	high disturbance	high disturbance

Comments: (types of disturbance, intensity, season, etc)

AA includes an unnamed perennial stream channel and adjacent wetlands. Wetlands within the AA were constructed in 2006 and managed in a natural state. Adjacent area is subject to grazing.

ii. Prominent noxious, aquatic nuisance, other exotic species:

Cirsium arvense, Cynoglossum officinale, Lepidium draba, Iris pseudocorus, Leucanthemum vulgare, and Ventenata dubia.

iii. Provide brief descriptive summary of AA and surrounding land use/habitat

Rangeland to the north, south and west; US 93 corridor to the east. Woody vegetation is dispersed across the wetland, therefore a scrub shrub wetland class is included to capture its observed importance to wildlife (especially Passerines) on the site.

13. Structural Diversity: (based on number of "Cowardin" **vegetated** classes present [do not include unvegetated classes], see #10 above)

Existing # of "Cowardin" Vegetated Classes in AA	Initial Rating	Is current management preventing (passive) existence of additional vegetated classes?		Modified Rating
>= 3 (or 2 if 1 is forested) classes	H	NA	NA	NA
2 (or 1 if forested) classes	M	NA	NA	NA
1 class, but not a monoculture	M	<NO	YES>	L
1 class, monoculture (1 species comprises >=90% of total cover)	L	NA	NA	NA

Comments: Emergent and scrub-shrub vegetation types.

SECTION PERTAINING to FUNCTIONS VALUES ASSESSMENT

14A. Habitat for Federally Listed or Proposed Threatened or Endangered Plants or Animals:

i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions):

Primary or critical habitat (list species)

☐ D
☐ S

Secondary habitat (list Species)

☒ D
☐ S

Grizzly bear (LT)

Incidental habitat (list species)

☐ D
☐ S

No usable habitat

☐ S

ii. **Rating** (use the conclusions from i above and the matrix below to arrive at [check] the functional points and rating)

Highest Habitat Level	doc/primary	sus/primary	doc/secondary	sus/secondary	doc/incidental	sus/incidental	None
Functional Points and Rating	1H	.9H	.8H	.7M	.3L	.1L	0L

Sources for documented use

USFWS T&E list, CSKT Wildlife staff observation in 2017/2018.

14B. Habitat for plant or animals rated S1, S2, or S3 by the Montana Natural Heritage Program: (not including species listed in14A above)

i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions):

Primary or critical habitat (list species)

☐ D
☐ S

Secondary habitat (list Species)

☐ D
☐ S

Incidental habitat (list species)

☐ D
☒ S

Great Blue Herson (S3)

No usable habitat

☐ S

ii. **Rating** (use the conclusions from i above and the matrix below to arrive at [check] the functional points and rating)

Highest Habitat Level	doc/primary	sus/primary	doc/secondary	sus/secondary	doc/incidental	sus/incidental	None
S1 Species: Functional Points and Rating	1H	.8H	.7M	.6M	.2L	.1L	0L
S2 and S3 Species: Functional Points and Rating	.9H	.7M	.6M	.5M	.2L	.1L	0L

Sources for documented use

MTNHP Species of Concern Report

14C. General Wildlife Habitat Rating:

- i. Evidence of overall wildlife use in the AA (check substantial, moderate, or low based on supporting evidence):

Moderate

Substantial (based on any of the following [check]):

- ☐ observations of abundant wildlife #s or high species diversity (during any period)
- ☐ abundant wildlife sign such as scat, tracks, nest structures, game trails, etc.
- ☐ presence of extremely limiting habitat features not available in the surrounding area
- ☐ interviews with local biologists with knowledge of the AA

Minimal (based on any of the following [check]):

- ☐ few or no wildlife observations during peak use periods
- ☐ little to no wildlife sign
- ☐ sparse adjacent upland food sources
- ☐ interviews with local biologists with knowledge of the AA

Moderate (based on any of the following [check]):

- ☒ observations of scattered wildlife groups or individuals or relatively few species during peak periods
- ☒ common occurrence of wildlife sign such as scat, tracks, nest structures, game trails, etc.
- ☒ adequate adjacent upland food sources
- ☐ interviews with local biologists with knowledge of the AA

- ii. **Wildlife** habitat features (Working from top to bottom, check appropriate AA attributes in matrix to arrive at rating. Structural diversity is from #13. For class cover to be considered evenly distributed, the most and least prevalent **vegetated** classes must be within 20% of each other in terms of their percent composition of the AA (see #10). Abbreviations for surface water durations are as follows: P/P = permanent/perennial; S/I = seasonal/intermittent; T/E = temporary/ephemeral; and A = absent [see instructions for further definitions of these terms])

Structural diversity (see #13)	High								Moderate								Low			
Class cover distribution (all vegetated classes)	Even				Uneven				Even				Uneven				Even			
Duration of surface water in ≥ 10% of AA	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A
Low disturbance at AA (see #12)	E	E	E	H	E	E	H	H	E	H	H	M	E	H	M	M	E	H	M	M
Moderate disturbance at AA (see #12)	H	H	H	H	H	H	H	M	H	H	M	M	H	M	M	L	H	M	L	L
High disturbance at AA (see #12)	M	M	M	L	M	M	L	L	M	M	L	L	M	L	L	L	L	L	L	L

- iii. **Rating** (use the conclusions from i and ii above and the matrix below to arrive at [check] the functional points and rating)

Evidence of wildlife use (i)	Wildlife habitat features rating (ii)											
	Exceptional			High			Moderate			Low		
Substantial	1E			.9H			.8H			.7M		
Moderate		.9H			.7M			.5M			.3L	
Minimal		.6M			.4M			.2L			.1L	

Comments

General wildlife rated high based on low disturbance to the area and moderate habitat use.

14D. General Fish Habitat Rating: (Assess this function if the AA is used by fish or the existing situation is "correctable" such that the AA could be used by fish [i.e., fish use is precluded by perched culvert or other barrier, etc.]. If the AA is not used by fish, fish use is not restorable due to habitat constraints, or is not desired from a management perspective [such as fish entrapped in a canal], then check

- ☐ **NA** here and proceed to 14E.) Warm Water

- i. **Habitat Quality and Known / Suspected Fish Species in AA** (use matrix to arrive at [check the functional points and rating])

Duration of surface water in AA	Permanent / Perennial						Seasonal / Intermittent						Temporary / Ephemeral					
	Optimal		Adequate		Poor		Optimal		Adequate		Poor		Optimal		Adequate		Poor	
Aquatic hiding / resting / escape cover																		
Thermal cover optimal / suboptimal	O	S	O	S	O	S	O	S	O	S	O	S	O	S	O	S	O	S
FWP Tier I fish species	1E	.9H	.8H	.7M	.6M	.5M	.9H	.8H	.7M	.6M	.5M	.4M	.7M	.6M	.5M	.4M	.3L	.3L
FWP Tier II or Native Game fish species	.9H	.8H	.7M	.6M	.5M	.5M	.8H	.7M	.6M	.5M	.4M	.4M	.6M	.5M	.4M	.3L	.2L	.2L
FWP Tier III or Introduced Game fish	.8H	.7M	.6M	.5M	.5M	.4M	.7M	.6M	.5M	.4M	.4M	.3L	.5M	.4M	.3L	.2L	.2L	.1L
FWP Non-Game Tier IV or No fish species	.5M	.5M	.5M	.4M	.4M	.3L	.4M	.4M	.4M	.3L	.3L	.2L	.2L	.2L	.2L	.1L	.1L	.1L

Sources used for identifying fish sp. potentially found in AA:

ii. Modified Rating (NOTE: Modified score cannot exceed 1 or be less than 0.1)

a) Is fish use of the AA significantly reduced by a culvert, dike, or other man-made structure or activity or is the waterbody included on the current final MDEQ list of waterbodies in need of TMDL development with listed "Probable Impaired Uses" including cold or warm water fishery or aquatic life support, or do aquatic nuisance plant or animal species (see **Appendix E**) occur in fish habitat? **Y** ☒ **N** ☐ If yes, reduce score in i above by 0.1: **Modified Rating** .3L

b) Does the AA contain a documented spawning area or other critical habitat feature (i.e., sanctuary pool, upwelling area, etc. - specify in comments) for native fish or introduced game fish? ☐ **Y** ☒ **N** If yes, add 0.1 to the adjusted score in i or iia above:

Modified Rating .3L


iii. **Final Score and Rating:** .3L **Comments:** General fish habitat rated NA due to impassable barriers (log cribs) that prevented fish from using AA in previous years. Rating adjusting in 2021 due to observation of minnows in channel during the site monitoring event.

14E. Flood Attenuation: (Applies only to wetlands subject to flooding via in-channel or overbank flow. If wetlands in AA are not flooded from in-channel or overbank flow, click ☐ **NA** here and proceed to 14F.)

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

Estimated or Calculated Entrenchment (Rosgen 1994, 1996)	Slightly entrenched - C, D, E stream types			Moderately entrenched - B stream type			Entrenched-A, F, G stream types		
	75%	25-75%	<25%	75%	25-75%	<25%	75%	25-75%	<25%
AA contains no outlet or restricted outlet	1H	.9H	.6M	.8H	.7M	.5M	.4M	.3L	.2L
AA contains unrestricted outlet	.9H	.8H	.5M	.7M	.6M	.4M	.3L	.2L	.1L

Slightly Entrenched ER = >2.2			Moderately Entrenched ER = 1.41 - 2.2		Entrenched ER = 1.0 - 1.4	
C stream type	D stream type	E stream type	B stream type		A stream type	F stream type



Floodprone width / **Bankfull width** = **Entrenchment ratio**

ii. Are ≥10 acres of wetland in the AA subject to flooding **AND** are man-made features which may be significantly damaged by floods located within 0.5 mile downstream of the AA (check)? **Y** ☐ **N** ☒

Comments: Log crib structures were installed as beaver dam analogues to spread flow out and create wetland habitat. The dense cattail marsh works to slow flood waters and functions similarly to woody vegetation, so score was

14F. Short and Long Term Surface Water Storage: (Applies to wetlands that flood or pond from overbank or in-channel flow, precipitation, upland surface flow, or groundwater flow. If no wetlands in the AA are subject to flooding or ponding, click ☐ **NA** here and proceed to 14G.)

i. Rating (Working from top to bottom, use the matrix below to arrive at [check] the functional points and rating. Abbreviations for surface water durations are as follows: P/P = permanent/perennial; S/I = seasonal/intermittent; and T/E = temporary/ephemeral [see instructions for further definitions of these terms].)

Estimated maximum acre feet of water contained in wetlands within the AA that are subject to periodic flooding or ponding	>5 acre feet			1.1 to 5 acre feet			≤1 acre foot		
	P/P	S/I	T/E	P/P	S/I	T/E	P/P	S/I	T/E
Duration of surface water at wetlands within the AA									
Wetlands in AA flood or pond ≥ 5 out of 10 years	1H	.9H	.8H	.8H	.6M	.5M	.4M	.3L	.2L
Wetlands in AA flood or pond < 5 out of 10 years	.9H	.8H	.7M	.7M	.5M	.4M	.3L	.2L	.1L

Comments: Log crib structures impound and store water.

14G. Sediment/Nutrient/Toxicant Retention and Removal: (Applies to wetlands with potential to receive sediments, nutrients, or toxicants through influx of surface or ground water or direct input. If no wetlands in the AA are subject to such input, click ☐ **NA** here and proceed to 14H.)

i. **Rating** (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating [H = high, M = moderate, or L = low])

Sediment, nutrient, and toxicant input levels within AA	AA receives or surrounding land use with potential to deliver levels of sediments, nutrients, or compounds at levels such that other functions are not substantially impaired. Minor sedimentation, sources of nutrients or toxicants, or signs of eutrophication present.				Waterbody on MDEQ list of waterbodies in need of TMDL development for "probable causes" related to sediment, nutrients, or toxicants or AA receives or surrounding land use with potential to deliver high levels of sediments, nutrients, or compounds such that other functions are substantially impaired. Major sedimentation, sources of nutrients or toxicants, or signs of eutrophication present.			
% cover of wetland vegetation in AA	≥ 70%		< 70%		≥ 70%		< 70%	
Evidence of flooding / ponding in AA	Yes	No	Yes	No	Yes	No	Yes	No
AA contains no or restricted outlet	1H	.8H	.7M	.5M	.5M	.4M	.3L	.2L
AA contains unrestricted outlet	.9H	.7M	.6M	.4M	.4M	.3L	.2L	.1L

Comments: The AA routinely floods and is dominated by emergent vegetation, and has a restricted outlet created by log crib structures.

14H Sediment/Shoreline Stabilization: (Applies only if AA occurs on or within the banks of a river, stream, or other natural or man-made drainage, or on the shoreline of a standing water body which is subject to wave action. If 14H does not apply, click ☐ **NA** here and proceed to 14I.)

i. **Rating** (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

% Cover of wetland streambank or shoreline by species with stability ratings of ≥6 (see Appendix F).	Duration of surface water adjacent to rooted vegetation					
	Permanent / Perennial		Seasonal / Intermittent		Temporary / Ephemeral	
≥ 65%	1H		.9H		.7M	
35-64%	.7M		.6M		.5M	
< 35%	.3L		.2L		.1L	

Dominant wetland cover provided by Typha latifolia and Phalaris arundinacea.

Comments:

14I. Production Export/Food Chain Support:

i. **Level of Biological Activity** (synthesis of wildlife and fish habitat ratings [check])

General Fish Habitat Rating (14D.iii.)	General Wildlife Habitat Rating (14C.iii.)					
	E/H		M		L	
E/H	H		H		M	
M	H		M		M	
L	M		M		L	
N/A	H		M		L	

ii. **Rating** (Working from top to bottom, use the matrix below to arrive at [check] the functional points and rating. Factor A = acreage of vegetated wetland component in the AA; Factor B = level of biological activity rating from above (14I.i.); Factor C = whether or not the AA contains a surface or subsurface outlet; the final three rows pertain to duration of surface water in the AA, where P/P, S/I, and T/E are as previously defined, and A = "absent" [see instructions for further definitions of these terms].)

A	Vegetated component >5 acres						Vegetated component 1-5 acres						Vegetated component <1 acre					
B	High		Moderate		Low		High		Moderate		Low		High		Moderate		Low	
C	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
P/P	1E	.7H	.8H	.5M	.6M	.4M	.9H	.6M	.7H	.4M	.5M	.3L	.8H	.6M	.6M	.4M	.3L	.2L
S/I	.9H	.6M	.7H	.4M	.5M	.3L	.8H	.5M	.6M	.3L	.4M	.2L	.7H	.5M	.5M	.3L	.3L	.2L
T/E/A	.8H	.5M	.6M	.3L	.4M	.2L	.7H	.4M	.5M	.2L	.3L	.1L	.6M	.4M	.4M	.2L	.2L	.1L

iii. **Modified Rating** (NOTE: Modified score cannot exceed 1 or be less than 0.1.) **Vegetated Upland Buffer (VUB):** Area with ≥ 30% plant cover, ≤ 15% noxious weed or ANVS cover, and that is not subjected to periodic mechanical mowing or clearing (unless for weed control).

a) Is there an average ≥ 50 foot-wide vegetated upland buffer around ≥ 75% of the AA circumference? Y ☒ N ☐ If yes, add 0.1 to the score in ii above and adjust rating accordingly: **Modified Rating** .8H

Comments: Vegetated component of AA is 3.60 acres. Emergent wetland with scrub-shrub component developing, AA contains surface water outlet. Permanent/perennial water present.

14J. Groundwater Discharge/Recharge: (check the appropriate indicators in i & ii below)

i. Discharge Indicators

- ☐ The AA is a slope wetland
- ☐ Springs or seeps are known or observed
- ☐ Vegetation growing during dormant season/drought
- ☐ Wetland occurs at the toe of a natural slope
- ☒ Seeps are present at the wetland edge
- ☐ AA permanently flooded during drought periods
- ☐ Wetland contains an outlet, but no inlet
- ☐ Shallow water table and the site is saturated to the surface
- ☐ Other: _____

ii. Recharge Indicators

- ☐ Permeable substrate present without underlying impeding layer
- ☐ Wetland contains inlet but no outlet
- ☐ Stream is a known 'losing' stream; discharge volume decreases
- ☐ Other: _____

iii. Rating (use the information from i and ii above and the table below to arrive at [check] the functional points and rating)

Criteria	Duration of saturation at AA Wetlands FROM GROUNDWATER DISCHARGE OR WITH WATER THAT IS RECHARGING THE GROUNDWATER SYSTEM			
	P/P	S/I	T	None
Groundwater Discharge or Recharge	1H	.7M	.4M	.1L
Insufficient Data/Information	NA			

Comments: Majority of site hydrology from surface water and water retention by cribs, but seeps occur north and south of creek.

14K. Uniqueness:

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

Replacement potential	AA contains fen, bog, warm springs or mature (>80 yr-old) forested wetland or plant association listed as "S1" by the MTNHP			AA does not contain previously cited rare types and structural diversity (#13) is high or contains plant association listed as "S2" by the MTNHP			AA does not contain previously cited rare types or associations and structural diversity (#13) is low-moderate		
	rare	common	abundant	rare	common	abundant	rare	common	abundant
Estimated relative abundance (#11)									
Low disturbance at AA (#12i)	1H	.9H	.8H	.8H	.6M	.5M	.5M	.4M	.3L
Moderate disturbance at AA (#12i)	.9H	.8H	.7M	.7M	.5M	.4M	.4M	.3L	.2L
High disturbance at AA (#12i)	.8H	.7H	.6M	.6M	.4M	.3L	.3L	.2L	.1L

Comments: Common wetland types.

14L. Recreation/Education Potential: (affords "bonus" points if AA provides recreation or education opportunity)

i. Is the AA a known or potential rec./ed. site: (check) ☒ Y ☐ N (if 'Yes' continue with the evaluation; if 'No' then click ☐ NA here and proceed to the overall summary and rating page)

ii. Check categories that apply to the AA: ☒ Educational/scientific study; ☐ Consumptive rec.; ☐ Non-consumptive rec.; ☐ Other

iii. Rating (use the matrix below to arrive at [check] the functional points and rating)

Known or Potential Recreation or Education Area	Known	Potential
Public ownership or public easement with general public access (no permission required)	.2H	.15H
Private ownership with general public access (no permission required)	.15H	.1M
Private or public ownership without general public access, or requiring permission for public access	.1M	.05L

Comments:

Site has potential for education.

General Site Notes

Wetland acreage decreased 0.34-acres from 2021. The 2008 version of the MWAM form was utilized for the first time in 2021.

FUNCTION & VALUE SUMMARY & OVERALL RATING FOR WETLAND/SITE #(S): AA-1

Function & Value Variables	Rating	Actual Functional Points	Possible Functional Points	Functional Units: (Actual Points x Estimated AA Acreage)	Indicate the four most prominent functions with an asterisk (*)
A. Listed/Proposed T&E Species Habitat	H	.8	1	2.88	<input type="checkbox"/>
B. MT Natural Heritage Program Species Habitat	L	.1	1	0.36	<input type="checkbox"/>
C. General Wildlife Habitat	H	.9	1	3.24	<input checked="" type="checkbox"/>
D. General Fish Habitat	L	.3	1	1.08	<input type="checkbox"/>
E. Flood Attenuation	M	.6	1	2.16	<input type="checkbox"/>
F. Short and Long Term Surface Water Storage	H	.8	1	2.88	<input type="checkbox"/>
G. Sediment/Nutrient/Toxicant Removal	H	1	1	3.60	<input checked="" type="checkbox"/>
H. Sediment/Shoreline Stabilization	H	1	1	3.60	<input checked="" type="checkbox"/>
I. Production Export/Food Chain Support	H	.8	1	2.88	<input type="checkbox"/>
J. Groundwater Discharge/Recharge	H	1	1	3.60	<input checked="" type="checkbox"/>
K. Uniqueness	M	.4	1	1.44	<input type="checkbox"/>
L. Recreation/Education Potential (bonus points)	H	.15	NA	0.54	<input type="checkbox"/>
Totals:		7.85	11	28.26	
Percent of Possible Score			71.36 %		

Category I Wetland: (must satisfy **one** of the following criteria; otherwise go to Category II)

- ☐ Score of 1 functional point for Listed/Proposed Threatened or Endangered Species; **or**
- ☐ Score of 1 functional point for Uniqueness; **or**
- ☐ Score of 1 functional point for Flood Attenuation **and** answer to Question 14E.ii is "yes"; **or**
- ☐ Percent of possible score > 80% (round to nearest whole #).

Category II Wetland: (Criteria for Category I not satisfied **and** meets any **one** of the following criteria; otherwise go to Category IV)

- ☐ Score of 1 functional point for MT Natural Heritage Program Species Habitat; **or**
- ☒ Score of .9 or 1 functional point for General Wildlife Habitat; **or**
- ☐ Score of .9 or 1 functional point for General Fish Habitat; **or**
- ☐ "High" to "Exceptional" ratings for **both** General Wildlife Habitat **and** General Fish/Aquatic Habitat; **or**
- ☐ Score of .9 functional point for Uniqueness; **or**
- ☒ Percent of possible score > 65% (round to nearest whole #).

Category III Wetland: (Criteria for Categories I, II, or IV not satisfied)

☐

Category IV Wetland: (Criteria for Categories I or II are not satisfied and all of the following criteria are met; otherwise go to Category III)

- ☐ "Low" rating for Uniqueness; **and**
- ☐ Vegetated wetland component < 1 acre (do not include upland vegetated buffer); **and**
- ☐ Percent of possible score < 35% (round to nearest whole #).

OVERALL ANALYSIS AREA RATING:

(check appropriate category based on the criteria outlined above)

I	II	III	IV
---	----	-----	----

Table B-1. US93 N Peterson Mitigation Site. Comprehensive Vegetation Species List 2008-2021

Scientific Name	Common Name	WMVC Wetland Indicator ^(a)
<i>Achillea millefolium</i>	Common Yarrow	FACU
<i>Agropyron cristatum</i>	Crested Wheatgrass	UPL
<i>Alnus incana</i>	Speckled Alder	FACW
<i>Amsinckia menziesii</i>	Small-flower Fiddle-neck	UPL
<i>Asparagus officinalis</i>	Asparagus	FACU
<i>Bistorta bistortoides</i>	American Bistort	FACW
<i>Brassica juncea</i>	Chinese Mustard	UPL
<i>Bromus arvensis</i>	Field Brome	UPL
<i>Bromus inermis</i>	Smooth Brome	UPL
<i>Bromus tectorum</i>	Cheatgrass	UPL
<i>Cardaria draba</i>	Whitetop	UPL
<i>Carex aquatilis</i>	Leafy Tussock Sedge	OBL
<i>Carex nebrascensis</i>	Nebraska Sedge	OBL
<i>Carex pellita</i>	Woolly Sedge	OBL
<i>Carex praeegracilis</i>	Clustered Field Sedge	FACW
<i>Carex</i> sp.	Sedge	N/A
<i>Carex stipata</i>	Stalk-Grain Sedge	OBL
<i>Carex utriculata</i>	Northwest Territory Sedge	OBL
<i>Carex vesicaria</i>	Lesser Bladder Sedge	OBL
<i>Cirsium arvense</i>	Canadian Thistle	FAC
<i>Cirsium vulgare</i>	Bull Thistle	FACU
<i>Cornus alba</i>	Red Osier	FACW
<i>Cynoglossum officinale</i>	Gypsy-Flower	FACU
<i>Dactylis glomerata</i>	Orchard Grass	FACU
<i>Descurainia sophia</i>	Herb Sophia	UPL
<i>Dianthus</i> sp.	Pink	N/A
<i>Dipsacus fullonum</i>	Fuller's Teasel	FAC
<i>Eleocharis palustris</i>	Common Spike-Rush	OBL
<i>Elodea</i> sp.	Waterweed	N/A
<i>Elymus repens</i>	Creeping Wild Rye	FAC
<i>Epilobium ciliatum</i>	Fringed Willowherb	FACW
<i>Festuca arundinacea</i>	Tall fescue	UPL
<i>Festuca</i> sp.	Fescue	N/A
<i>Gallium aparine</i>	Sticky-Willy	FACU
<i>Geum macrophyllum</i>	Large-Leaf Avens	FAC
<i>Glyceria grandis</i>	American Manna Grass	OBL
<i>Helianthus pauciflorus</i>	Stiff Sunflower	UPL
<i>Hordeum jubatum</i>	Fox-Tail Barley	FAC

Table B-1. US93 N Peterson Mitigation Site. Comprehensive Vegetation Species List 2008-2021

Scientific Name	Common Name	WMVC Wetland Indicator ^(a)
<i>Impatiens ecalcarata</i>	Spurless Touch-Me-Not	FACW
<i>Iris pseudacorus</i>	Pale-Yellow Iris	OBL
<i>Juncus balticus</i>	Baltic Rush	FACW
<i>Juncus ensifolius</i>	Dagger-Leaf Rush	FACW
<i>Juncus</i> sp.	Rush	N/A
<i>Juncus tenuis</i>	Lesser Poverty Rush	FAC
<i>Kochia scoparia</i>	Mexican Kochia	FAC
<i>Lactuca serriola</i>	Prickly Lettuce	FACU
<i>Lemna minor</i>	Common Duckweed	OBL
<i>Lepidium campestre</i>	Field Pepper-grass	UPL
<i>Lepidium perfoliatum</i>	Clasping Pepperwort	FACU
<i>Leucanthemum vulgare</i>	Ox-Eye Daisy	FACU
<i>Malva neglecta</i>	Dwarf Cheeseweed	UPL
<i>Medicago sativa</i>	Alfalfa	UPL
<i>Melilotus officinalis</i>	Yellow Sweet-Clover	FACU
<i>Mentha arvensis</i>	American Wild Mint	FACW
<i>Myosotis laxa</i>	Bay Forget-Me-Not	OBL
<i>Myriophyllum sibiricum</i>	Siberian Water-Milfoil	OBL
<i>Nasturtium microphyllum</i>	One-Row Watercress	OBL
<i>Nasturtium officinale</i>	Watercress	OBL
<i>Nepeta cataria</i>	Catnip	FACU
<i>Oenanthe</i> sp.	Waterdropwort	N/A
<i>Pascopyrum smithii</i>	Western-Wheat Grass	FACU
<i>Persicaria amphibia</i>	Water Smartweed	OBL
<i>Persicaria lapathifolia</i>	Dock-Leaf Smartweed	FACW
<i>Phalaris arundinacea</i>	Reed Canary Grass	FACW
<i>Plantago lanceolata</i>	English Plantain	FACU
<i>Poa palustris</i>	Fowl Blue Grass	FAC
<i>Poa pratensis</i>	Kentucky Blue Grass	FAC
<i>Poa</i> sp.	Bluegrass	N/A
<i>Potentilla recta</i>	Sulphur Cinquefoil	UPL
<i>Potentilla</i> sp.	Cinquefoil	N/A
<i>Prunella vulgaris</i>	Common Selfheal	FACU
<i>Rosa woodsii</i>	Woods' Rose	FACU
<i>Rumex crispus</i>	Curly Dock	FAC
<i>Salix bebbiana</i>	Gray Willow	FACW
<i>Salix drummondiana</i>	Drummond's Willow	FACW
<i>Salix</i> sp.	Willow	N/A

Table B-1. US93 N Peterson Mitigation Site. Comprehensive Vegetation Species List 2008-2021

Scientific Name	Common Name	WMVC Wetland Indicator ^(a)
<i>Schoenoplectus acutus</i>	Hard-Stem Club-Rush	OBL
<i>Scirpus microcarpus</i>	Red-Tinge Bulrush	OBL
<i>Silene latifolia</i>	Bladder Campion	UPL
<i>Sisymbrium altissimum</i>	Tall Hedge-Mustard	FACU
<i>Solanum dulcamara</i>	Climbing Nightshade	FAC
<i>Sonchus arvensis</i>	Field Sow-Thistle	FACU
<i>Suaeda calceoliformis</i>	Paiuteweed	FACW
<i>Symphoricarpos albus</i>	Common Snowberry	FACU
<i>Thlaspi arvense</i>	Field Pennycress	UPL
<i>Tragopogon dubius</i>	Meadow Goat's-beard	UPL
<i>Trifolium pratense</i>	Red Clover	FACU
<i>Trifolium</i> sp.	Clover	N/A
<i>Typha latifolia</i>	Broad-Leaf Cat-Tail	OBL
<i>Ventenata dubia</i>	Ventenata	UPL
<i>Verbascum blattaria</i>	White Moth Mullein	UPL
<i>Verbascum thapsus</i>	Great Mullein	FACU
<i>Veronica</i> sp.	Speedwell	N/A

^(a) 2018 NWPL (USACE 2018)

New species identified in 2021 are **bolded**.

APPENDIX C

PROJECT AREA PHOTOGRAPHS

MDT Wetland Mitigation Monitoring
US 93 Peterson
Lake County, Montana

US93 Peterson: Photo Point Photographs



Photo Point: 1
Bearing: 135 degrees

Location: PP1
Year: 2017



Photo Point: 1
Bearing: 135 degrees

Location: PP1
Year: 2021



Photo Point: 2
Bearing: 35 degrees

Location: PP2 photo 1
Year: 2017



Photo Point: 2
Bearing: 35 degrees

Location: PP2 photo 1
Year: 2021



Photo Point: 2
Bearing: 110 degrees

Location: PP2 photo 2
Year: 2017



Photo Point: 2
Bearing: 110 degrees

Location: PP2 photo 2
Year: 2021

US93 Peterson: Photo Point Photographs



Photo Point: 4
Bearing: 30 degrees

Location: Looking across T-2
Year: 2017



Photo Point: 4
Bearing: 30 degrees

Location: Looking across T-2
Year: 2021



Photo Point: 5
Bearing: 175 degrees

Location: Wetland boundary
Year: 2017



Photo Point: 5
Bearing: 175 degrees

Location: Wetland boundary
Year: 2021



Photo Point: 6
Bearing: 315 degrees

Location: Transect 2 Start
Year: 2017



Photo Point: 6
Bearing: 315 degrees

Location: Transect 2 Start
Year: 2021

US93 Peterson: Photo Point Photographs



Photo Point: 7
Bearing: 5 degrees

Location: PP7 photo 1
Year: 2020



Photo Point: 7
Bearing: 5 degrees

Location: PP7 photo 1
Year: 2021



Photo Point: 7
Bearing: 267 degrees

Location: PP7 photo 2
Year: 2020



Photo Point: 7
Bearing: 267 degrees

Location: PP7 photo 2
Year: 2021



Photo Point: 8
Bearing: 34 degrees

Location: New crib structure.
Year: 2020



Photo Point: 8
Bearing: 34 degrees

Location: New crib structure.
Year: 2021

US93 Peterson: Transect Photographs



Photo Point: T-1 Start
Bearing: 215 degrees

Location: T-1 Start
Year: 2017



Photo Point: T-1 Start
Bearing: 215 degrees

Location: T-1 Start
Year: 2021



Photo Point 3 (T-1 End)
Bearing: 45 degrees

Location: T-1 End
Year: 2017




Photo Point 3 (T-1 End)
Bearing: 45 degrees

Location: T-1 End
Year: 2021



Photo Point: T-2 Start
Bearing: 135

Location: T-2 Start
Year: 2020



Photo Point: T-2 Start
Bearing: 135

Location: T-2 Start
Year: 2021



Photo Point: T-2 End
Bearing: 315 degrees

Location: T-2 End
Year: 2020



Photo Point: T-2 End
Bearing: 315 degrees

Location: T-2 End
Year: 2021

US93 Peterson: Data Point Photographs



Data Point: DP01w
Year: 2021



Data Point: DP01u
Year: 2021



Data Point: DP02w
Year: 2021



Data Point: DP02u
Year: 2021

US93 Peterson: Additional Site Photographs



Additional Photo 1. Looking N/E at recently constructed upstream crib structure (2020).



Additional Photo 1. Looking N/E at recently constructed upstream crib structure (2021).



Additional Photo 2. Looking N/NE at new middle crib structure (2021).



Additional Photo 3. Looking N/NE at middle crib structure outfall (2021).



Additional Photo 4. Looking south at downstream outfall structure (2021).



Additional Photo 5. Looking north from south side of downstream-most crib structure (2021).