



APPENDIX 9

MFISH Reports

Flathead River

River Mile: 0 to 158.2**Miles:** 158.2**Total Stream Miles:** 158.2**HUC:** Flathead Lake (17010208)**Tributary To:** Clark Fork River**Regions:** Region 1**Counties:** Flathead; Lake; Sanders**Fish Distribution**[Download Data](#)

Begin Mile	End Mile	Species	Abundance	Use Type	Life History	Origin	Genetic Status	Data Rating	Data Source
105	125.8	Black Bullhead	Rare	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
141.8	145	Brook Trout	Rare	Year-round resident	Resident	Introduced	Not Applicable	Extrapolated from multiple surveys/observations	FWP
0	77.4	Brown Trout	Rare	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
0	6.8	Bull Trout	Rare	Fluvial/Adfluvial population, Spawning elsewhere	Fluvial	Native	Genetically pure, determined by genetic analysis	Extrapolated from multiple surveys/observations	FWP
6.8	72.9	Bull Trout	Common	Fluvial/Adfluvial population, Spawning elsewhere	Not applicable	Native	Genetically pure, determined by genetic analysis	Extrapolated from multiple surveys/observations	FWP
105	158.2	Bull Trout	Common	Primarily migrating	Not applicable	Native	Genetically pure, determined by genetic analysis	Extrapolated from multiple surveys/observations	FWP
0	4.5	Kokanee	Rare	Unknown	Unknown	Introduced	Not Applicable	No Survey, Professional judgment	FWP
0	4.5	Lake Trout	Rare	Unknown	Unknown	Introduced	Not Applicable	No Survey, Professional judgment	FWP
105	125.8	Lake Trout	Common	Primarily migrating	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
125.8	148.6	Lake Trout	Common	Feeding run	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
148.6	158.2	Lake Trout	Unknown	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
105	148.6	Lake Whitefish	Abundant	Primarily migrating	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
148.6	158.2	Lake Whitefish	Rare	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional	FWP

								judgment	
0	77.4	Largemouth Bass	Rare	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
105	125.8	Largemouth Bass	Rare	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
0	77.4	Largescale Sucker	Common	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
105	125.8	Largescale Sucker	Abundant	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
125.8	158.2	Largescale Sucker	Common	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
0	44.8	Longnose Dace	Rare	Year-round resident	Resident	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
105	158.2	Longnose Sucker	Rare	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
105	158.2	Mottled Sculpin	Rare	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
0	4.4	Mountain Whitefish	Common	Year-round resident	Resident	Native	Not Applicable	Extrapolated from multiple surveys/observations	FWP
43	49	Mountain Whitefish	Common	Year-round resident	Resident	Native	Not Applicable	Extrapolated from a single survey/observation	PC
105	120.8	Mountain Whitefish	Common	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from multiple surveys/observations	FWP
120.8	158.2	Mountain Whitefish	Abundant	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from multiple surveys/observations	FWP
0	4.5	Northern Pike	Common	Year-round resident	Resident	Introduced	Not Applicable	No Survey, Professional judgment	FWP
0	77.4	Northern Pike	Common	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
4.5	77.4	Northern Pike	Common	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
105	125.8	Northern Pike	Abundant	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
105	125.8	Northern Pike	Common	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
125.8	148.6	Northern Pike	Rare	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
0	77.4	Peamouth	Common	Year-round	Not	Native	Not	No Survey,	FWP

				resident	applicable		Applicable	Professional judgment	
105	125.8	Peamouth	Common	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
125.8	148.6	Peamouth	Rare	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
105	125.8	Pumpkinseed	Rare	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
105	125.8	Pygmy Whitefish	Common	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
125.8	148.6	Pygmy Whitefish	Common	Year-round resident	Adfluvial	Native	Not Applicable	No Survey, Professional judgment	FWP
0	77.4	Rainbow Trout	Rare	Year-round resident	Not applicable	Introduced	Not Applicable	Extrapolated from a single survey/observation	FWP
105	125.8	Rainbow Trout	Rare	Year-round resident	Not applicable	Introduced	Not Applicable	Extrapolated from multiple surveys/observations	FWP
125.8	142.7	Rainbow Trout	Rare	Both resident and Fluvial/Adfluvial populations	Not applicable	Introduced	Genetically pure, determined by genetic analysis	Extrapolated from multiple surveys/observations	FWP
142.7	158.1	Rainbow Trout	Common	Both resident and Fluvial/Adfluvial populations	Resident	Introduced	Not Applicable	Extrapolated from multiple surveys/observations	FWP
0	77.4	Redside Shiner	Common	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
105	148.6	Redside Shiner	Rare	Year-round resident	Not applicable	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
0	77.4	Slimy Sculpin	Rare	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
105	125.8	Slimy Sculpin	Rare	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
125.8	158.2	Slimy Sculpin	Abundant	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
0	4.5	Smallmouth Bass	Abundant	Year-round resident	Resident	Introduced	Not Applicable	Extrapolated from a single survey/observation	FWP
4.5	44.8	Smallmouth Bass	Common	Year-round resident	Resident	Introduced	Not Applicable	Extrapolated from a single survey/observation	FWP
77.4	140	Westslope Cutthroat Trout	Abundant	Year-round resident	Resident	Native	Hybridized and Pure populations exist in	Extrapolated from multiple surveys/observations	FWP

							stream based on genetic analysis		
140	145	Westslope Cutthroat Trout	Abundant	Year-round resident	Unknown	Native	Hybridized species based on genetic analysis less than 90%	Extrapolated from multiple surveys/observations	FWP
145	158	Westslope Cutthroat Trout	Abundant	Year-round resident	Unknown	Native	Potentially hybridized with records of contaminating species	Extrapolated from multiple surveys/observations	FWP
105.4	158.1	Westslope X Rainbow	Common	Year-round resident	Resident	Not applicable	Not Applicable	No Survey, Professional judgment	FWP
43.8	44.8	White Sucker	Unknown	Year-round resident	Resident	Native	Not Applicable	Extrapolated from a single survey/observation	FWP
0	77.4	Yellow Perch	Rare	Year-round resident	Not applicable	Introduced	Not Applicable	Extrapolated from a single survey/observation	FWP
105	125.8	Yellow Perch	Rare	Year-round resident	Not applicable	Introduced	Not Applicable	Extrapolated from a single survey/observation	FWP

South Fork Flathead River

River Mile: 0 to 98

Miles: 98

Total Stream Miles: 98

HUC: South Fork Flathead (17010209)

Tributary To: Flathead River

Regions: Region 1

Counties: Flathead; Powell

Fish Distribution

[Download Data](#)

Begin Mile	End Mile	Species	Abundance	Use Type	Life History	Origin	Genetic Status	Data Rating	Data Source
38.3	57.7	Arctic Grayling	Rare	Primarily spawning and rearing	Adfluvial	Introduced	Not Applicable	No Survey, Professional judgment	FWP
0	5.1	Bull Trout	Abundant	Fluvial/Adfluvial population, Spawning elsewhere	Not applicable	Native	Potentially unaltered with no record of stocking	Extrapolated from a single survey/observation	FWP
38.7	58.1	Bull Trout	Abundant	Primarily migrating	Not applicable	Native	Potentially unaltered with no record of stocking	Extrapolated from a single survey/observation	FWP
58.3	93.9	Bull Trout	Abundant	Primarily migrating	Not applicable	Native	Potentially unaltered with no record of stocking	Extrapolated from a single survey/observation	FWP
93.9	98	Bull Trout	Abundant	Primarily spawning and rearing	Fluvial	Native	Potentially unaltered with no record of stocking	Extrapolated from a single survey/observation	FWP
0	5.1	Kokanee	Incidental	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
0	5.1	Largescale Sucker	Common	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
38.3	97.9	Largescale Sucker	Common	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
0	5.1	Longnose Sucker	Unknown	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
38.3	57.7	Longnose Sucker	Rare	Year-round resident	Adfluvial	Native	Not Applicable	No Survey, Professional judgment	FWP
0	5.1	Mountain Whitefish	Rare	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP

38.3	97.9	Mountain Whitefish	Abundant	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
38.3	57.7	Northern Pike	Common	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
0	5.1	Rainbow Trout	Incidental	Year-round resident	Not applicable	Introduced	Not Applicable	No Survey, Professional judgment	FWP
0	5.1	Sculpin	Unknown	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
38.3	97.9	Slimy Sculpin	Common	Year-round resident	Not applicable	Native	Not Applicable	No Survey, Professional judgment	FWP
0	5.2	Westslope Cutthroat Trout	Abundant	Year-round resident	Resident	Native	Genetically pure, determined by genetic analysis	Extrapolated from multiple surveys/observations	FS
39.7	97.9	Westslope Cutthroat Trout	Abundant	Year-round resident	Resident	Native	Genetically pure, determined by genetic analysis	Extrapolated from multiple surveys/observations	FWP