

Engineering Systems CADD Support

Application/Tool(s): AutoCAD / Civil 3D

COORDINATE SYSTEM SETTINGS

ISSUE:

The change to assign the NSRS11.MTIF coordinate system in the MDT State Kit templates has caused issues of files within the same project potentially having differing coordinate systems. This has prompted concerns regarding files with data requiring coordinate system transformations, such as ESRI shape files, that may have data shifted if not translated to the correct coordinate system.

SOLUTION:

Working in a collaborative design environment requires all design teams to be working in the correct coordinate system during the design phase of project delivery. Over the course of the previous several years, there have been adjustments made to state plane coordinate systems making several versions available. To make certain design drawings, especially ones including references, are in alignment with project survey, there will no longer be a default coordinate system set within the Civil 3D templates. Designers will be required to set the coordinate system upon creation of drawing files as part of the initial file set up.

Version(s):

13.4.2455.0 Civil 3D 2022.2.6 Update

Environment(s):

MDT Civil 3D State Kit r2022 v1.25

MDT Civil 3D State Kit r2024 v2.0.0


Released/Revised: 9/3/2024

SUPPORT MDT Engineering Systems – CADD


https://montana.service nowservices.com/citize n?id=sc_cat_item&sys_ id=13ac75551bc10910 49e0ed3ce54bcb3d

PROCEDURE:


- 1) The District Automation Specialist (DAS) will access the DI directory on PCMS for the pertinent project. This will be the working directory for all project engineering/topo survey data. The DAS specialist, collaborating with the construction crew performing the survey, will create a readme file for these types of survey. This file will be placed in the DI directory on PCMS.
- 2) Prior to delivering survey data to design, the DAS will revise and or edit the file by placing the specified coordinate system information to be used by design in the top portion of the file, like shown in the example below:



3) Once this information has been added, the file will be saved. The DAS will merge all pertinent survey data, creating a map file(s) for design known as the "combined survey" or CSMAP file. They will set the coordinate system appropriately in this file. This file along with the appropriate .xml and readme file will be copied to the CS Directory on PCMS and on BIM 360. Once uploaded to the CS Directory on BIM 360, the DAS will edit the file description making note of the coordinate system as shown in the readme file.



- 4) Starting with the CSMAP file, the coordinate system will be set for each drawing by following the procedure outlined below:
 - a. Navigate to BIM 360. Locate and open the text file titled **[UPN#]CSRME001** in the **CS Combined Survey** directory.
 - Upon opening the readme file, note the project's listed coordinate system.
 For this example, the project coordinate system is NSRS11.MTIF.



c. In Civil 3D, open your design file and type the command MAPSTATUSBAR. In the command line, select the Show option or type S followed by the Enter Key. A globe icon will appear on the bottom ribbon with the text <none>.


NOTE: This step will only need to be completed once per system update.




d. Click the drop-down arrow next to the globe icon and select **Library**. A Coordinate System – Assign dialog box will appear.



e. In the **Search** field, type in the coordinate system listed in **[UPN#]CSRME001** file (determined in above steps).



f. Select the appropriate coordinate system and click **Assign**.



g. The coordinates icon located on the bottom ribbon will populate to display the assigned coordinate system.



h. Repeat steps the these steps for each drawing in the project. <u>NOTE:</u> Having drawings with varying coordinate systems within the same project will result in errors when referencing files. All drawings belonging to a project should be set to the coordinate system listed in the [UPN#]CSRME001 file.

5) An important note when using geographic data and bringing in an external reference (XREF). **DO NOT** check the box "Locate using Geographic Data".

