MONTANA DEPARTMENT OF TRANSPORTATION WETLAND MITIGATION MONITORING REPORT: YEAR 2001

Browns Gulch Rocker, Montana



Prepared for:

MONTANA DEPARTMENT OF TRANSPORTATION 2701 Prospect Ave Helena, MT 59620-1001

July 2002

Project No: 130091.012

Prepared by:

LAND & WATER CONSULTING, INC. P.O. Box 8254 Missoula, MT 59807



MONTANA DEPARTMENT OF TRANSPORTATION

WETLAND MITIGATION MONITORING REPORT:

YEAR 2001

Browns Gulch Rocker, Montana

Prepared for:

MONTANA DEPARTMENT OF TRANSPORTATION 2701 Prospect Ave

2701 Prospect Ave Helena, MT 59620-1001

Prepared by:

LAND & WATER CONSULTING, INC.

P.O. Box 8254 Missoula, MT 59807

July 2002

Project No: 130091.012



TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	METHODS	1
	2.1 Monitoring Dates and Activities	1
	2.2 Hydrology	1
	2.3 Vegetation	3
	2.4 Soils	3
	2.5 Wetland Delineation	3
	2.6 Mammals, Reptiles, and Amphibians	4
	2.7 Birds	4
	2.8 Macroinvertebrates	4
	2.9 Functional Assessment	4
	2.10 Photographs	4
	2.11 GPS Data	4
	2.12 Maintenance Needs	5
3.0	RESULTS	5
	3.1 Hydrology	5
	3.2 Vegetation	5
	3.3 Soils	6
	3.4 Wetland Delineation	7
	3.5 Wildlife	7
	3.6 Macroinvertebrates	7
	3.7 Functional Assessment	7
	3.8 Photographs	7
	3.9 Maintenance Needs/Recommendations	8
	3.10 Current Credit Summary	8
4 0	REFERENCES	R



TABLES

Table 1 2001 Browns Gulch Vegetation Species List

 Table 2
 Wildlife Species Observed on the Browns Gulch Mitigation Site

FIGURES

Figure 1 Project Site Location Map

APPENDICES

Appendix A: Figures 2 - 3

Appendix B: Completed 2001 Wetland Mitigation Site Monitoring Form

Completed 2001 Bird Survey Forms

Completed 2001 Wetland Delineation Forms

Completed 2001 Functional Assessment Forms

Appendix C: Representative Photographs

Appendix D: Engineering Design

Appendix E: Bird Survey Protocol

GPS Protocol



1.0 INTRODUCTION

The Browns Gulch wetland mitigation project was constructed in early 2000 in Watershed 2 (Upper Clark Fork). It is anticipated that this site will compensate for wetland impacts resulting from road widening and culvert lengthening where the Brown Gulch Road (State Highway 276) crosses Oro Fino Creek and at two other unnamed wetland crossings along this same road. Constructed on private land in the MDT Butte District, the mitigation site is located approximately 1.5 miles north of Rocker and 5 miles northwest of Butte in Silverbow County (**Figure 1**). The goal of the project is to adjust grade by excavation adjacent to Oro Fino Gulch Creek in order to create 0.24 acres of wetland credit.

The approximate site boundary is illustrated on **Figure 2** (**Appendix A**), and the original engineering plan is provided in **Appendix D**. The project is located adjacent to Oro Fino Gulch Creek and the Brown Gulch Road. Wetland hydrology is to be supplied by stream flow and by shallow groundwater or "springs" associated with the stream. Precipitation and surface runo ff may provide minor contributions to wetland hydrology at this site.

No prior wetland delineation was conducted at this location where previously, a wetland occurred as a very narrow strip along Oro Fino Gulch Creek. The Corps of Engineers (COE) has approved allocation of 1:1 credit for wetland creation at this location. The site occurs entirely within the MDT right-of-way (ROW) and will not be developed (Urban pers. comm.). The entire site is fenced.

Prior to this report, no formal monitoring has been conducted by MDT. The Browns Gulch site will be monitored once per year over the 3-year contract period to document wetland and other biological attributes. The monitoring area is illustrated in **Figure 2** (**Appendix A**).

2.0 METHODS


2.1 Monitoring Dates and Activities

The site was visited on August 21, 2001(mid-season). This annual visit was conducted to document vegetation, soil, and hydrologic conditions used to map jurisdictional wetlands. All information contained on the Wetland Mitigation Site Monitoring Form (**Appendix B**) was collected at this time. Activities and information conducted/collected included: wetland delineation; vegetation community mapping; vegetation transects; soils data; hydrology data; bird and general wildlife use; photograph points; macroinvertebrate sampling; GPS data; functional assessment; and (non-engineering) examination of structures.

2.2 Hydrology

Wetland hydrology indicators were recorded using procedures outlined in the COE 1987 Wetland Delineation Manual (Environmental Laboratory 1987). Hydrology data were recorded on COE Routine Wetland Delineation Data Forms (**Appendix B**).





2.6 Mammals, Reptiles, and Amphibians

Mammal and herptile species observations and other positive indicators of use, such as vocalizations, were recorded on the wetland monitoring form during the annual visit. Indirect use indicators, including tracks; scat; burrows; eggshells; skins; bones; etc., were also recorded. Observations were recorded as the observer traversed the site while conducting other required activities. Direct sampling methods, such as snap traps, live traps, and pitfall traps, were not used. A comprehensive list of observed species was compiled. Observations from past years will ultimately be compared with new data.

2.7 Birds

Bird observations were also recorded during the annual visit. No formal census plots, spot mapping, point counts, or strip transects were conducted. Observations were recorded incidental to other monitoring activities and were categorized by species, activity code, and general habitat association (see field and office data forms in **Appendix B**). Observations from past years will be compared with new data.

2.8 Macroinvertebrates

No macroinvertebrate samples were collected at this site.

2.9 Functional Assessment

A functional assessment form was completed for the site using the 1999 MDT Montana Wetland Assessment Method (**Appendix B**). Key field data was recorded at the site and the functional assessment completed in the office. No pre-project functional assessment was made at this site.

2.10 Photographs

Photographs were taken illustrating the current land use surrounding the site, the upland buffer, the monitored area and the vegetation transect. Each photograph point location was recorded with a resource grade GPS. The approximate location of photo points is shown on **Figure 2**, **Appendix A**. All photographs were taken using a 50 mm lens. A description and compass direction for each photograph was recorded on the wetland monitoring form.

2.11 GPS Data

During the 2001 monitoring season, point data were collected with a resource grade GPS unit at the vegetation transect beginning and ending locations and at all photograph locations. Wetland boundaries were also recorded with a resource grade GPS unit. The method used to collect these points is described in the GPS protocol in **Appendix E**.



2.12 Maintenance Needs

Observations were made of existing structures and of erosion/sediment problems to identify maintenance needs. This did not constitute an engineering-level structural inspection, but rather a cursory examination. Current or future potential problems were documented on the monitoring form.

3.0 RESULTS

3.1 Hydrology

No inundation was observed on the August 2001 monitoring date either in Oro Fino Gulch Creek or in the adjacent constructed wetland area. Inundation was observed throughout the constructed wetland area during an informal drive-by in early June and Oro Fino Gulch Creek was flowing. Groundwater was observed on August 21 within 14 inches of the surface and saturated soil within 12 inches as documented on the Routine Wetland Determination form (**Appendix B**).

It is important to note that drought conditions have dominated this area for many years in recent time. According to the Western Regional Climate Center, Butte yearly precipitation totals for 2000 (8.63 inches) and 2001 (10.39 inches) were 67 and 81 percent, respectively, of the total annual mean precipitation (12.84 inches) in this area. Hydrologic conditions must be considered within this climatic context. No open water was present at this site.

3.2 Vegetation

Vegetation species identified on the site are presented in **Table 1** and on the attached data forms. Two wetland community types were identified and mapped at the mitigation area (**Figure 3**, **Appendix A**). Upland areas were also mapped. The two wetland community types include Type 1: *Agrostis alba/Salix exigua*, and Type 2: *Salix boothii*. Dominant species within each of these communities are listed on the attached data form (**Appendix B**).

Type 1 is the most common wetland community type and occurs in the newly developing wetland area. This type is dominated by young *Salix exigua* and other disturbance species that are establishing under the newly created wetland conditions. Type 2 is limited to the immediate streambanks of Oro Fino Gulch Creek in the southeast corner of the assessment area. This type is dominated by mature *Salix boothii* that existed prior to this project.

The surrounding landscape is dominated by sagebrush/grassland rangeland. Common species include *Artemesia tridentate-vaseyana*, *Chrysothamnus nauseosus*, *Festuca idahoensis*, *Agropyron spicatum* and others. Most of the area immediately surrounding the mitigation site has been disturbed by road widening or other construction activities. The vegetation on these disturbed areas is a mixture of planted grasses and weedy species including noxious weeds. There is a significant amount of bare ground where plants have yet to establish. Common species include *Centaurea maculosa*, *Linaria vulgaris*, *Verbascum thapsus*, *Agropyron trachycaulum* and others.



5

Vegetation transect results are detailed in the attached data form, and are summarized graphically below.



Table 1: 2001 Browns Gulch Vegetation Species List

Scientific Name	Common Name	Region 9 (Northwest) Wetland Indicator
Achillea millefolium	Common Yarrow	FACU
Agropyron intermedium	Intermediate Wheatgrass	
Agropyron repens	Quackgrass	FACU
Agropyron smithii	Western Wheatgrass	FACU
Agropyron trachycaulum	Slender Wheatgrass	FAC
Agrostis alba	Redtop	FAC
Artemisia dracunculus	Wild Tarragon	
Artemisia tridentata	Big Sagebrush	
Carex nebrascensis	Nebraska Sedge	OBL
Centaurea maculosa	Spotted Knapweed	
Chenopodium album	White Goosefoot	FAC
Chrysothamnus nauseosus	Rabbitbrush	
Cirsium arvense	Canadian Thistle	FACU+-
Eleocharis palustris	Creeping Spikerush	OBL
Elymus spp.	Wildrye	
Festuca ovina	Sheep Fescue	FACU
Grindelia squarrosa	Curly-cup Gumweed	FACU
Juncus balticus	Baltic rush	FACW+
Juniperus scopulorum	Rocky Mountain Juniper	
Kochia scoparia	Summer Cypress	FAC
Lepidium perfoliatum	Clasping Pepper Grass	FACU+
Linaria vulgaris	Butter and Eggs	
Melilotus officinalis	Yellow Sweetclover	FACU
Mentha arvensis	Field Mint	FACW-
Montia perfoliata	Miner's Lettuce	
Phalaris arundinacea	Reed Canary Grass	FACW
Poa pratensis	Kentucky Bluegrass	FAC
Polygonum spp.	Knotweed	
Potentilla anserina	Silverweed	OBL
Rosa woodsii	Woods Rose	FACU
Rumex crispus	Curly Dock	FAC+
Salix boothii	Booth's Willow	OBL
Salix exigua	Sandbar Willow	OBL
Salsola iberica	Russian Thistle	
Sisymbrium altissimum	Tumble Mustard	FACU-
Solidago missouriensis	Missouri Goldenrod	
Typha latifolia	Broadleaf Cattail	OBL
Verbascum thapsus	Common Mullein	

3.3 Soils

NRCS soil information is not available for this site. Wetland soils observed during monitoring and documented on the Routine Wetland Determination form were loams or silty clay loams with mixed matrix colors of 10YR3/2 and 10YR 2/0. These mixed colors suggest a transition from upland to wetland conditions. Mottles were 10YR 5/8 in color, few and faint. Mottles are likely to develop more fully with time. Soils were saturated to within 12 inches of the surface across most of the area delineated as wetland.



3.4 Wetland Delineation

Delineated wetland boundaries are illustrated on **Figure 3**. Completed wetland delineation forms are included in **Appendix B**. Soils, vegetation, and hydrology are discussed in preceding sections. Approximately 0.17 wetland acres have been created on the mitigation site to date. Additional area may form with time and more normal precipitation around the low gradient portions of the current wetland area. No pre-existing wetlands were delineated by MDT within the footprint of the mitigation project, although there was a riparian fringe along the immediate streambanks of Oro Fino Gulch Creek (Urban pers. comm.).

3.5 Wildlife

Wildlife species, or evidence of wildlife, observed on the site during 2001 monitoring efforts are listed in **Table 2**. Specific evidence observed, as well as activity codes pertaining to birds, are provided on the completed monitoring form in **Appendix B**. Evidence of two mammal and three bird species were observed using the mitigation site during the site visit. It is likely that other wildlife species use the site but were not observed during the short monitoring visit.

Table 2: Wildlife Species Observed on the Browns Gulch Mitigation Site

BIRDS

Brown-headed Cowbird (*Molothrus ater*) Canada Goose (*Branta Canadensis*) Western Meadowlark (*Sturnella neglecta*)

MAMMALS

Coyote (Canis latrans)
White-tailed Deer (Odocoileus virginianus)

3.6 Macroinvertebrates

No macroinvertebrate samples were taken at this site.

3.7 Functional Assessment

A completed functional assessment form is included in **Appendix B**. The overall assessment area result for functional points was 25% making this a Class IV wetland under current conditions.

3.8 Photographs

Representative photographs taken from photo-points and transect ends are in **Appendix C**.



3.9 Maintenance Needs/Recommendations

Erosion is carrying sediment into the northeast corner of the site from an adjacent unpaved and unvegetated roadway (**Figure 3**). This sediment should be prevented from reaching the wetland area temporarily by using sediment fences and permanently by revegetation, regrading and/or other runoff controls.

3.10 Current Credit Summary

At this time approximately 0.17 of the 0.24 acres of wetland creation have been accomplished. It is likely that additional acreage will form with additional time and more normal precipitation.

4.0 REFERENCES


- Carlson, J. Program Zoologist, Montana Natural Heritage Program. Helena, MT. April 2001 conversation.
- Environmental Laboratory. 1987. *Corps of Engineers Wetlands Delineation Manual*. US Army Corps of Engineers. Washington, DC.
- Ralph, C.J., Geupel, G.R., Pyle, P., Martin, T.E., and D.F. DeSante. 1993. *Handbook of field methods for monitoring landbirds*. Gen. Tech. Rep. PSW-GTR-144. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Dept. of Agriculture. 41 p.
- Reed, P.B. 1988. National list of plant species that occur in wetlands: North West (Region 9). Biological Report 88(26.9), May 1988. U.S. Fish and Wildlife Service. Washington, D.C.
- Urban, L. Wetland Mitigation Specialist, Montana Department of Transportation. Helena, MT. March 2001 meeting; January 2002 meeting; April 2002 meeting; July 2002 meeting.
- U.S. Army Corps of Engineers. 2001. December 6, 2001 letter from Allan Steinle to Jeff Stutzman (Musgrave Lake Ranch LLC) regarding Milk River Wetland Mitigation Project Corps File # 2000-90-331. Helena, MT.
- USDA Natural Resources Conservation Service. 1998. *Field Indicators of Hydric Soils in the United States*, Version 4. G. Hurt, P. Whited and R. Pringle (eds.). USDA, NRCS Fort Worth, TX.




Appendix A

FIGURES 2 - 3







Appendix B

COMPLETED 2001 WETLAND MITIGATION SITE MONITORING FORM
COMPLETED 2001 BIRD SURVEY FORM
COMPLETED 2001 WETLAND DELINEATION FORMS
COMPLETED 2001 FUNCTIONAL ASSESSMENT FORM





	DRAFT -	MDT WET	LAND MITI	GATION SI	TE MONIT	ORING FOR	VI.
Legal d Weather	on: <u>Eart of I</u> lescription: T i er Conditions:_ Evaluation D at	Clear Clear	MDT Distriction9_ Time Personal #:	e of Da y: 7/2 on(s) condu ctir Monitori	Milepo M - 3PM ing the assessme	sment Date: 8 / pst: nt: O / Tange lands	21 101
			нуг	ROLOG Y			
Inunda Assessi Depth a If asses Other e	ment are a under at emer gent vers ssment a rea is re evidence of hyd times, sta	getation-open who in included and included a	rate r boundary: e th e soils satur drift lines, eros	ft NA-	no open water	No_ Worter marks,	,
		ese nt					
Record	Well #	r below ground Depth	Well #	Depth	Well#	Depth	
				•			
}							
-							
NA NA C	Observe extent ons (drift lines,	egetation-open of surface water e rosion, vegeta oundwater moni	tion staining et toring wells loo	te visit and look c.) ations if presen			ter fee t wide)
Yansia02'Resou	irce. Analysis/Current Projects/1300:	91 MDT Werlands/General Technica	IMDT Monitoring Form doc				

COMPREHENSIVE VEG ETATION LIST



	1			
Species	Vegetation	Sp	ecies	Vegetation
	Community			Community
	Number(s)	****		Number(s)
POA PRA	1,2,00	AGRSMI		UP
HORJUB	1,2,UP	SAL IBE AGRREP	russian thathe	UP
SALEXI	1	AGRREP		1,00
SAL BOO	2			, ,
ELEPAL	1,2			
SIS ALT	1,2 1,UP			
VERTHA	1			
MELOFF	1			
PHAARU	1			
MENARU	1.2			
	1. UP			
GRISQU curlyry gumund	1			
MAK MLD	1, UP			
CARNEB	1			
POYGON	1			
TYPLAT	1		2.32013 (0.000000000)	
RUM CR I	1			
POT ANS	1			
CIR ARV	1		•	
JUN SCO	1	<u> </u>		
JUN BAL	1,00	9		
CHEBER lambravanters	1,			
MONTPER miner letter	1			
CENMAC	1,00			
AGRIRA	1, 40			
FESOVI step toxue	110			
ELYMUC introduct sugar	Uρ			
LEPPER yellow pepperwed	Up	•		
APTTOI	Vo	9.		
COLMIC	130			1
AGRINT	150			1000
CHRNAU	110			
SOLMIS AGRINT CHRNAU LINVUL ROSWOO	150 1		***	
ROSWOO	1 1/0			-
ACHMIL	11, 0			
And the second s				

COMMENTS/P ROBLEMS: _	Few heads	on graves	, especially	upland planted.

Vansla02'/Resource. Analysis'/Current Projects'(13009): MDT Wetlands'/General Technical/MDT Monitoring Form doc

		-	
Dominant Species	% Cover	Dominant Species	% Cove
AGRALB	20		
POA PRA	20		
SALEXI	10		2000
ELEPAL	5		
COMMENTS/P ROBLEMS:			
community No.: 2 Community Tit	le (main species):	Salix boothii	
Dominant Species	% Cover	Dominant Species	% Cov
SALBOO	90	•	
AGR ALB	T		
POA PRA	Ť		
COMMENTS/P ROBLEMS:			
COMMENTS/P ROBLEMS:			
Community No.: Community Tit			
Community No.: Community Tit Dominant Species AGR TRA	le (main species):_A	plands gropyron / Kochia / Co.	ntaurea
Community No.: Community Tit Dominant Species AGR TRA	le (main species):Ae	plands gropyron / Kochia / Co.	ntaurea
Community No.: Community Tit Dominant Species AGR TRA	le (main species):A	plands gropyron / Kochia / Co.	ntaurea
Community No.: Community Tit	le (main species): A	plands gropyron / Kochia / Co.	ntaurea
Community No.: Community Tit Dominant Species AGR TRA	le (main species): A	plands gropyron / Kochia / Co.	ntaurea
Dominant Species AGR TRA CENMAC KOCSCO	le (main species): A	plands gropyron / Kochia / Con Dominant Species	ntaurea
Community No.: Community Tit Dominant Species AGR TRA	le (main species): A	plands gropyron / Kochia / Con Dominant Species	ntaurea
Dominant Species AGR TRA CENMAC KOCSCO	le (main species): A	plands gropyron / Kochia / Con Dominant Species	ntaurea
Dominant Species AGR TRA CENMAC KOCSCO	le (main species): A	plands gropyron / Kochia / Con Dominant Species	ntaurea
Dominant Species AGR TRA CENMAC KOCSCO	le (main species): A	plands gropyron / Kochia / Con Dominant Species	ntaurea

*mslatt2/Resource Analysis/Current Projects/130091 MDT Wetlands/General Technical/MDT Monitoring Form doc



		RING – VEGETATION TRANSECT	
Site: Bowns Gulch Date:		Examiner: Transect #/	
		ection from Start (Upland):	
Vegetation type 1: Upland - Dicturbed		Vegetation type 2: Agrostis /Salix Length of transect in this type: 25	
Length of transect in this type: 50	feet	Length of transect in this type: 25	feet
Species:	Cover: %	Species:	Cover:
AGRTRA	20	AGRALB SALEXI	20
ARTTRI	10	SALEXI	10
CENMAC	10	POA PRA	10
AGRALB	1-5	HORJUG	5
HOR JUG	1-5	ELE PAL	10
POA PRA	T	TYPLAT	T
CHRNAU	T	JUN BAL	10
		POTANS	1-5
Total Vegetative Cover:	70%	Total Vegetative Cover:	80%
Total vegetative cover.	1010	Total vegetative cover.	00%
Vegetation type 3:	28. 30	Vegetation type 4:	
Length of transect in this type:	feet	Length of transect in this type:	feet
Species:	Cover:%	Species:	Cover:
Total Vegetative Cover:		Total Vegetative Cover:	

PLANTED WOODY VEGETATION SURVIVAL GAND & WATER B-S



Species	Number Originally Planted	Number Observed	Mortality Causes
SALIXX (SALEXI?)	120	50	planting shock, drought
			1, 3, 3
COMMENTS/P ROBLEMS:			
About 50% of the	visible stems	are dead.	



MDT WETLAND MONITORING - VEGETATION TRANSECT (back of form)

Cover Estimate + = <1% 3 = 11-20% 1 = 1-5% 4 = 21-50% 2 = 6-10% 5 = >50%	Indicator Class: + = Obligate - = Facultative/Wet 0 = Facultative	Source: P = Planted V = Volunteer						
Percent of perimeter % dev	eloping wetland vegetation – exclud	ding dam/berm structures.						
Establish transects perpendicular to the shoreline (or saturated perimeter). The transect should begin in the upland area. Permanently mark this location with a standard metal fencepost. Extend the imaginary transect line towards the center of the wetland, ending at the 3 food depth (in open water), or at a point where water depths or saturation are maximized. Mark this location with another metal fencepost.								
Estimate cover within a 10 ft wide "belt" along the transect length. At a minimum, establish a transect at the windward and leeward sides of the wetland. Remember that the purpose of this sampling is to monitor, not inventory, representative portions of the wetland site.								
Notes:								
		·						
	7.0							

3/01 rev

XΧ	/TT	D	T T	T	Ľ
77			-	•	r



					BIR	RDS					
Species	Number Observed	Nesting or Breeding Activity	Likely Breeding Resident	Likely Migrating	Т		ecies	Number Observed	Nesting or Breeding Activity	Likely Breeding Resident	Likely Migrating
					\dashv					ļ	1
				ļ	_						
	-	-			\dashv					ļ	
		0 0000			\dashv	-					
	+			-	-						
	+	-			-	-					+
				 	\dashv		7				
					-						
	1			İ	_					1	
· · · · · · · · · · · · · · · · · · ·	 	-									
	1			-	\neg						
					\neg						
		25.91									
							1,111				
					_						
					-						-
				ļ	_						
	-			-	_						1
Were man made structures being	utilized?	Yes						repairs? `	Yes	No	
			MAN	IMALS	_	ND HERP	TILES	Indirect	indication	ofusa	
	Spec	eies				umber bserved	Tracks	Sca		rrows	Other
Deer						0	X	- X	- Du	10113	01
Coyote						0	Ŷ				
coyore											
	1000000										
										1000	
		1000									
	e rtebrate	sampling									
COMMENTS/	PROBLE	EMS:									

Vansla97/Resource. Analysis/Current Projects/13/0991 MDT Wetland@General Technical/MDT Monitoring Form. doc

WETLAND DELINEATION At each site conduct the items on the checklist below:	
COMMENTS/PROBLEMS: Forms attached	_
	_
FUNCTIONAL ASSES SMENT Complete Jeff's abbreviated MDT Function and Values Assessment field fo rm. ×	-
MAINTENANCE Were man-made nesting structures installed at this site? YES NO_X If yes, do they need to be repaired? YES NO If yes, describe problems below and indicate if any actions were taken to remedy the problems.	
Were man-made structures build or installed to im pound water or control water flow into or out of the wetlar YES X NO If yes, are the structures working properly and in good working order? YES X NO If no, describe the problems below.	ıd?
comments/problems: Erosion is transporting redinent into the northeast corner of the wetland from adjacent roadway. Not a large amount so far but could be significant one time and should be remedied. (See Figure2)	- - -
	_
	_
	_
	_
	_
	_
	_
	_
msh22@enurce Analysis@urres Projects L1000 LATET Well-mintCongrel Technical/ANTY Meninglas Econ. Acc	

PHOTOGRAPHS

LAND &	WATER	B-9
CAND &	WAIEN	B-9

Using a camera with a 50 mm lenses and color fil m take photographs of the following permanent reference points listed in the checklist below. Record the dir ection of the photograph using a compass. (The first time at each site establish a permanent reference point by setting a ½ inch rebar or fencepost extending 2-3' above ground, survey the location with a resource grade GPS and mark the location on the air photo.) Checklist:

V	One photo for each of the 4 cardinal directions surrounding wetland
	At least one photo showing upland use surrounding wetland – if more than one
	upland use exists, take additional photos
V	At least one photo showing buffer surrounding wetland
1	One photo from each end of vegetation transect showing transect

Location	Photo	Photograph Description	Compass
Photogoiate	Frame #		Reading
41		Wetland oneview looking south from north of AA	200°
# 2		Panorama from south to west to north	220 - 20
# 3		Overview from south and of transect looking north	20°
9 4		Pamorama From north to east to south	30-160
Е			
F			
G			
Н			e production of the control

COMMENTS/P ROBLEMS:
GPS SURVEYING
Using a resource grade GPS survey the items on the checklist below. Collect at least 3 location poin ts with the GPS unit set at 5 second recordin g rate. Record file numbers fore site in designated GPS field notebook
Checklist:
Jurisdictional wetland boundary
4-6 landmarks recognizable on the air photo
Start and end points of vegetation transe ct(s)
Photo reference points
Groundwate r monitoring well locations
COMMENTS/P ROBLEMS:

ree Analysis/Current Projects/130091 MDT Wetlands/General Technical/MDT Monitoring Form doc



BIRD SURVEY - Field Data Sheet SITE: Browns Gulch

Page _/_ of _/		
Date: 8/2/	To1	
Survey Time:	7:15 AM-	3:30PM

		Bird Species Amada gelse - 2 owbird - 3 Meadowlark - 1	Denavior	Habitat Type	E	ird Species	Behavior	Habitat Type
		7 1 1 3	Behavior FO			65 0000 C 0000 C 0		
		owbirdt - 3	F	55 UP				
		Meadowlark - 1	L	UP				
				<u> </u>				
			1					
			1					
			1					
			 		\vdash		_	
			ļ					
			1					
			ļ					
							1770	
							49 -0.0000 450	
		NAMES OF THE PROPERTY OF THE P						
					Topography and	p N 10 5 10 10 10 10 10 10 10 10 10 10 10 10 10		
			1					
			-					
					—			
					—			
			-					
			1					
					1			
				N. 1500 (1900)	To a second second			
						700		
			1		-	-		-
			 					
—								
$\exists \models$	_							
					\vdash			-
			 					
			 					
			l					

Behavior: BP – one of a breeding pair; BD – breeding display; F – foraging; FO – flyover; L – loafing; N – nesting **Habitat:** AB – aquatic bed; FO – forested; I – island; MA – marsh; MF – mud flat; OW – open water; SS – scrubshrub; UP – upland buffer; WM – wet meadow



DATA FORM ROUTINE WETLAND DETERMINATION (1987 COE Wetlands Delineation Manual)

Project/Site: Browns Gulch Mitigation Applicant/Owner: MGT Investigator: B. Outton	Date: 8-21-64 County: 5./w/r bow State: MT	
Do Normal Circumstances exist on the site? Is the site significantly disturbed (Atypical Situals the area a potential Problem Area? (If needed, explain on reverse.)	ation)? Yes No Yes No	Community ID: Upland Transect ID: 1 Plot ID: 1
EGETATION	Ţ	
Dominent Plant Species 1. AGRTRA H N(2. ARTTRI 3. CENMAC H N(4. AGRALB H FACW 5. HORJUS H FACW 6. POAPRA PACT 7. CHR NAU 8. Percent of Dominent Species that are OBL, FACW or FAC (excluding FAC-).	10	
PDROLOGY Recorded Data (Describe in Remarks): Stream, Lake, or Tide Gauge Aerial Photographs Other No Recorded Data Available Field Observations: Depth of Surface Water: Depth to Free Water in Pit: Depth to Saturated Soil: No Recorded Data Available Other	Water Mar Drift Lines Sediment I Drainage P Secondary Indicators Oxidized R Water-Stai	in Upper 12 Inches rks Deposits Patterns in Wetlands s (2 or more required): Root Channels in Upper 12 Inches ined Leaves Survey Data



SOILS

Map Unit Name (Series and Phase): Drainage Class: Field Observations Confirm Mapped Type? Yes No						
Profile Description: Depth (inches) Horizon 0-2 A 2-18 B	Matrix Color (Munsell Moist) 7.5YR 3/3 7.5YR 4/3	Mottle Colors (Munsell Moist) And none	Mottle Abundance/Contrast	Texture, Concretions, Structure, etc.		
Hydric Soil Indicators:						
Remarks: No+	hydnc.					

WETLAND DETERMINATION

	Vegetation Present? drology Present? Present?	Yes (Circle) Yes (No	Is this Sampling Point Within a Wetland?	(Circle) Yes No
Remarks:	Upland o	at south e	and of transect.	



DATA FORM ROUTINE WETLAND DETERMINATION (1987 COE Wetlands Delineation Manual)

Project/Site: Browns Golch Mitro Applicant/Owner: MOT Investigator: B. Outton	patron Site	Date: 8-21-01 County: Silverbail State: MT
Do Normal Circumstances exist on the site? Is the site significantly disturbed (Atypical Situat Is the area a potential Problem Area? (If needed, explain on reverse.)	ion)? Yes No Yes No Yes No	Community ID: Emergen+ Transect ID: / Plot ID: 2
EGETATION		
Dominant Plant Species Stratum Indicator 1. AGRALB H FACW 2. POA PRA H FACW 3. JUN BAL H PACW+ 4. ELEPAL H OBL 5. 6. 7. 8. Percent of Dominant Species that are OBL, FACW or FAC (excluding FAC-). Remarks:	9	Stratum Indicator
PROLOGY Recorded Data (Describe in Remarks):Stream, Lake, or Tide GaugeAerial PhotographsOther No Recorded Data Available Field Observations: Depth of Surface Water:(in.) Depth to Free Water in Pit:/4(in.) Depth to Saturated Soil:/2(in.)	X Water Ma X Drift Lines X Sediment X Drainage Drainage Secondary Indicator Oxidized Water-Sta Local Soil FAC-Neut	i in Upper 12 Inches orks s Deposits Patterns in Wetlands rs (2 or more required): Root Channels in Upper 12 Inches ained Leaves
Remarks:		



Map Unit Name Series and Phase): Drainage Class: Field Observations Confirm Mapped Type? Yes No							
rofile Description: epth nches) Horizon 0-2 A 2-16 BC	Matrix Color (Munsell Moist) 10/R 3/2 10/R 2/0 → 10/R 3/2	Mottle Colors (Munsell Moist) 167R 5/8	Mottle Abundance/Contrast	Texture, Concretions, Structure, etc.			
× Reducing	dor isture Regime	Hi Oi Li	oncretions gh Organic Content in St rganic Streaking in Sandy sted on Local Hydric Soil sted on National Hydric S ther (Explain in Remarks)	s List Soils List			
	· · · · · · · · · · · · · · · · · · ·						

	c Vegetation Present drology Present? s Present?	Yes No Yes No Yes No	(Circle)	Is this Sampling Point	Within a Wetland?	(Circle) Yes No
Remarks:	Wetland	area at	nort	th end of	transec	/ ,

Approved by HQUSACE 2/92

par.		
AND	& WATER	B-15

1. Project Name: Brown	Montana We	tland As	sessment 2. Project #:	Form (revi	sed 5/2	5/1999) Control #:_	B-1.	,
3. Evaluation Date: Mo. 8 Da	ay 21 Yr. 0) 4.1	Evaluator(s):_	B. Outto.	5. We	tiands/Site	#(s)/		
6. Wetland Location(s): i. Legal: ii. Approx. Stationing or M	: T <u>3</u> (Nor S; R <u>8</u> lleposts:	_E or(W) S_	9	;TN	orS;R	_E or W; S		:
iii. Watershed: / 70 / Other Location Information	0201 GP	S Reference !	No. (if applies): _					
b. Purpose of Evaluation: 1Wetlands potentially a 2Mitigation wetlands; p 3Mitigation wetlands; p 4Other	re-construction post-construction	t 9. Asse see ins	land size: (total a essment area: (A structions on deter	A, tot., ac., mining AA)	(mea	ally estimated) sured, e.g. by GP (visually estin (measured, e	nated) .g. by GPS [if	applies])
10. Classification of Wetland ar	System		ccording to Brinso Subsystem	on, first col.; USF	WS according Class	ng to Cowardin [1: Water Regime	979], remainir Modifier	ng cols.) % of AA
						Traid Regime		
Riverine	Riverine		pper Herry	al	US	- F	E	95
Riverine	Riverine	J	ntermitter	+	58	6		5
					-			
	 				+			
Emergent Wetland (EM), Scrub-Shrub Wetl US, EM/ System: Rivenne (RV Subsyst.: I Intermittently Exposed (G), Semipermanent (D), Partly Drained (PD), Farmed (F), Artifici 11. Estimated relative abundanc (Circle one) Ur Comments: 12. General condition of AA:	ower Perennial (2)/ Classes by Flooded (F), Seasonally Fl ial (A) HGM Classes: River	i: RB, UB, AB, US, looded (C), Satura rine, Depressional,	, EM/ Subsystem: Up; sted (B), Temporarily Fi I, Slope, Mineral Soil Fi	er Perennial (3)/ Cla coded (A), Intermitter ats, Organic Soil Flat	sses: RB, UB, A ity Flooded (J) s, Lacustrine Fri ned Basin, se	B, US/ Water Regim Modifiers: Excavated nge	es: Permanently (E), Impounded	Flooded (H).
 Regarding disturbance: 		etermine [circle						
Conditions within	AA	natural state; is logged, or other	Predomir in predominantly not grazed, hayed, rwise converted; in roads or buildings.	Land not cultivated grazed or hayed or or has been subject contains few roads	, but moderately selectively loggi t to minor cleari	ed; subject to subs	or heavily graze tantial fill placem rological alteration	ent, grading.
AA occurs and is managed in predominantly grazed, hayed, logged, or otherwise convert roads or occupied buildings.	led; does not contain	low disturba	nce	low disturbance		moderate di	sturbance	
AA not cultivated, but moderately grazed or logged; or has been subject to relatively min placement, or hydrological alteration; contail	nor clearing, fill ins few roads or buildings.	moderate dis	sturbance	moderate distu	rbance	high disturb	ance	
AA cultivated or heavily grazed or logged; s substantial fill placement, grading, clearing, high road or building density.	ubject to relatively or hydrological alteration;	high disturba	ance	high disturband	æ	high disturb	ance	
Comments: (types of disturt II. Prominent weedy, alien, LEPPER (pepp word) (III. Provide brief descriptive Constructed wettand	& introduced specie HEBER (lank summary of AA and between - pa	s (including to squarter) d surrounding the square amount of the square	g land use/habit	ticated, feral): ((you weed) ; at: 10 ad way!	VERTH	A Chullein	ream Cre	LOFF
Livestock grazing i 13. Structural Diversity: (based				<u> </u>	veoetated of	25565) 5ee #10 s	town)	
# of "Cowardin" vegetated classe				ed classes (or		d classes (or	≤ 1 vegetated	i class
Rating (circle)			High		Moderate	- 1	Low	
Comments:						/		

LAND & WATER B-16

	SECTION	PERTAINING	to FUNCTIONS	& VALUES ASSI	ESSMENT	-	
Primary or critical hab Secondary habitat (IIs) or Suspected (S) to or itat (list species) it species)	ontain (circle one i	ndangered Plants of based on definitions	or Animals: contained in instruc	tions):		
Incidental habitat (list No usable habitat	species)						
No usable habitat		D(S)					
II. Rating (use the conclu- this function)	sions from i above and t	the matrix below to	o arrive at [circle] the	functional points ar	nd rating [H = high,	, M = moderate, o	r L = low] for
Highest Habitat Level	doc./primary	sus/primary	doc./secondary	sus./secondary	doc./incidental	sus.fincidental	None
Functional Points and Ra	ting 1 (H)	.9 (H)	.8 (M)	.7 (M)	.5 (L)	.3 (L)	(O(L)
Sources for documented us			1 10 (11)		.0 (2)	.5(0)	- CO
 Habitat for plant or a AA is Documented (D Primary or critical hab Secondary habitat (Ils Incidental habitat (list No usable habitat) or Suspected (S) to co itat (list species) t species)	or S3 by the Mor ontain (circle one I D S D S	ntana Natural Herit based on definitions	age Program: (not contained in instruc	including species I tions):	isted in14A above	1)
II. Rating (use the conclu- this function)	sions from i above and t	he matrix below to	o arrive at [circle] the	functional points ar	nd rating (H = high,	M = moderate, o	r L = low] for
Highest Habitat Level	doc./primary	sus/primary	doc./secondary	sus./secondary	doc./incidental	sus./incidental	None
Functional Points and Ra	ting 1 (H)	.8 (H)	.7 (M)	.6 (M)	.2 (L)	.1 (L)	(O(L)
Sources for documented us	se (e.g. observations, re	cords, etc.):				(2)	3,0
14C. General Wildlife Hall. I. Evidence of overall will	bitat Rating: dlife use in the AA (cir	cle substantial, m	oderate, or low base	ed on supporting evi	dence):		
abundant widirle sign presence of extremely	y of the following [check ant wildlife #s or high s such as scat, tracks, no limiting habitat features ologists with knowledge	pecies diversity (dest structures, gar not available in the	ne trails, etc.	few or no little to no sparse ac	on any of the follow wildlife observation wildlife sign djacent upland food swith local biologis	ns during péak us I sources	
common occurrence of adequate adjacent uplant	red wildlife groups or inc of wildlife sign such as s	cat, tracks, nest s	ely few species duri structures, game trai	ng peak periods ls, etc.			
ii. Wildlife habitat features(L) rating. Structural divers of their percent composition seasonal/intermittent; T/E =	sity is from #13. For cla of the AA (see #10). A	ss cover to be co obbreviations for s	nsidered evenly distr urface water duratio	ributed, vegetated cl ns are as follows: P.	asses must be with P = permanent/pe	nin 20% of each o	(M), or low other in terms
Structural diversity (see		and A = absent (s High	ee instructions for ft	Modera			
#13)		ng:	- 1	wodera	NG /	1 '	.ow
Class cover distribution	Even	Uneve	n	Even	Uneven	F	ven

Structural diversity (see #13)		High						Moderate						Low						
Class cover distribution (all vegetated classes)		Eve	30			Unev	en			Eve	n		(Unev	en			Eve	n	_
Duration of surface water in ≥ 10% of AA	P/P	S/I	T/E	A	P/P	S/I	T/E	Α	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A
Low disturbance at AA (see #12i)	E	E	E	Н	E	E	Н	Н	E	н	н	М	E	н	м	М	E	Н	м	١
Moderate disturbance at AA (see #12i)	н	н	н	Н	Н	н	Н	М	Н	н	М	М	н	М	м	L	н	м	L	L
High disturbance at AA (see #12i)	м	М	М	L	М	М	L	L	м	м	L	L	M	Ō	L	L	L	L	L	L

iii. Rating (use the conclusions from i and ii above and the matrix below to arrive at [circle] the functional points and rating [E = exceptional, H = high, M = moderate, or L = low] for this function)

Evidence of wildlife use (i)	Wildlife habitat features rating (ii)										
	Exceptional	High	Moderate	Low							
Substantial	1 (E)	.9 (H)	.8 (H)	.7 (M)							
Moderate	.9 (H)	.7 (M)	.5 (M)	.3(1)							
Minimal	.6 (M)	.4 (M)	.2 (L)	(.1(L))							

Comments:



14D. General Fish/Aquatic Habitat Rating: (Assess this function if the AA is used by fish or the existing situation is "correctable" such that the AA could be used by fish (i.e., fish use is predided by perched culvert or other barrier, etc.). If the AA is not or was not historically used by fish due to lack of habitat, excessive gradient, etc., circle NA bere and proceed to the next function. If fish use occurs in the AA but is not desired from a resource management perspective (such as fish use within an irrigation canal), then Habitat Quality (i below) should be marked as "Low", applied accordingly in ii below, and noted in the comments.)

Habitat Quality (circle appropriate AA attributes in matrix to arrive at exceptional (E), high (H), moderate (M), or low (L) quality rating.

Duration of surface water in AA	Perm	nament / Pen	ennial	Seas	onal / Intern	nittent	Temporary / Ephemeral			
Cover - % of waterbody in AA containing cover objects such as submerged logs, large rocks & boulders, overhanging banks, floating-leaved vegetation, etc.	>25%	10-25%	<10%	>25%	10-25%	<10%	>25%	10-25%	<10%	
Shading - >75% of streambank or shoreline within AA contains riparian or wetland scrub-shrub or forested communities	E	Ë	н	н	н	М	М	м	М	
Shading - 50 to 75% of streambank or shoreline within AA contains rip, or wetland scrub-shrub or forested communities	н	н	М	М	М	M	М	L	L	
Shading - < 50% of streambank or shoreline within AA contains rip, or wetland scrub-shrub or forested communities	н	M	М	м	L	L	L	L	L	

ii. Modified Habitat Quality (Circle the appropriate response to the following question. If answer is Y, then reduce rating in above by one level [E = H, H = M, M = L, L = L]). Is fish use of the AA precluded or significantly reduced by a culvert, dike, or other man-made structure or activity or is the waterbody included on the MDEQ list of waterbodies in need of TMDL development with listed "Probable Impaired Uses" including cold or warm water fishery or aquatic life support?

Y

Modified habitat quality rating = (circle)

E

M

L

iii. Rating (use the conclusions from i and ii above and the matrix below to arrive at [circle] the functional points and rating [E = exceptional, H = high, M = moderate, or L = low] for this function).

Types of fish known or	Modified Habitat Quality (ii)											
suspected within AA	Exceptional	High	Moderate	Low								
Native game fish	1 (E)	.9 (H)	.7 (M)	.5 (M)								
Introduced game fish	.9 (H)	.8 (H)	.6 (M)	.4 (M)								
Non-game fish	.7 (M)	.6 (M)	.5 (M)	.3(1.)								
No fish	.5 (M)	3(L)	2(L)	(1(L))								

Comments:

14E. Flood Attenuation: (applies only to wetlands subject to flooding via in-channel or overbank flow. If wetlands in AA are not flooded from in-channel or overbank flow, circle NA here and proceed to next function.)

Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [H = high, M = moderate, or L = low] for this
function.

TOTOGOT								- /		
Estimated wetland area in AA subject to periodic flooding		≥ 10 acres		-	10, >2 acre	s	(≤2 acres			
% of flooded wetland classified as forested, scrub/shrub, or both	75%	25-75%	<25%	75%	25-75%	<25%	75%	25-75%	<25%	
AA contains no outlet or restricted outlet	1(H)	.9(H)	.6(M)	.8(H)	.7(H)	.5(M)	.4(M)	.3(L)_	.2(L)	
AA contains unrestricted outlet	.9(H)	.8(H)	.5(M)	.7(H)	.6(M)	.4(M)	.3(L)	.2(L)	.1(L)	

Are residences, businesses, or other features which may be significantly damaged by floods located within 0.5 miles downstream of the AA (circle)? Y comments:

14F. Short and Long Term Surface Water Storage: (Applies to wetlands that flood or pond from overbank or in-channel flow, precipitation, upland surface flow, or groundwater flow. If no wetlands in the AA are subject to flooding or ponding, circle NA here and proceed with the evaluation.)

Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [H = high, M = moderate, or t, = low] for this function. Abbreviations for surface water durations are as follows; P/P = permanent/perennial; S/I = seasonal/intermittent; and T/E = temporary/ephemeral [see instructions for further definitions of these terms].

Estimated maximum acre feet of water contained in wetlands within the AA that are subject to periodic flooding or ponding	1	>5 acre fee	×	<5	5, >1 acre fe	et	≤1 acre foot		
Duration of surface water at wetlands within the AA	P/P I	S/I	T/E	P/P	S/I	T/E	P/P	S/J	T/E
Wetlands in AA flood or pond > 5 out of 10 years	1(H) (.9(H)	.8(H)	.8(H)	.6(M)	1.5(M)	.4(M)	(.3(L)	1 .2(L)
Wetlands in AA flood or pond < 5 out of 10 years	9(H)	.8(H)	.7(M)	.7(M)	.5(M)	4(M)	.3(L)	.2(L)	.1(L)

Comments:

14G. Sediment/Nutrient/Toxicant Retention and Removal: (Applies to wetlands with potential to receive excess sediments, nutrients, or toxicants through influx of surface or ground water or direct input. If no wetlands in the AA are subject to such input, circle NA here and proceed with the evaluation.)

Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [H = high, M = moderate, or L = low] for this function.

Sediment, nutrient, and toxicant input levels within AA	deliver low or comp substantially	to moderate le ounds such the impaired. Miss or toxicants.	ing land use wit evels of sedimental hat other function for sedimentals or signs of eutresent.	nts, nutrients, ons are not on, sources of	nutrients, or toxi use with poter nutrients, or co	r "probable caus cants or AA rece ntial to deliver hig ompounds such l paired. Major se	es" related to : eives or surrou ph levels of sec that other fund dimentation, s	sediment, inding land diments, itions are cources of
% cover of wetland vegetation in AA	≥ 7	0%	1 <7	70%	≥ 70	1%	< 70%	
Evidence of flooding or ponding in AA	Yes	No	Yes	No	Yes	No	Yes	No
AA contains no or restricted outlet	1 (H)	.8 (H)	.7.(M)	.5 (M)	.5 (M)	.4 (M)	.3 (L)	.2 (L)
AA contains unrestricted outlet	.9 (H)	.7 (M)	(6 (M))	.4 (M)	.4 (M)	.3 (L)	2 (L)	.1 (L)

Comments:



14H Sediment/Shoreline Stabilization: (applies only if AA occurs on or within the banks of a river, stream, or other natural or man-made drainage, or on the shoreline of a standing water body which is subject to wave action. If does not apply, circle NA bere and proceed to next function)

i. Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [E = exceptional, H = high, M = moderate, or L

= low) for this function.

Duration of surface water adjacent to rooted vegetation											
permanent / perennial	seasonal / intermittent	Temporary / ephemeral									
1 (H)	.9 (H)	.7 (M)									
.7 (M)	.6 (M)	.5 (M)									
.3 (L)	.2 (L)	.1 (L)									
	permanent / perennial 1 (H)	permanent / perennial seasonal / intermittent 1 (H) .9 (H) .7 (M) .6 (M)									

14I. Production Export/Food Chain Support:

i. Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [H = high, M = moderate, or L = low] for this function. Factor A = acreage of vegetated component in the AA; Factor B = structural diversity rating from #13; Factor C = whether or not the AA contains a surface or subsurface outlet; the final three rows pertain to duration of surface water in the AA, where P/P = permanent/perennial; S/I = seasonal/intermittent;

T/E /A= temporary/ephemeral or absent [see instructions for further definitions of these terms].)

Α		Vegeta	ted comp	onent >	5 acres			Vegetated component 1-5 acres					Vegetated component <1 acre						
В	Hi	gh	Mode	erate	L	OW .	Н	gh	Mod	erate	L	w	Hi	gh	Mod	erate	Lo	OW .	
С	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
P/P	1H	.9H	.9H	.8H	.8H	.7M	.9H	.8H	.8H	.7M	.7M	.6M	.7M	.6M	.6M	.414	.4M	.3L	
S/I	.9H	.8H	.8H	.7M	.7M	.6M	.8H	.7M	.7M	.6M	.6M	.5M	.6M	.5M	.5M	(3L)	.3L	.2L	
T/E/	.8H	.7M	.7M	.6M	.6M	.5M	.7M	.6M	.6M	.5M	.5M	.4M	.5M	.4M	.4M	.2L	.2L	.1L	
A																			

Comments:

14J. Groundwater Discharge/Recharge: (Check the indicators in i	& ii below that apply to the AA)			
I. Discharge Indicators Springs are known or observed Vegetation growing during dormant season/drought Wetland occurs at the toe of a natural slope Seeps are present at the wetland edge A permanently flooded during drought periods Wetland contains an outlet, but no inlet	II. Recharge Indicators Permeable substrate present without underlying impeding layer Wetland contains inlet but no outlet Other			
Other				
iii. Rating: Use the information from I and II above and the table belo	w to arrive at [circle] the functional points and rating [H = high, L = low] for this function.			
Criteria	Functional Points and Rating			
AA is known Discharge/Recharge area or one or more indicators of D/	R present (1(H)			
No Discharge/Recharge indicators present	.1 (L)			
Available Discharge/Recharge information inadequate to rate AA D/R	potential N/A (Unknown)			

Comments:

14K. Uniqueness:

Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [H = high, M = moderate, or L = low] for this function.

Replacement potential	AA contains fen, bog, warm springs or mature (>80 yr-old) forested wetland or plant association listed as "S1" by the MNHP		AA does not contain previously cited rare types and structural diversity (#13) is high or contains plant association listed as "S2" by the MNHP			AA does not contain previously cited rare types or associations and structural diversity (#13) is low-moderate			
Estimated relative abundance (#11)	rare	common	abundant	rare	common	abundant	rare	common	abundant
Low disturbance at AA (#12i)	1 (H)	.9 (H)	.8 (H)	.8 (H)	.6 (M)	.5 (M)	.5 (M)	.4 (M)	.3 (L)
Moderate disturbance at AA (#12i)	.9 (H)	.8 (H)	.7 (M)	.7 (M)	.5 (M)	.4 (M)	.4 (M)	3(1)	.2 (L)
High disturbance at AA (#12i)	.8 (H)	.7 (M)	.6 (M)	.6 (M)	.4 (M)	.3 (L)	.3 (L)	.2 (L)	.1 (L)

Comments:

14L. Recreation/Education Potential: i. Is the AA a known rec./ed. site: (circle) Y N (If yes, rate as [circle] High [1] and go to ii; if no go to iii)

ii. Check categories that apply to the AA: ___Educational/scientific study; ___Consumptive rec.; ___Non-consumptive rec.; ___Other

Based on the location, diversity, size, and other site attributes, is there strong potential for rec./ed. use? Y N
(If yes, go to ii, then proceed to iv, if no, then rate as [circle] Low [0.1])

iv. Rating (use the matrix below to arrive at [circle] the functional points and rating [H = high, M = moderate, or L = low) for this function.

Ownership	Disturbance at AA (#12)				
	low	moderate	high		
public ownership	1 (H)	.5 (M)	2(1)		
private ownership	.7 (M)	.3 (L)	(.1 (L))		

Comments:



FUNCTION & VALUE SUMMARY & OVERALL RATING

Function & Value Variables	Rating	Actual Functional Points	Possible Function al Points	Functional Units; (Actual Points x Estimated AA Acreage)
A. Listed/Proposed T&E Species Habitat	Low	0	1	
B. MT Natural Heritage Program Species Habitat	Low	0	1	
C. General Wildlife Habitat	Low	_ ,	1	
D. General Fish/Aquatic Habitat	Low	. 1	1	
E. Flood Attenuation	Low	. 1	1	
F. Short and Long Term Surface Water Storage	Low	,3	1	
G. Sediment/Nutrient/Toxicant Removal	Moderte	.6	1	
H. Sediment/Shoreline Stabilization	NA			
I. Production Export/Food Chain Support	Low	.3	1	
J. Groundwater Discharge/Recharge	Hrigh	/	1	
K. Uniqueness	Low	.2	1	
L. Recreation/Education Potential	Low	1	1	
Totals:		2.8	11	

(,26)

OVERALL ANALYSIS AREA (AA) RATING: (Circle appropriate category based on the criteria outlined below)

111

	-	
,		1
_		
	IV	
	••	

Category I Wetland: (Must satisfy one of the following criteria; if does not meet criteria, go to Category II) Score of 1 functional point for Listed/Proposed Threatened or Endangered Species; or Score of 1 functional point for Uniqueness; or Score of 1 functional point for Flood Attenuation and answer to Question 14E.ii is "yes"; or Total actual functional points > 80% (round to nearest whole #) of total possible functional points.
Category II Wetland: (Criteria for Category I not satisfied and meets any one of the following criteria; if not satisfied, go to Category IV)
Score of 1 functional point for Species Rated S1, S2, or S3 by the MT Natural Heritage Program; or
Score of .9 or 1 functional point for General Wildlife Habitat; or Score of .9 or 1 functional point for General Fish/Aquatic Habitat; or
 Score of .9 or 1 functional point for General Fish/Aquatic Habitat; or "High" to "Exceptional" ratings for both General Wildlife Habitat and General Fish/Aquatic Habitat; or Score of .9 functional point for Uniqueness; or
Total Actual Functional Points > 65% (round to nearest whole #) of total possible functional points.
Category III Wetland: (Criteria for Categories I, II or IV not satisfied)
Category IV Wetland: (Criteria for Categories I or II are not satisfied and all of the following criteria are met; if does not satisfy criteria go to Category III)
Low" rating for Uniqueness; and
"Low" rating for Production Export/Food Chain Support; and Total actual functional points < 30% (round to nearest whole #) of total possible functional points
total detail fallotional points a boys (round to hearest whole #) of total possible functional points

Appendix C

REPRESENTATIVE PHOTOGRAPHS







Brown's Gulch Photo-point 1



Brown's Gulch Photo-point 3 and Transect 1







Brown's Gulch Photo-point 2




Brown's Gulch Photo-point 4





Appendix D

ENGINEERING DESIGN









Appendix E

BIRD SURVEY PROTOCOL GPS PROTOCOL



BIRD SURVEY PROTOCOL

The following is an outline of the MDT Wetland Mitigation Site Monitoring Bird Survey Protocol. Though each site is vastly different, the bird survey data collection methods must be standardized to a certain degree to increase repeatability. An Area Search within a restricted time frame will be used to collect the following data: a bird species list, density, behavior, and habitat-type use. There will be some decisions that team members must make to fit the protocol to their particular site. Each of the following sections and the desired result describes the protocol established to reflect bird species use over time.

Species Use within the Mitigation Wetland: Survey Method

Result: To conduct a bird survey of the wetland mitigation site within a restricted period of time and the budget allotment.

Sites that can be circumambulated or walked throughout.

These types of sites will include ponds, enhanced historic river channels, wet meadows, and any area that can be surveyed from the entirety of its perimeter or walked throughout. If the wetland is not uncomfortably inundated, conduct several "meandering" transects through the site in an orderly fashion (record the number and approximate location/direction of the transects in the field notebook; they do not have to be formalized or staked). If a very small portion of the site cannot be crossed due to inundation, this method will also apply. Though the sizes of the site vary, each site will require surveying to the fullest extent possible within a set time limit. The optimum times to conduct the survey are in the morning hours. Conduct the survey from sunrise to no later than 11:00 AM. (Note: some sites may have to be surveyed in the late afternoon or evening due to time constraints or weather; if this is the case, record the time of day and include this information in your report discussion.) If the survey is completed before 11:00 AM and no additions are being made to the list, then the task is complete. The overall limiting factor regarding the number of hours that are spent conducting this survey is the number of budgeted hours; this determination must be made by site by each individual.

In many cases, binoculars will be the only instrument that is needed to identify and count the birds using the wetland. If the wetland includes deep water habitat that can not be assessed with binoculars, then a scope and tripod are necessary. If this is the case, establish as many lookout posts as necessary from key vantage points to collect the data. Depending on the size of the open water, more time may be spent viewing the mitigation area from these vantage points than is spent walking the peripheries of more shallow-water wetlands.

Sites that cannot be circumambulated.

These types of sites will include large-bodied waters, such as reservoirs, particularly those with deep water habitat (>6 ft) close to the shore and no wetland development in that area of the shoreline. If one area of the reservoir was graded in such a way to create or enhance the development of a wetland, then that will be the area in which the ambulatory bird survey is conducted. The team member must then determine the length of the shoreline that will be surveyed during each visit.



As stated above in the ambulatory site section, these large sites most likely will have to be surveyed from established vantage points.

Species Use within the Mitigation Wetland: Data Recording

Result: A complete list of bird species using the site, an estimate of bird densities and associated behaviors, and identification of habitat use.

1. Bird Species List

Record the bird species on the Bird Survey - Field Data Sheet using the appropriate 4-letter code of the common name. The coding uses the first two letters of the first two words of the birds' common name or if one name, the first four (4) letters. For example, mourning dove is coded MODO and mallard is MALL. If an unknown individual is observed, use the following protocol and define your abbreviation at the bottom of the field data sheet: unknown shorebird: UNSB; unknown brown bird (UNBR); unknown warbler (UNWA); unknown waterfowl (UNWF). For a flyover of a flock of unknown species, use a term that describes the birds' general characteristics and include the approximate flock size in parentheses; do not fill in the habitat column. For example, a flock of black, medium-sized birds could be coded: UNBB / FO (25). You may also note on the data sheet if that particular individual is using a constructed nest box.

2. Bird Density

In the office, sum the Bird Survey – Field Data Sheet data by species and by behavior. Record this data in the Bird Summary Table.

3. Bird Behavior

Bird behavior must be identified by what is known. When a species is simply observed, the behavior that it is immediately exhibiting is what is recorded. Only behaviors that have discreet descriptive terms should be used. The following terms are recommended: breeding pair individual (BP); foraging (F); flyover (FO); loafing (L; e.g. sleeping, roosting, floating with head tucked under wing are loafing behaviors); and, nesting (N). If more behaviors are observed that do have a specific descriptive word, use them and we will add it to the protocol; descriptive words or phrases such as "migrating" or "living on site" are unknown behaviors.

4. Bird Species Habitat Use

We are interested in what bird species are using which particular habitat within the mitigation wetlands. This data is easily collected by simply recording what habitat the species was initially observed. Use the following broad category habitat classifications: aquatic bed (AB - rooted floating, floating-leaved, or submergent vegetation); forested (FO); marsh (MA – cattail, bulrush, emergent vegetation, etc. with surface water); open water (OW – primarily unvegetated); scrubshrub (SS); and upland buffer (UP); wet meadow (WM – sedges, rushes, grasses with little to no surface water). If other categories are observed onsite that are not suggested here, we will make a new category next year.



E-2

GPS Mapping and Aerial Photo Referencing Procedure

The wetland boundaries, photograph location points and sampling locations were field located with mapping grade Trimble Geo III GPS units. The data was collected with a minimum of three positions per feature using Course/Acquisition code. The collected data was then transferred to a PC and differentially corrected to the nearest operating Community Base Station. The corrected data was then exported to ACAD drawings in Montana State Plain Coordinates NAD 83 international feet.

The GPS positions collected and processed had a 68% accuracy of 7 feet except in isolated areas of Tasks .008 and .011, where it went to 12 feet. This is within the 1 to 5 meter range listed as the expected accuracy of the mapping grade Trimble GPS.

Aerial reference points were used to position the aerial photographs. This positioning did not remove the distortion inherent in all photos; this imagery is to be used as a visual aide only. The located wetland boundaries were given a final review by the wetland biologist and adjustments were made if necessary.

Any relationship of features located to easement or property lines are not to be construed from these figures. These relationships can only be determined with a survey by a licensed surveyor.

