# MONTANA DEPARTMENT OF TRANSPORTATION WETLAND MITIGATION MONITORING REPORT: YEAR 2002

Circle Mitigation Site Circle, Montana



Prepared for:

**MONTANA DEPARTMENT OF TRANSPORTATION** 2701 Prospect Avenue

Helena, MT 59620-1001

February 2003

Project No: 130091.021

Prepared by:

**LAND & WATER CONSULTING, INC.** P.O. Box 8254

Missoula, MT 59807



# MONTANA DEPARTMENT OF TRANSPORTATION

### WETLAND MITIGATION MONITORING REPORT:

# **YEAR 2002**

Circle Mitigation Site Circle, Montana

Prepared for:

#### MONTANA DEPARTMENT OF TRANSPORTATION

2701 Prospect Ave Helena, MT 59620-1001

Prepared by:

LAND & WATER CONSULTING, INC.

P.O. Box 8254 Missoula, MT 59807

February 2003

Project No: 130091.021



### **TABLE OF CONTENTS**

1.0	INTRODUCTION	.1
2.0	METHODS	.1
	2.1 Monitoring Dates and Activities	.1
	2.2 Hydrology	.1
	2.3 Vegetation	.1
	2.4 Soils	.3
	2.5 Wetland Delineation	.3
	2.6 Mammals, Reptiles and Amphibians	.3
	2.7 Birds	.3
	2.8 Macroinvertebrates	.3
	2.9 Functional Assessment	.3
	2.10 Photographs	.4
	2.11 GPS Data	.4
	2.12 Maintenance Needs	.4
3.0	RESULTS	.4
	3.1 Hydrology	.4
	3.2 Vegetation	.5
	3.3 Soils	.5
	3.4 Wetland Delineation	.6
	3.5 Wildlife	.6
	3.6 Macroinvertebrates	.7
	3.7 Functional Assessment	.7
	3.8 Photographs	.7
	3.9 Maintenance Needs/Recommendations	.7
	3.10 Current Credit Summary	.8
4.0	REFERENCES	.9



### **TABLES**

Table 1 2001 and 2002 Circle Wetland Mitigation Vegetation Species List
 Table 2 Wildlife Species Observed on the Circle Mitigation Site
 Table 3 Summary of 2001 and 2002 Wetlands Function/Value Ratings and Functional Points at the Circle Mitigation Project.

#### **FIGURES**

Figure 1 Project Site Location Map

#### **APPENDICES**

Appendix A: Figures 2 - 3

Appendix B: Completed 2002 Wetland Mitigation Site Monitoring Form

Completed 2002 Bird Survey Forms

Completed 2002 Wetland Delineation Forms

Completed 2002 Field and Full Functional Assessment Forms

Appendix C: Representative Photographs

2002 Aerial Photograph

Appendix D: Bird Survey Protocol

GPS Protocol



#### 1.0 INTRODUCTION

This annual report summarizes methods and results from the second year (2002) of monitoring for the Montana Department of Transportation's (MDT) Circle mitigation site. The Circle wetland, located in Watershed #12 of the Glendive District, was constructed to mitigate the impacts for 1.7 acres of wetlands associated with MDT improvements to Highway 200. The site is located in McCone County along the northwest side of Highway 200 between highway markers 276.2 and 276.5, Section 20, Township 19 North, Range 48 East (**Figure 1**). Elevations are approximately 2,430 feet above sea level.

The Circle wetland was constructed in 1999 in a former oxbow of the Redwater River (**Figure 2**, **Appendix A**). The pre-project wetland limits are shown on **Figure 3**, **Appendix A** and total approximately 2.98 acres.

#### 2.0 METHODS

### 2.1 Monitoring Dates and Activities

The Circle wetland was monitored on July 17, 2002. All information contained within the Wetland Mitigation Site Monitoring Form (**Appendix B**) was collected at this time. Activities and information conducted/collected included: wetland delineation; wetland/open water boundary mapping; vegetation community mapping; vegetation transects; soils data; hydrology data; bird and general wildlife use; photograph points; functional assessment; and, maintenance assessment of any inflow/outflow structures.

#### 2.2 Hydrology


Wetland hydrology indicators were recorded using procedures outlined in the US Army Corps (COE) 1987 Wetland Delineation Manual. Hydrology data were recorded on the Routine Wetland Delineation Data Form (**Appendix B**) at each wetland determination point. Precipitation data for the year 2002 were compared to the 1963-2001 average (WRCC 2002).

All additional hydrologic data were recorded on the mitigation site monitoring form (**Appendix B**). The boundary between emergent vegetation and open water was mapped on the aerial photograph (**Figure 3, Appendix A**). There are no groundwater monitoring wells at the site.

#### 2.3 Vegetation

General vegetation types were delineated on an aerial photograph during the site visit (**Figure 3**, **Appendix A**). Coverage of the dominant species in each community type is listed on the monitoring form (**Appendix B**). A comprehensive plant species list for the entire site was compiled and will be updated as new species are encountered. Observations from past years will be compared with new data to document vegetation changes over time. Woody species were not planted at this site.





The vegetation transect was moved to a new location for the 2002 investigation because the 2001 transect was not located in an enhanced wetland area. The location of this transect is shown on **Figure 2, Appendix A**. Percent cover for each species was recorded on the vegetation transect form (**Appendix B**). Transect ends were marked with metal fence posts and their locations recorded on the vegetation map. Photos of the transect were taken from both ends during the site visit.

#### 2.4 Soils

Soils were evaluated during the site visit according to the procedure outlined in the COE 1987 Wetland Delineation Manual. Soil data were recorded for each wetland determination point on the COE Routine Wetland Delineation Data Form (**Appendix B**).

#### 2.5 Wetland Delineation

A wetland delineation was conducted within the assessment area according to the 1987 COE Wetland Delineation Manual. Wetland and upland areas within the monitoring area were investigated for the presence of wetland hydrology, hydrophytic vegetation and hydric soils. The indicator status of vegetation was derived from the National List of Plant Species that Occur in Wetlands: North Plains Region 4 (Reed 1988). The information was recorded on the COE Routine Wetland Delineation Forms (**Appendix B**). The wetland/upland and open water boundaries were used to calculate the wetland area.

#### 2.6 Mammals, Reptiles, and Amphibians

Mammal, reptile, and amphibian species observations were recorded on the wetland monitoring form during the site visit (**Appendix B**). Indirect use indicators were also recorded including tracks, scat and burrows. A comprehensive wildlife species list for the entire site was compiled and will be updated as new species are encountered. Observations from past years will be compared with new data to determine if wildlife use is changing over time.

#### **2.7** Birds

Bird observations were recorded during the site visit according to the established bird survey protocol (**Appendix D**). A general, qualitative bird list has been compiled using these observations. Observations will be compared between years in future studies.

#### 2.8 Macroinvertebrates

Per MDT instructions, no macroinvertebrate samples were collected on the site.

#### 2.9 Functional Assessment

A functional assessment form was completed in 2002 for the Circle mitigation site using the 1999 MDT Montana Wetland Assessment Method. Field data necessary for this assessment



were collected on a condensed data sheet included in the mitigation site monitoring form. The remainder of the assessment was completed in the office (**Appendix B**).

#### 2.10 Photographs

Photographs were taken showing the current land use surrounding the site, the wetland buffer, the monitored area, and the vegetation transect. A description and compass direction for each photograph were recorded on the wetland monitoring form.

During the 2001 monitoring season, each photo-point was marked on the ground with a wooden stake and the location recorded with a resource grade GPS (**Appendix C**). The approximate locations are shown on **Figure 2**, **Appendix A**. Photographs were taken from the same locations during the 2002 site visit. All photographs were taken using a 50 mm lens. A 2002 aerial photo is included in **Appendix C**.

#### **2.11 GPS Data**

During the 2001 monitoring season, survey points were collected using a resource grade Trimble, Geoexplorer III hand-held GPS unit (**Appendix D**). Points collected included: the vegetation transect beginning and ending locations; photograph locations; and the jurisdictional wetland boundary. In addition, during the August 2001 monitoring season survey points were collected at four (4) landmarks recognizable on the air photo for purposes of line fitting to the topography. No new GPS data were collected during the 2002 field season; changes in the wetland boundary, vegetation communities, location of the vegetation transect, and the sample point locations were drawn on an aerial photograph.

#### 2.12 Maintenance Needs

No bird boxes or inflow structures were located within this site. There is a small containment structure in the lowest elevation of the oxbow that was installed to maintain water in the wetland for longer periods (pers. comm. L. Sickerson, MDT). This structure is less than 0.5 meters in height and overflows are conveyed through a box culvert under the roadway and into the Redwater River.

#### 3.0 RESULTS

#### 3.1 Hydrology

The Circle mitigation site was constructed in 1999 to be a 4.3-acre wetland adjacent to an historic oxbow of the Redwater River. The hydrologic source is primarily groundwater and secondarily, stormwater. A containment area was excavated at the lowest elevation of the oxbow to retain water for longer periods. Excess water simply flows out through a box culvert under the highway and into the Redwater River.



During the July 17, 2002 visit approximately 37% of the assessment area was inundated with shallow (0-2 feet), standing water.

Precipitation data for the Circle station indicate that the yearly average (1963-2001) is 13.44 inches (WRCC, 2002); through the month of July precipitation average is 9.06 inches. During 2002, precipitation through the month of July was 7.02 inches or 77% of the average. The night before the 2002 site visit a rain storm had occurred and saturation or inundation was evident throughout most of the site.

#### 3.2 Vegetation

Vegetation species identified on the site are presented in **Table 1** and in the monitoring form (**Appendix B**). Five (5) dominant vegetation communities are mapped on the mitigation area map (**Figure 3, Appendix A**). The communities include: Type 1, *Agropyron smithii*; Type 2, *Scirpus spp.*; Type 3, *Scirpus spp./Distichlis stricta; Type 4, Juncus effuses; and Type 5, Distichlis stricta/Hordeum jubatum.* Dominant species within each community are listed on the monitoring form (**Appendix B**).

The 2002 vegetation transect results are detailed in the monitoring form (**Appendix B**) and are summarized below. The 2001 transect data is included for comparison, although the transect was moved to a new location in 2002.

#### 2001 Transect Data

- 1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
į	Transect 1	Upland	Wetland	Total	End	
	Start	Type 1 (20')	Type 2 (20')	40'	Transect 1	
				000000	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

#### 2002 Transect Data

Transe	. Upland	Wetland	Wetland	Open Water	Wetland	Wetland	Total	End
1 Start	Type 1	Type 3	Type 2	(39')	Type 2	Type 1	10tai 132'	Transect
1 Start	(9')	(6')	(15')	(37)	(45')	(18')	132	1

#### 3.3 Soils

The site was mapped as part of the McCone County Soil Survey. The dominant soil on the site is the Havrelon loam (Map Unit 86). This deep, well-drained soil is formed in alluvium on low terraces and floodplains of the Missouri and Redwater Rivers and their tributaries. Havrelon soils and the inclusions of Trembles, Cherry, and Ridgelaw soils are not listed on the Montana NRCS Hydric Soil list.

Soils were sampled at one wetland location (SP-1) and one upland (SP-2). Soils at SP-1 were an olive brown (2.5Y 4/3) organic streaked sandy clay loam from 0-16 inches. From 2-7 inches the soil was an olive brown sand, and from 7-16 inches olive brown sand with yellowish red mottles (5YR 4/3). Below 16 inches the soil was a gray (Gley 1 5N) clay gravel. The soil was saturated to the surface and water was filling the pit at a depth of 5 inches. Soils at SP-2 were an olive brown sandy loam from 0-18 inches; no saturation or hydric indicators were notes.



Table 1: 2001 and 2002 Circle Wetland Mitigation Vegetation Species List

Scientific Name	Common Name	Indicator Status
Agropyron cristatum*	crested wheatgrass	-
Agropyron smithii **	western wheatgrass	FACU
Artemisia tridentate*	big sage	-
Brassica spp.	mustard	FACW+
Bromus japonicus*	Japanese brome	FACU
Carex praegracilis**	clustered field sedge	FACW
Chenopodium spp.*	pigweed	unk.
Cirsium arvense**	Canada (creeping) thistle	FACU
Distichlis stricta**	inland saltgrass	-
Elaeagnus angustifolia	Russian olive	FAC
Eleocharis palustris**	creeping spikerush	OBL
Glyceria spp.**	reed meadowgrass	OBL
Grindelia spp.	gumweed	(Unknown -likely FACU)
Hordeum jubatum*	fox-tail barley	FACW
Juncus balticus	Baltic rush	OBL
Juncus effuses**	soft rush	OBL
Kochia spp.*	Kochia	FAC
Poa fendleriana**	mutton bluegrass	FACU
Rumex crispus	curly dock	FACW
Scirpus pungens**	three-square bulrush	OBL
Scirpus spp.**	bulrush species	(likely OBL)
Stipa spp.**	needle grass	(Unknown -likely NI)
Trifolium spp.	sweet clover	FAC-FACW
Typha latifolia	broad-leaf cattail	OBL

<sup>-:</sup> Not included in the Wetland Indicator manual or No Indicator listed.

No star indicates a species was observed in 2001, but not in 2002

#### **3.4 Wetland Delineation**

The delineated wetland boundary is depicted on **Figure 3**, **Appendix A**. According to the MDT, approximately 2.98 wetland acres occurred at the site prior to mitigation construction. During 2002, an additional 4.62 wetland acres, including 1.7 acres of open water habitat, were delineated adjacent to the pre-existing wetlands. Since 2001 the acreage of new wetland increased 0.27 acres. The open water averages 1 foot in depth. The COE data forms are included in **Appendix B**.

#### 3.5 Wildlife

Wildlife species are listed in **Table 2.** Activities and densities associated with these observations area included on the monitoring form in **Appendix B**. Mammal observations were limited to coyote tracks. No bird boxes have been installed at this site.



<sup>\*</sup>denotes observed in 2002 in addition to previous years

<sup>\*\*</sup>denotes observed in 2002 for the first time

Table 2. Wildlife Species Observed at the Circle Mitigation Site

#### BIRDS

American coot (Fulica Americana)
Black Tern (Chlidonias niger)\*\*
Eastern Kingbird (Tyrannus tyrannus) \*\*
Greater Yellow Legs (Tringa melanoleuca)\*\*
Blue winged teal (Anas discors)
Cinnamon teal (Anas cyanoptera)
Common Nighthawk (Chordeiles minor) \*\*
Common snipe (Gallinago gallinago)

Killdeer (Charadrius vociferous)\*
Mallard (Anas platyrhynchos)\*
Red-winged Black bird (Agelaius phoeniceus)\*\*
Spotted sandpiper (Actitis macularia)
Tree Swallow (Tachycineta bicolor)\*\*
Unident. ducks
Unident. shorebirds
Willet (Catoptrophorus semipalmatus)

#### MAMMALS

Coyote tracks (Canis latrans) \*\*
White-tailed deer (Odocoileus virginianus)

No star indicates a species was observed in 2001, but not in 2002

#### 3.6 Macroinvertebrates

No macroinvertebrate samples were collected on the site.

#### 3.7 Functional Assessment

Completed functional assessment forms are included in **Appendix B** and summarized below in **Table 3**. The 1998 functional assessment resulted in a Class III (43%) rating, 2001 was rated as a Class II (66%), and the 2002 assessment indicates that the wetland has improved within the Class II rating (77%). The entire wetland has increased 10.9 functional units since 2001. The mitigation site has been rated as a Category II wetland primarily as a result of the excellent general wildlife habitat, water storage, sediment removal, and potential for educational use.

#### 3.8 Photographs

Representative photos taken from photo points and transect ends are included in **Appendix C.** The 2002 aerial photograph is also included in **Appendix C.** 

#### 3.9 Maintenance Needs/Recommendations

No maintenance is required at this site.



<sup>\*</sup>denotes observed in 2002 in addition to previous years

<sup>\*\*</sup>denotes observed in 2002 for the first time

Table 3: Summary of 2001 and 2002 Wetland Function/Value Ratings and Functional Points at the Circle Wetland Mitigation Project

Function and Value Parameters From the 1999 MDT Montana Wetland Assessment Method	2001	2002
Listed/Proposed T&E Species Habitat	Low (.3)	Low (.3)
MNHP Species Habitat	Moderate (.6)	High (.8)
General Wildlife Habitat	Exceptional (1)	Exceptional (1)
General Fish/Aquatic Habitat	NA	NA
Flood Attenuation	Moderate (.5)	Moderate (.5)
Short and Long Term Surface Water Storage	Moderate (.7)	High (.8)
Sediment, Nutrient, Toxicant Removal	High (1)	High (1)
Sediment/Shoreline Stabilization	High (1)	High (1)
Production Export/Food Chain Support	Moderate (.7)	Moderate (.7)
Groundwater Discharge/Recharge	High (1)	High (1)
Uniqueness	Moderate (.4)	Moderate (.4)
Recreation/Education Potential	Low (.1)	High (1)
Actual Points/ Possible Points	7.3/11	8.5/11
% of Possible Score Achieved	66%	77%
Overall Category	II	II
Total Acreage of Assessed Wetlands within Monitoring Area	7.33 ac (2.98 pre-existing)	7.6 ac (2.98 pre-existing)
Total Functional Units (acreage x actual points)	53.73 fu	64.6 fu
Net Acreage Gain ("new" wetlands)	4.35 ac	4.62 ac
Net Functional Unit Gain (new acreage x actual points)	31.76 fu	39.27 fu

#### 3.10 Current Credit Summary

The new wetland acreage at the Circle mitigation site totals 4.62 acres inclusive of 1.7 acres of shallow (<1'), open water (a storm had passed through the day before). Given the fact that the open water averages <1 foot deep, the entire 4.62 acres should be accepted as wetland credit. There is also a high probability that emergent vegetation will eventually cover the site. As it exists now, the shallow open water is an amenity for resident mammals, shorebirds and waterfowl. Wetlands impacted during the Southwest-Brockway East projects totaled 1.7 acres (Harris, 1998). Consequently, approximately 2.92 acres of "credit" may remain at this site for application to other projects as of 2002.

The Circle mitigation wetland is rated as a Category II wetland primarily as a result of the excellent general wildlife habitat, water storage, sediment removal, and potential for educational use. The wetland is well developed with a high diversity of wetland species and a presumed sanctuary for migrating waterfowl and shorebirds.

Grazing continues within the southwest end of the project. Long-term fencing is recommended around the entire Circle wetland to protect the sensitive wetland environment. Several watering access points for livestock could be incorporated, which would limit vegetation trampling to a small number of areas.



#### 4.0 REFERENCES

- Berglund, J. 1999. *MDT Montana Wetland Assessment Method*. Prepared for Montana Department of Transportation. May 1999.
- Harris, R. 1998. Biological Memorandum and Wetland Finding, MDT's Circle Southwest-Brockway East Projects, Turnstone Biological.
- Reed, P.B. 1988. National list of plant species that occur in wetlands: North Plains (Region 4). Biological Report 88(26.4), May 1988. U.S. Fish and Wildlife Service. Washington, D.C.
- Sickerson, L. District 4 Biologist, Montana Department of Transportation. Helena, Montana. March 2002 telephone conversations.
- US Army Corps of Engineers. 1987. *Corps of Engineers Wetlands Delineation Manual*. US Army Corps. Washington, DC.
- USDA Natural Resource Conservation Service. Soil Survey of McCone County, Montana.
- Western Regional Climate Center, 2002. Circle, MT Station: <a href="http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?mtcirc">http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?mtcirc</a>





# Appendix A

# FIGURES 2 - 3

MDT Wetland Mitigation Monitoring Circle Mitigation Site Circle, Montana







# Appendix B

COMPLETED 2002 WETLAND MITIGATION SITE MONITORING FORM
COMPLETED 2002 BIRD SURVEY FORMS
COMPLETED 2002 WETLAND DELINEATION FORMS
COMPLETED 2002 FIELD AND FULL FUNCTIONAL
ASSESSMENT FORMS

MDT Wetland Mitigation Monitoring Circle Mitigation Site Circle, Montana



# LWC / MDT WETLAND MITIGATION SITE MONITORING FORM

Loca Lega	Aioma (Vimala	MT	.oject ivuilibei.	130091-021	Assessmen	276
Lega	tion: <u>Circle</u>	10N P 18	MIL	D1 D1strict:	Dov: 6 8 PM	ost:276
						_ nent: <u>LBacon</u>
			_		_	2002
		<u></u>	<u> </u>	8		
			HY	DROLOGY		
urf	ace Water Sou	rce: Redw	ater River			
				depths:1 <u>ft</u>	Range of deptl	ns:0 <u>_2_ft</u>
	ssment area und					
	h at emergent vo					** **
	sessment area is					
'	stained ground, o	mmt mies				
Gra	undwater					
	nitoring wells: P	resent	Absent X			
	ord depth of wat			_		
	Well #	Depth	Well #	Depth	Well #	Depth
		•		•		
	tions (drift lines	vegetation-open of surface water s, erosion, veget	r during each si ation staining e	te visit and look		f past surface water
	_Map emergent _Observe extent tions (drift lines	vegetation-open of surface water	r during each si ation staining e	te visit and look		f past surface water
leva	_Map emergent _Observe extent tions (drift lines _GPS survey gr	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		of past surface water
leva	_Map emergent _Observe extent tions (drift lines	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		f past surface water
leva	_Map emergent _Observe extent tions (drift lines _GPS survey gr	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		of past surface water
leva	_Map emergent _Observe extent tions (drift lines _GPS survey gr	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		f past surface water
leva	_Map emergent _Observe extent tions (drift lines _GPS survey gr	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		of past surface water
eleva	_Map emergent _Observe extent tions (drift lines _GPS survey gr	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		f past surface water
eleva	_Map emergent _Observe extent tions (drift lines _GPS survey gr	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		f past surface water
eleva	_Map emergent _Observe extent tions (drift lines _GPS survey gr	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		of past surface water
eleva	_Map emergent _Observe extent tions (drift lines _GPS survey gr	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		f past surface water
eleva	_Map emergent _Observe extent tions (drift lines _GPS survey gr	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		f past surface water
leva	_Map emergent _Observe extent tions (drift lines _GPS survey gr	vegetation-open of surface water s, erosion, veget oundwater mon	r during each si ation staining e itoring wells loo	te visit and look		f past surface water



#### **VEGETATION COMMUNITIES**

Community No.:\_1\_ Community Title (main species):\_\_\_\_Agropyon smithii\_\_\_\_\_ **Dominant Species** % Cover **Dominant Species** % Cover Agropyon smithii 50 Cirsium arvense <10 <10 Stipa spp. 30 Kochia spp. COMMENTS/PROBLEMS: Community No.: 2 Community Title (main species): Scirpus pungens/Scirpus spp. % Cover **Dominant Species Dominant Species** % Cover Scirpus pungens/Scirpus spp. 90 Glyceria spp. 10 Hordeum jubatum < 5 Distichlis stricta <5 COMMENTS/PROBLEMS: \_\_\_\_\_ recollect succulent in 2003 \_\_\_\_\_ Remains unclear what the Scirpus spp. is; will recollect 2003. Community No.:\_\_3\_\_ Community Title (main species):\_\_ Scirpus pungens/Scirpus spp./ Distichlis stricta **Dominant Species** % Cover **Dominant Species** % Cover Scirpus pungens/Scirpus spp. 40 Glyceria grandis (maxima) 10 Distichlis stricta 30 Eleocharis palustris 10 Poa fendlerana <5 Chenopodium spp. 10 Hordeum jubatum < 5 **COMMENTS/PROBLEMS:** 



**Additional Activities Checklist:** 

\_\_X\_\_Record and map vegetative communities on air photo

#### **VEGETATION COMMUNITIES (continued)**

Community No.:\_\_4\_ Community Title (main species):\_\_\_\_ Juncus effuses \_\_\_\_\_ **Dominant Species** % Cover **Dominant Species** % Cover Juncus effuses 85 <5 Carex praegracilis < 5 Chenopdium spp. Hordeum jubatum <10 COMMENTS/PROBLEMS: \_\_\_\_\_recollect succulent in 2003 \_\_\_\_\_ Community No.:\_5\_\_ Community Title (main species):\_\_Disticlis stricta/Hordeum jubatum\_\_\_\_\_ **Dominant Species** % Cover **Dominant Species** % Cover Disticlis stricta 50 40 Hordeum jubatum Scirpus pungens/Scirpus spp. <5 Juncus effuses < 5 <5 Glyceria grandis (maxima) COMMENTS/PROBLEMS: Community No.: Community Title (main species):\_\_\_\_\_ **Dominant Species** % Cover **Dominant Species** % Cover COMMENTS/PROBLEMS: \_\_\_\_\_



# COMPREHENSIVE VEGETATION LIST

Species	Vegetation Community Number(s)	Species	Vegetation Community Number(s)
Agropyron cristatum*	1		
Agropyron smithii **	1		
Artemisia tridentate*	1		
Brassica spp.	1		
Bromus japonicus*	1		
Carex praegracilis**	4		
Chenopodium spp.*	3		
Cirsium arvense**	1		
Distichlis stricta**	1, 2, 3		
Elaeagnus angustifolia	1		
Eleocharis palustris**	3		
Glyceria spp.**	2, 3		
Grindelia spp.	1		
Hordeum jubatum*	1, 2, 3		
Juncus balticus	(unknown)		
Juncus effuses**	2		
Kochia spp.*	1		
Poa fendlerana**	3		
Rumex crispus	1		
Scirpus pungens**	2, 3		
Scirpus spp.**	2		
Stipa spp.**	1		
Trifolium spp.	1		
Typha latifolia	2		
- J.			
*denotes observed in 2002 in addition to	previous years		
**denotes observed in 2002 for the first ti			
No star indicates a species was observed:			

COMMENTS/PROBLEMS:		



# PLANTED WOODY VEGETATION SURVIVAL

Species	Number Originally Planted	Number Observed	Mortality Causes
NONE			
COMMENTS/PROBLEMS:			



# WILDLIFE

# **BIRDS**

(Attach Bird Survey Field Forms)

Were man made nesting structures installed? Yes_nesting structures being utilized? Yes No	No_X Do the nes	Type:	How many	? Are	the No
140 <u></u>	_ 2000		, 1100 10 pu		
	S AND HER	PTILES			
Species	Number			ication of use	0.1
Coyote (Canis latrans)	Observed	Tracks X	Scat	Burrows	Other
Coyote (Canis tairans)		Λ			
noneMacroinvertebrate sampling (if required  COMMENTS/PROBLEMS:					



#### **PHOTOGRAPHS**

Using a camera with a 50 mm lenses and color film take photographs of the following permanent reference
points listed in the checklist below. Record the direction of the photograph using a compass. (The first time at
each site establish a permanent reference point by setting a ½ inch rebar or fencepost extending 2-3' above
ground, survey the location with a resource grade GPS and mark the location on the air photo.)
Checklist:

X up	At least one pl land use exist At least one pl	each of the 4 cardinal directions surrounding wetland hoto showing upland use surrounding wetland – if more than one s, take additional photos hoto showing buffer surrounding wetland m each end of vegetation transect showing transect	
Location	Photo	Photograph Description	(2001)
	Frame #		Compass
			Readings
A	10	wetland view	N
В	11	upland use (across WL)	320
С	12	WL buffer (across WL)	W
D	3	wetland view	W
Е	8	wetland view	S

cover 7 WL overview SW

COMMENTS/PROBLEMS:

# \*GPS SURVEYING

Using a resource grade GPS survey the items on the checklist below. Collect at least 3 location points with the GPS unit set at 5 second recording rate. Record file numbers fore site in designated GPS field notebook

#### Checklist:

F

G

Η

4

5

X	_ Jurisdictional wetland boundary
no_	4-6 landmarks recognizable on the air photo
X	Start and end points of vegetation transect(s)
X	Photo reference points
none	Groundwater monitoring well locations

wetland view

Beginning transect (new 2002)

End transect (new 2002)

COMMENTS/TROBLEMS.	Data in checklist was nand-drawn for the 2002 investigation.	



E

NW

SE

# WETLAND DELINEATION

(Attach Corps of Engineers delineation forms)

At each site conduct the items on the checklist below:
X Delineate wetlands according to the 1987 Army Corps manual.
X Delineate wetland-upland boundary on the air photo
X* Survey wetland-upland boundary with a resource grade GPS survey
COMMENTS/PROBLEMS: _ *boundary hand-drawn 2002
FUNCTIONAL ASSESSMENT (Complete and attach full MDT Montana Wetland Assessment Method field forms; also attach abbreviated field forms, if used)
COMMENTS/PROBLEMS:
Were man-made nesting structures installed at this site? YES NOX
If yes, do they need to be repaired? YES NO If yes, describe problems below and indicate if any actions were taken to remedy the problems.
Were man-made structures build or installed to impound water or control water flow into or out of the wetland?  YES_X_NO
If yes, are the structures working properly and in good working order? YES_X_ NO  If no, describe the problems below.
<b>COMMENTS/PROBLEMS:</b> Outflow area constructed to slow passage of water out of the wetland and to allow ponding; outlet stream not impeded and culvert clear.



MDT WETLAND MONITORING – VEGETATION TRANSECT							
Site: Circle Date:	7/17/02	Examiner: LB Transect # 1					
Approx. transect length: 132'	Compass Dir	ection from Start (Upland): 315 deg.					
Vegetation type A:   CT 1		<b>Vegetation type B:</b> CT 3					
Length of transect in this type: 9'	feet	Length of transect in this type: 6'	feet				
Species:	Cover:	Species:	Cover:				
GLYCERIA SPP.	5%	HORJUB	<1%				
HORJUB	3%	GLYGRA	5%				
KOCHIA spp.	70%	DISSPI	85%				
AGRSMI	<25%	CHENOPODUIM SPP.	5%				
		SCIPUN/SCIspp.	5%				
Total Vegetative Cover:	100%	Total Vegetative Cover:	100%				
<b>Vegetation type C:</b> CT 2		<b>Vegetation type D:</b> open water					
Length of transect in this type: 15'	feet	Length of transect in this type: 39'	feet				
Species:	Cover:	Species:	Cover:				
SCIPUN/SCIspp	94%	(open water)	(100%)				
ELEPAL	3						
DISSPI	3						
Total Vegetative Cover:	100%	Total Vegetative Cover:	0%				



		G – VEGETATION TRANSECT (continued)		
Site: Circle- page 2	Date:	Examiner: Tran	sect # <u>(1)</u>	
Approx. transect length:		Direction from Start (Upland):		
<b>Vegetation type E:</b> CT 2		Vegetation type F: CT 1		
Length of transect in this type: 45'	feet	Length of transect in this type: 18'	feet	
Species:	Cover:	Species:	Cover:	
(mud)	(85%)	SCIPUN/SCIRPUS spp	100%	
(open water-<2" deep)	(5%)			
SCIPUN/SCIspp	10%			
GLYGRA	<1%			
DISSPI	5%			
SCIRPUS spp.	<10%	Total Ve	getative Cover: 100%	
Vegetation type G:		Vegetation type H:		
Length of transect in this type:	feet	Length of transect in this type:	feet	
Species:	Cover:	Species:	Cover:	
		]		
			+	
Total Vegetat			getative Cover:	



### MDT WETLAND MONITORING – VEGETATION TRANSECT (back of form)

1 = 1-5%	3 = 11-20%	Indicator Class: + = Obligate - = Facultative/Wet 0 = Facultative	Source: P = Planted V = Volunteer						
Percent of perim	neter 100% % devel	oping wetland vegetation – excludi	ing dam/berm structures.						
this location with	Establish transects perpendicular to the shoreline (or saturated perimeter). The transect should begin in the upland area. Permanently mark this location with a standard metal fencepost. Extend the imaginary transect line towards the center of the wetland, ending at the 3 food depth (in open water), or at a point where water depths or saturation are maximized. Mark this location with another metal fencepost.								
		0	im, establish a transect at the windward and leeward sides of entory, representative portions of the wetland site.						
Notes:									



#### BIRD SURVEY - FIELD DATA SHEET

**SITE:** Circle, MT

Page\_\_1\_of\_\_1\_ Date: 7/17/02

Survey Time: 6-8 PM

Bird Species	#	Behavior	Habitat	Bird Species	#	Behavior	Habitat
Black Tern	1	FO	MA	-			
Killdeer	1	F	MA				
Night Hawk	1	F	flyover				
Greater Yellow legs	1	F	MA				
Unident. ducks	many	F	MA				
Unident. Shorebirds	5	F	MA				
Eastern kingbird	1	L	UP				
Red Winged Blank bird	1	L	MA				
tree swallow	1	F	flyover				
	1						
	1						
	1						

Notes:	

Behavior: BP – one of a breeding pair; BD – breeding display; F – foraging; FO – flyover; L – loafing; N – nesting

 $\label{eq:habitat: AB-aquatic bed; FO-forested; I-island; MA-marsh; MF-mud flat; OW-open water; SS-scrub/shrub; UP-upland buffer; WM-wet meadow, US-unconsolidated shoreline}$ 



# DATA FORM ROUTINE WETLAND DETERMINATION

(1987 COE Wetlands Delineation Manual)

	1 <b>-</b>					
Project/Site: Circle Wetland	Date: <u>7-17-02</u>					
Applicant/Owner: MDT	County: McCone					
Investigator: Lynn Bacon, Land & Water Consulting	State: <u>MT</u>					
Do Normal Circumstances exist on the site: <u>x</u> Yes	No Community ID: Emergent					
Is the site significantly disturbed (Atypical Situation)? Yes	x No Transect ID:					
Is the area a potential Problem Area?: Yes	x No Plot ID: SP-1					
(If needed, explain on reverse.)						
VEGETATION	DN					
Dominant Plant Species Stratum Indicator	Dominant Plant Species Stratum Indicator					
1 Scirpus pungens H OBL 9						
2 Scirpus spp. H OBL 10						
3 11						
4 12						
5 13						
6 14						
7 15						
8 16						
Percent of Dominant Species that are OBL, FACW, or FAC (exclu	ding FAC-). $2/2 = 100\%$					
Remarks: SP on the wetland end of the transect.						
HYDROLOGY						
x Recorded Data (Describe in Remarks): Wetl	and Hydrology Indicators:					
Stream, Lake, or Tide Gauge	Primary Indicators:					
x Aerial Photographs	x Inundated					
Other	x Saturated in Upper 12 Inches					
No Recorded Data Available	x Water Marks					
	Drift Lines					
Field Observations:	x Sediment Deposits					
Tiola observations.	x Drainage Patterns in Wetlands					
Depth of Surface Water: (in.)	Secondary Indicators (2 or more required):					
Depth of durface water.	Oxidized Root Channels in Upper 12 Inches					
Depth to Free Water in Pit: 6 (in.)	Water-Stained Leaves					
Dopin to Free water in Fig (iii.)	Local Soil Survey Data					
Depth to Saturated Soil: surface (in.)	FAC-Neutral Test					
Beptil to Catalated Coll (III.)	Other (Explain in Remarks)					
	Other (Explain in Remarks)					
Remarks:						
iveillains.						
Transect crosses several open water areas (likely <1' deep and pe	arhans only a few inches deen). This SD in on a slightly					
higher area and thus was not inundated.	ornapo orny a row inorios acep). Triis or in on a siigitty					
ווישויטי מיטמ מווע נוועט שעט ווטג ווועוועמנכע.						



Profile Des Depth inches 0 - 2 2 - 7 7-16 16+ Hydric Soi	il Indicators:  Histose Sulfidic X Reduci	Epipedon	ime	10YF	ors Moist) R 4/6 R 7/8	Drainage Class: Field Observations Confirm Mapped Ty  Mottle Abundance/Contrast  40%, large  5%  Concretions High Organic Content in solution of the content	surface Layedy Soils List	Concretions e, etc. streaked, san loam sand rganic streak clay gravels	at 10")
Profile Des Depth inches 0 - 2 2 - 7 7-16 16+ Hydric Soi	il Indicators: Histose Histose X X X X X X X X X X X X X X X X X X X	trix Color unsell Moist)  2Y 4/3  2Y 4/3  2Y 4/3  Gley 1 5/N  ol Epipedon c Odor Moisture Regiing Conditions	ime	5YR 10YF	Moist) R 4/6 R 7/8	Concretions High Organic Content in s Organic Streaking in San Listed on National Hydric Sc Listed on National Hydric	surface Layedy Soils List	Concretions e, etc. streaked, san loam sand rganic streak clay gravels	at 10")
Depth inches  0 - 2  2 - 7  7-16  16+  Hydric Soi	Il Indicators:  Histoso Histic E Sulfidic X Reduci X Gleyeo	ol Epipedon c Odor Moisture Regising Conditions	ime	5YR 10YF	Moist) R 4/6 R 7/8	Abundance/Contrast  40%, large  5%  Concretions High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	surface Layed y Soils List	e, etc. streaked, san loam sand rganic streak clay gravels	at 10")
Depth inches  0 - 2  2 - 7  7-16  16+  Hydric Soi	Il Indicators:  Histoso Histic E Sulfidic X Reduci X Gleyeo	ol Epipedon c Odor Moisture Regising Conditions	ime	5YR 10YF	Moist) R 4/6 R 7/8	Abundance/Contrast  40%, large  5%  Concretions High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	surface Layed y Soils List	e, etc. streaked, san loam sand rganic streak clay gravels	at 10")
inches 0 - 2 2 - 7 7-16 16+ Hydric Soi	Horizon (Mu A A A B il Indicators: Histoso Histic I Sulfidio X Aquic I X Reduci X Gleyeo	ol Epipedon c Odor Moisture Regising Conditions	ime	5YR 10YF	Moist) R 4/6 R 7/8	Abundance/Contrast  40%, large  5%  Concretions High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	surface Layed y Soils List	e, etc. streaked, san loam sand rganic streak clay gravels	at 10")
2 - 7 7-16 16+ Hydric Soi	A  A  B  il Indicators:  Histoso  Sulfidio  X  Aquic I  X  Reduci  X  Gleyeo	2Y 4/3 2Y 4/3 Gley 1 5/N  ol Epipedon c Odor Moisture Regiing Conditions	3	10YF	R 7/8	Concretions High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	sand (or surface Layedy Soils bils List Soils List	loam sand rganic streak clay gravels	at 10")
7-16 16+ Hydric Soi	il Indicators:  Histoso Histic I Sulfidio X Aquic I X Reduci X Gleyeo	2Y 4/3 Gley 1 5/N  ol Epipedon c Odor Moisture Regi	3	10YF	R 7/8	Concretions High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	surface Laye dy Soils oils List Soils List	ganic streak clay gravels	
16+  Hydric Soi	il Indicators:  Histoso Histic I Sulfidio x Aquic I x Reduci x Gleyeo	ol Epipedon c Odor Moisture Regi	3	10YF	R 7/8	Concretions High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	surface Laye dy Soils oils List Soils List	clay gravels	
Hydric Soi	il Indicators: Histoso Histic I Sulfidio X Aquic I X Reduci X Gleyeo	ol Epipedon c Odor Moisture Regi ing Conditions	3			Concretions High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	surface Laye dy Soils oils List Soils List		Soils
	Histoso Histic I Sulfidio X Aquic I X Reduci X Gleyeo	Epipedon c Odor Moisture Regi ing Conditions	3	rs		High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	dy Soils oils List Soils List	er in Sandy	Soils
	Histoso Histic I Sulfidio X Aquic I X Reduci X Gleyeo	Epipedon c Odor Moisture Regi ing Conditions	3	rs		High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	dy Soils oils List Soils List	er in Sandy	Soils
	Histoso Histic I Sulfidio X Aquic I X Reduci X Gleyeo	Epipedon c Odor Moisture Regi ing Conditions	3	rs		High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	dy Soils oils List Soils List	er in Sandy	Soils
	Histoso Histic I Sulfidio X Aquic I X Reduci X Gleyeo	Epipedon c Odor Moisture Regi ing Conditions	3	rs		High Organic Content in s Organic Streaking in San Listed on Local Hydric So Listed on National Hydric	dy Soils oils List Soils List	er in Sandy	Soils
			w	/ETLAN	D DETER	MINATION			
Hydrophyt	tic Vegetation	X	Yes	No					
Present?	ilo vegetation	Λ	T 65	INO					
	Hydrology Prese		Yes	No					
					Is this Sampling Point Within a x Yes No Wetland?				No 
Remarks:									
	loped wetland,	currently fence	ed from c	cattle wh	ich is likel	y contributing to the high o	diversity and	d proliferatic	n of

Approved by HQUSACE 2/92



# DATA FORM ROUTINE WETLAND DETERMINATION

(1987 COE Wetlands Delineation Manual)

Project/Site: Circle Wetland	Date: 7-17-02						
Applicant/Owner: MDT	County: McCone						
Investigator: Lynn Bacon, Land & Water Consulting	State: MT						
Do Normal Circumstances exist on the site: x Yes Is the site significantly disturbed (Atypical Situation)? Yes x Is the area a potential Problem Area?: Yes x (If needed, explain on reverse.)	No Community ID: UPL No Transect ID: No Plot ID: SP-2						
VEGETATION							
Dominant Plant Species Stratum Indicator Domin	nant Plant Species Stratum Indicator						
1 Poa fendlerana H FACU- 9							
2 Kochia spp. H unk. 10							
3 Agoipyron smithii H FACU 11							
4 Hordeum jubatum H FACW 12							
5 13							
7 15							
8 16							
SP not within the wetland boundary.							
HYDROLOGY							
	drology Indicators:						
	nary Indicators:						
x _ Aerial Photographs	Inundated						
Other	Saturated in Upper 12 Inches						
No Recorded Data Available	Water Marks						
	Drift Lines						
Field Observations:	Sediment Deposits						
Double of Confess Materia	Drainage Patterns in Wetlands						
Depth of Surface Water: NA (in.) Seco	ondary Indicators (2 or more required):						
Depth to Free Water in Pit: NA (in.)	Oxidized Root Channels in Upper 12 Inches Water-Stained Leaves						
Depth to Free Water in Pit: NA (in.)	Local Soil Survey Data						
Depth to Saturated Soil: NA (in.)	FAC-Neutral Test						
	Other (Explain in Remarks)						
Remarks:	_						
No hydrology indicators evident.							
The Hydrelegy maistacies evidenti							



### SOILS

Map Unit		86 F	lavrelo	n loai	m	Drainage Class:	well			
	(Series and Phase):  Taxonomy (Subgroup):  NA						Field Observations Confirm Mapped Type? Yes X No			
Taxonomy (Gubgroup)NA Tes Tes No										
	escription:	<u> </u>	1							
Depth inches	Horizon	Matrix Color (Munsell Moist)		e Col		fottle bundance/Contrast	Texture, Concretions,			
0 - 18		,	(iviuri	(Munsell Moist)		ibundance/Contrast	Structure, etc.			
0-18	A	2Y 4/3					sandy loam			
	l				l					
Hydric So	oil Indicator				0					
		istosol istic Epipedon				ncretions h Organic Content in s	urface Layer in Sandy Soils			
		ulfidic Odor				anic Streaking in Sand				
	Aquic Moisture Regime Listed on Local Hydric Soils List									
	Reducing Conditions Listed on National Hydric Soils List									
	Gleyed or Low-Chroma Colors Other (Explain in Remarks)									
No hydric indicators.										
			WE	ΓLAN	D DETERMIN	ATION				
Hydrophy	ytic Vegetat	ion Yes	X	No						
Present?			21	110						
	Hydrology		X	No						
Hydric S	oils Presen	t? Yes	X	No	Is this Samp Wetland?	ling Point Within a	Yes x No			
					Wettaria:					
Remarks	):									
SD on th	o odgo of th	ne wetland, no wetland i	ndicat	ore or	our in this less	ation				
SF OII III	e euge oi ii	ie welianu, no welianu	nuican	JIS 00	cui iii tiiis ioca	ation.				
							Approved by HQUSACE 2/92			



HGM Class (CIRCLE)	Cowardin Class	Est. %	Predominant Water	r Regime (CIRCLE)		
Mineral Soil Flats	(mergent)	85	Perm Flood (Int Ex	Sem Perm Flood	Seas Flood Sat	Tem Flood Int Flood
Organic Soil Flats Liverine (nonperennial)	Aquatic Bed		Perm Flood Int Ex	p Sem Perm Flood	Seas Flood Sat	Tem Flood Int Floor
iverine (upper perennial)	Moss-Lichen	5	Perm Flood Int Ex			Tem Flood Int Floor
iverine (lower perennial)	Scrub-Shrub		Perm Flood Int Ex			Tem Flood Int Floor
epression (closed)	Forested		Perm Flood Int Ex			Tem Flood Int Floor
epression (open,) roundwater)	Unconsolidated Bottom	5				
epression (open, surface ater)	Other:					Tem Flood Int Floor
lope Organic Soil Flats	Total Estimated % Vegetated	90%	Perm Flood Int Ex	p Sem Perm Flood	Seas Flood Sat	Tem Flood Int Floor
ELATIVE ABUNDAN  YDROLOGY: Max. across AA contain surface of	re-ft surf. water at wetlands in A			High Moderat  >5 >5 (if no flood it restricted (subsurfi	ding/ponding, go to	
Longest duration of surfac	ce water:		3 n. 1 1	Surface Water Dur	ation and other attri	butes (circle)
at any wetlands within AA				(Perm / Peren	Seas / Intermit	Temp / Ephem
in at least 10% of AA (both	wetlands and nonwetlands [deepwa	ter, streambed	L)	Perm / Peren	Seas / Intermit	Temp / Ephem
	y were present (circle NA ) not app			Perm / Peren	Seas / Intermit	Temp / Ephem
	ody containing cover objects		>25%	10-25%	<10%	
	hore with riparian or wetland shrub	or forested co	mmunities	>75%	50-74%	(<50%)
adjacent to rooted wetland vi action (circle NA if not appli	egetation along a defined watercour icable)	rse or shorelin	e subject to wave	Perm / Peren	Seas / Intermit	Temp / Ephem
% cover of v	vetland bank or shore by sp. with bi	nding rootma	sses	65%	35-64%	<35%
Estimated wetlar Estimated % of f Evidence of groundwater  IABITAT labitat for Listed or Propos AA is Documented (D) Primary or critical habit Secondary habitat (list Incidental habitat (list No usable habitat  Wildlife observations?	t species) D S species) D S D S	ing (acres): O or both: N  Montana Nat	List: on si	≥10 2-10 ≥75 25-74 √20 m e ~ b c m -c h m S1, S2, or S3 Plant	s or Animals:	a toc of
Potential to recei	l to receive excess sediments, no ive: low-to-moderate levels warm springs, >80 year-old for		high levels		on TMDL List?	Content Y N
Is AA a known recreation /	education site? Y ntial for use as recreation / educ	N Type ation site?	Y N Type:	ed/sue	ntilic - H	tinuse hee!

_	
LAND & W	ATER B-18

1. Project Name:	le urtland	etiand As	2. Project #:	50091-021	sea 5/25	Control #:_		
3, Evaluation Date: Mo Da	ry 17 Yr. 02 4. E	Evaluator(s):	: U3/Lu	5 . Wet	lands/Site #(	s)		
6. Wetland Location(s): I, Legal: II. Approx. Stationing or Mi	T 19 (Nà S; RVB lleposts:	Œww;s	20	;TN	or S; R	Ε α W; S		:
III. Watershed: 100 C		S Reference	No. (If applies):					
7. a. Evaluating Agency:	ffected by MDT project re-construction	9. Ass	tiand size: (total sessment area: ( structions on dete		Z (measu	y estimated) ured, e.g. by GP (visually estim (measured, e	nated)	applies])
10. Classification of Wetland an	System		according to Brins Subsystem	on, first col.; USF	T	to Cowardin [19 Water Regime	979], remainin Modifier	g cols.)
,					-		-	
Depressimal	Palustrin	e			em	"TECB	1 '	90
Riverine	Riverine		lover p	rennial	up	6	E	10
	-				$\vdash$		-	
	-				+		-	-
	-				-		1	
htermittently Exposed (G), Semipermanent (D), Partly Drained (PD), Farmed (F), Antio 11. Estimated relative abundanc (Circle one) Ur Comments:	el (A) HGM Classes: Rive	nne, Depressions	al, Slope, Mineral Soil	Flats, Organic Soil Flats	, Lecustrine Fring	•		n, base
12. General condition of AA:			-					
Regarding disturbance:  Conditions within		letermine [circ		sponse) ninant conditions ac	fiacent to (with	hin 500 feet of)	AA	
		natural state; logged, or oth	ed in predominantly is not grazed, hayed, erwise converted; an meds or buildings.	Land not cultivated, grazed or hayed or or has been subject contains few roads	but moderately selectively logged to minor cleaning	Land cultivated subject to subs	f or heavily graze stantial fill placem prological alterate	ent, grading.
AA occurs and is managed in predominanti grazed, hayed, logged, or otherwise conven		low disturb	ance	dow disturbance	D	moderate di	isturbance	
mads or occupied buildings  AA not cultivated, but moderately grazed or logged; or has been subject to relatively mile.	nor clearing, fill	moderate d	disturbance	moderate distur	bance	high disturb	eance	
placement, or hydrological atteration; conta AA cultivated or heavily grazed or logged; s substantial fill placement, grading, cleaning, high road, or building density.	ubject to relatively	high distur	bance	high disturband	e	high disturb	pance	
Comments: (types of disturt II. Prominent weedy, allen,	bance, intensity, seaso & introduced specie	on, etc.): os (including	kcz hia those not dome	esticated, feral): (i	ist)			
iii. Provide brief descriptiv	a summary of AA an	nd surroundi SW er	ing land use/hab	itat:				
13. Structural Diversity: (based	on number of "Coward	din" vegetate	d classes presen	(do not include un	vegetated cla	sses], see #10 :	above)	
# of "Cowardin" vegetated class			≥ 3 veget	ated classes (or is forested)		classes (or	≤ 1 vegetates	class
Rating (circle)			High		Moderate	k	Low)	

Comments:



		SE	CTIO	N P	ERTAI	NING	to FU	NC.	TIONS	& VA	LUES	ASS	SESSM	MENT						
14A. Habitat for Federally 1. AA is Documented (D Primary or critical hab Secondary habitat (IIs	) or Su itat (list it speci	spected speci es)	d (S) to	cont	tain (circ DS DS	ke one	based o	on d	efinition			nstn	uctions):	:						
Incidental habitat (list No usable habitat	specie	5)			DS DS	10	ald e	ac	yee.			_								
II. Rating (use the concluthis function)	sions fr	om i al	bove and	d the	e matrix	below	to arrive	at (	circle] th	e func	tional po	ints	and rati	ng [H :	= high, l	M = 1	moderat	e, or L	= (ow) f	œ.
Highest Habital Level		d∞./p	rimary		sus/prir	mary	doc	sec	ondary	sus	Jsecono	tary	doc	/incide	ental	sus	.fincider	rtal	None	9
Functional Points and Ra Sources for documented us			rations,	reco	.9 (H) ords, etc	):	.8 (N	1)		.7(	M)		.5 (	L) .		.3 (			0 (L)	
14B. Habitat for plant or a  1. AA is Documented (D Primary or critical hab Secondary habitat (Ilst Incidental habitat (Ilst No usable habitat  II. Rating (use the conclu	o) or Su litat (Ils it specie specie	specte speci es) s)	d (S) to les)	cont	tain (circ D S) D S) D S) D S	de one	based of leop leop	and and Cirk	efinition d Go Faul	conta	ined in i	nstn	uctions)		=				= lowl f	or
this function) Highest Habitat Level		doc./p		÷						<u> </u>			_			_	./incider		None	
	$\neg$		riiriaiy	٦,	sus/primary doc./secondary sus./secondary doc./incidental						a ital			itai	1					
Functional Points and Ra Sources for documented us			vations		.8 (H)	<del>-</del>	.7 (N	1)		.6 (	м)	_	.2 (			.1(	L)		0 (L)	
14C. General Wildlife Ha I. Evidence of overall will Substantial (based on any observations of abundant wildlife sign presence of extremely interviews with local b  Moderate (based on any)	y of the dant wild such a limiting iologists	following follow	ng [check or high tracks, at featur knowled	ck]): spe nes: es n ge o	ecies div t structu od availa f the AA	ersity ( ires, ga able in	during a ame trail the sum	any p s, et ound	period) tc. ding area	ne.	Low (	base or or e to arse ervie	ed on an no wildlino wildlino wildlino adjacen ws with	ry of the fe observed fe sign at uplar local b	ervations and food siologists	s du sour s wit	check]): ring pea ces h knowle	k use pedge of	the AA	
observations of scatte common occurrence of adequate adjacent up interviews with local b	of wildlid land foo	e sign od sour	such as	sca	et, tracks	s, nest	vely few structur	spe res,	game tr	ing per ails, etc	ak peno ;	05	sp(	Э. °.	~~ ^	2	2002	-		
II. Wildlife habitat feature (L) rating. Structural diver of their percent composition seasonal/intermittent; T/E =	sity is for	AA (se	3. For ( ee #10).	class Ab	s cover to breviation	to be co	onsidere surface	ed ev	venily dis er durat	tribute ons an	d, veget: e as folk	ated ows:	classes P/P = p	must	be withi ent/pen	n 20	1% of ea	erate (M ch othe	A), or lo	w ns
Structural diversity (see #13)					gh								erate					Lov	$\rangle$	
Class cover distribution		Eve	n	_		Unev	en	_	_	Eve	n			Unev	en			Eve	(,0	$\neg$
(all vegetated classes)	000				0.0				0.0		01 75 14 00 104						(00)	$\overline{}$	_	
Duration of surface water in ≥ 10% of AA	P/P	S/I	T/E	A	P/P	S/I	T/E	٨	P/P	SA	T/E	^	P/P	SA	T/E	^	(P/P)	S/I	T/E	^
Low disturbance at AA (see #12i)	E	E	E	н	E	E	н	н	E	н	н	М	E	н	м	м	E	н	М	М
Moderate disturbance at AA (see #12i)	Н	н	Н	н	н	н	н	М	н	Н	М	М	н	м	м	L	н	М	L	L

III. Rating (use the conclusions from i and ii above and the matrix below to arrive at [circle] the functional points and rating [E = exceptional, H = high, M = moderate, or L = low] for this function)

Evidence of wildlife use (i)		Wikilife habitat fea		
	Exceptional	High	Moderate	Low
Substantial	(1(E))	.9 (H)	.8 (H)	.7 (M)
Moderate	.9 (H)	.7 (M)	.5 (M)	.3 (L)
Minimal	6 (M)	.4 (M)	.2 (L)	.1 (L)

Comments:

(see #12i)

High disturbance at AA

140, General Fish/Aquatic Habitat Rating: (Assess this function if the AA is used by fish or the existing situation is "correctable" such that the AA could be used by fish [i.e., fish use is precluded by perched culvert or other barrier, etc.]. If the AA is not or was not historically used by fish due to lack of habitat, excessive gradient, etc., circle NA here and proceed to the next function. If fish use occurs in the AA but is not desired from a resource management perspective [such as fish use within an irrigation canal], then Habitat Quality [i below] should be marked as "Low", applied accordingly in it below, and noted in the comments.)

Habitat Quality (circle appropriate AA attributes in matrix to arrive at exceptional (E), high (H), moderate (M), or low (L) quality rating.

Duration of surface water in AA	Perm	anent / Per	Linne	Seas	onal / Intern	nttent	Temporary / Epnemera			
Cover - % of waterbody in AA containing cover objects such as submerged logs, large rocks & boulders, overhanging banks. floating-leaved vegetation, etc.	>25%	10-25%	<10%	>25%	10-25%	<10%	>25%	10–25%	<10%	
Shading - >75% of streambank or shoreline within AA contains ricarian or wetland scrub-shrub or forested communities	E	E	н	Н	Н	М	М	M	M	
Shading – 50 to 75% of streambank or shoreline within AA contains rip, or wetland scrub-shrub or forested communities	н	н	М	М	М	M	М	L	-	
Shading - < 50% of streambank or shoreline within AA contains rip, or wetland scrub-shrub or forested communities	н	М	М	M	L	L	L	بار	Ļ	

ii. Modified Habitat Quality (Circle the appropriate response to the following question. If answer is Y, then reduce rating in above by one level (E = H, H = M, M = L, L = L)). Is fish use of the AA precluded or significantly reduced by a culvert, cike, or other man-made structure or activity or is the waterbody included on the MDEQ list of waterbodies in need of TMDL development with fished "Probable Impaired Uses" including cold or warm water fishery or aquatic life support?

Y

N

Modified habitat quality rating = (circle)

E

H

M

L

iii. Rating (use the conclusions from i and ii above and the matrix below to arrive at [circle] the functional points and rating [E = exceptional, H = high, M =

moderate, or L = lowl for this function)

Types of fish known or		Modified Hab	nitat Quality (9)	
suspected within AA	Exceptional	High	Moderate	Low
Native game fish	1 (E)	.9 (H)	.7 (M)	.5 (M)
Introduced game fish	.9 (H)	.8 (H)	.6 (M)	.4 (M)
Non-game fish	.7 (M)	.6 (M)	.5 (M)	.3 (L)
No fish	.5 (M)	.3 (L)	.2 (L)	.1 (L)

#### Comments:

14E. Flood Attenuation: (applies only to wetlands subject to flooding via in-channel or overbank flow. If wetlands in AA are not flooded from in-channel or overbank flow, circle NA here and proceed to next function.)

i. Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [H = high, M = moderate, or L = low] for this functional

iungaon)			
Estimated wetland area in AA subject to periodic flooding	≥ 10 acres	<10. >2 acres	≤2 acres
% of flooded wetland classified as forested, scrub/shrub, or both	75% : 25-75%   <25%	75%   25-75%   (<25%)	75%   25-75%   <25%
AA contains no outlet or restricted outlet	1(H) : .9(H)5(M)	.8/H) ! .7(H) .5mm)!	.4(M) ! .3(L) .2(L)
AA contains unrestricted outlet	.9(H) 1 .8(H) 1 .5(M)	.7(H) 1 .6(M) : .4(M)	.3(L) 1 .2(L) .1(L)

II. Are residences, businesses, or other features which may be significantly damaged by floods located within 0.5 miles downstream of the AA (circle)? Y N Comments:

14F. Short and Long Term Surface Water Storage: (Apoles to wetlands that flood or condiffrom overbank or in-channel flow, precipitation, upland surface flow, or groundwater flow. If no wetlands in the AA are subject to flooding or ponding, circle NA here and proceed with the evaluation.)

Rating (working from top to bottom, use the matrix below to arrive at (circle) the functional points and rating (H = high, M = moderate, or L = low) for this
function. Abbreviations for surface water durations are as follows: P/P = permanent/perennial; S/I = seasonal/intermittent; and T/E = temporary/ephemeral [see

instructions for further definitions of these terms].)

Estimated maximum acre feet of water contained in wedends within the AA that are subject to periodic flooding or ponding	>5 acre feet	5.>1 acre feet	≤1 acre foct
Duration of surface water at wetlands within the AA	P/P S/t T/E	1 (P)21 S/1 ! T/E	1 P/P   S/1 T/E
Wetlands in AA flood or cond ≥ 5 out of 10 years	1(H)   .9(H) .8(H)	(E/H) .6(M)   .5(M)	1 .4(M) : .3(L) .2(L)
Wetlands in AA flood or cond < 5 out of 10 years	I .9(H)   .8(H)7(M)	1.7.M)_: .5(M) ! .4(M)	1 .3(L) : .2(L) .1(L)

Comments: Stormwaker runoff

14G. Sediment/Nutrient/Toxicant Retention and Removal: (Applies to wellands with potential to receive excess sediments, nutrients, or toxicants through influx of surface or ground water or direct input. If no wetlands in the AA are subject to such input, circle NA here and proceed with the evaluation.)

I. Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [H = high, M = moderate, or L = low] for this function

Sediment, nutrient, and toxicant input levels within AA	deliver or o substan	low to ompou tially in	moderate inds such inpaired, or toxican	e leve h that Minor	es of sedim other func r sedimenta r signs of e	with potential to ents, nuclents, tions are not ation, sources of utrophication	nutrients, o	nt for *p textean extential or comp v impai	robable cau ts or AA red to deliver h counds such red. Major s	ises" related peives or sur- ligh levels on that other it redimentation	to section sec	ediment, ding land ments, ons are cross of oresent.
% cover of wetland vecetation in AA		≥ 709		+	-	70%	1	≥ 70%		!	< 70	Va.
Evidence of flooding or ponding in AA	(Yes	-	No		Yes	1 10	Yes	1	No	i Yes		No.
AA contains no or restricted outlet	1 (H)	1	(H) 8.	- 1	.7 (M)	.5 (M)	.5 (M)		.4 (M)	1 .3 (L)		.2 (L)
AA contains unrestricted outlet	C/H		.7 (M)	1	.6 (M)	.4 (M)	.4 (M)	:	.3 (L)	.2 (L)		.: (L)

14H Sediment/Shoreline Stabilization: (applies only if AA occurs on or within the banks or a river, stream, or other natural or man-made drainage, or on the shoreline of a standing water body which is subject to wave action. If does not apply, circle NA here and proceed to next function)

LAND & WATER B-21

Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [E = exceptional, H = high, M = moderate, or L

% Cover of wetland streambank or	Duratio	n of surface water adjacent to rooted ve	getation
shoreline by species with deep, binding rootmasses	permanent / perennial	seasonal / intermittent	Temporary / ephemera
≥ 65%	(JUH)	.9 (H)	.7 (M)
35-64%	.7 (M)	.6 (M)	.5 (M)
< 35%	.3 (L)	.2 (L)	.1 (L)
Comments:	.3 (L)	.2 (L)	.1(0)

14I. Production Export/Food Chain Support:

 Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [H = high, M = moderate, or L = low] for this function. Factor A = acreage of vegetated component in the AA; Factor B = structural diversity rating from #13; Factor C = whether or not the AA contains a surface or subsurface outlet; the final three rows pertain to duration of surface water in the AA, where P/P = permanent/perennial; S/I = seasonal/intermittent; T/E /A= temporary/ephemeral or absent [see instructions for further definitions of these terms11/

Α		Vegeta	ited comp	conent >	5 acres			Vegetated component 1-5 acres					Vegetated component <1 acre					
В	Hi	gh	Mode	erate	L	OW	Hi	gh	Mod	erate	(L)	W	Hi	gh	Mode	erate	Lo	w
С	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	(Yes)	No	Yes	No	Yes	No	Yes	No
P/P	1H	.9H	.9H	.8H	.8H	.7M	.9H	H8.	H8.	.7M	(.7M)	.6M	.7M	.6M	.6M	.4M	.4M	.3L
S/I	.9H	.8H	.8H	.7M	.7M	.6M	.8H	.7M	.7M	.6M	.6M	.5M	.6M	.5M	.5M	.3L	.3L	.2L
T/E/	H8.	.7M	.7M	.6M	.6M	.5M	.7M	.6M	.6M	.5M	.5M	.4M	.5M	.4M	.4M	.2L	.2L	.1L
A																		

#### Comments:

14J. Groundwater Discharge/Recharge: (Check the indicators in i &	ii below that apply to the AA)
I. Discharge Indicators Springs are known or observed Vegetation growing during dormant season/drought Wetland occurs at the toe of a natural slope Seeps are present at the wetland edge AA permanently flooded during drought periods Wetland contains an outlet, but no inlet Other	ii. Recharge indicators  A Permeable substrate present without underlying impeding layer  Wetland contains inlet but no outlet  Other  to arrive at [circle] the functional points and rating [H = high, L = low] for this function.
Criteria	Functional Points and Rating
Criticino	7 07.00
AA is known Discharge/Recharge area or one or more indicators of D/F	present (1 (H)
No Discharge/Recharge indicators present	.1(L)
Available Discharge/Recharge information inadequate to rate AA D/R p	xtential N/A (Unknown)

#### Comments:

14K. Uniqueness:

I. Rating (working from top to bottom, use the matrix below to arrive at [circle] the functional points and rating [H = high, M = moderate, or L = low] for this

Replacement potential	AA contains fen, bog, warm springs or mature (>80 yr-old) forested wetland or plant association listed as "S1" by the MNHP			AA does not contain previously cited rare types and structural diversity (#13) is high or contains plant association listed as "S2" by the MNHP			AA does not contain previously cited rare types or associations and structural diversity (#13) is low-moderate		
Estimated relative abundance (#11)	rare	common	abundant	rare	common	abundant	rare	Common	abundant
Low disturbance at AA (#12i)	1 (H)	.9 (H)	.8 (H)	.8 (H)	.6 (M)	.5 (M)	.5 (M)	(A(M)-	.3 (L)
Moderate disturbance at AA (#12i)	.9 (H)	.8 (H)	.7 (M)	.7 (M)	.5 (M)	.4 (M)	.4 (M)	.3 (L)	.2 (L)
High disturbance at AA (#12i)	.8 (H)	.7 (M)	.6 (M)	.6 (M)	.4 (M)	.3 (L)	.3 (L)	.2 (L)	.1 (L)

#### Comments:

14L. Recreation/Education Potential: I. Is the AA a known rec/ed. site: (circle) Y(N) yes, rate as [circle] High [1] and go to ii; if no go to iii)

II. Check categories that apply to the AA: Z Educational/scientific study; \_\_\_ Consumptive rec.; \_\_\_ Non-consumptive rec.; \_\_Other

III. Based on the location, diversity, size, and other site attributes, is there strong potential for rec./ed. use (If yes, go to ii, then proceed to iv, if no, then rate as [circle] Low [0.1])

and rating (H = high, M = moderate, or L = low) for this function.

Ownership		Disturbance at AA (#12i)	
	رسیم	moderate	high
public ownership	1 (H)	.5 (M)	.2 (L)
private ownership	.7 (M)	.3 (L)	.1 (L)

Bird watchingard we plant ID - great for some chesses Comments:

#### **FUNCTION & VALUE SUMMARY & OVERALL RATING**

Function & Value Variables	Rating	Actual Functional Points	Possible Function al Points	Functional Units; (Actual Points x Estimated AA Acreage)
A. Listed/Proposed T&E Species Habitat	L	.3	1	
B. MT Natural Heritage Program Species Habitat	1	.8	1	+ pre-existing=
C. General Wildlife Habitat	E	1	1	+ pre-existing=
D. General Fish/Aquatic Habitat	NA			
E. Flood Attenuation	Μ	.5	1	
F. Short and Long Term Surface Water Storage	4	.8	1.	
G. Sediment/Nutrient/Toxicant Removal	14	1.	1	
H. Sediment/Shoreline Stabilization	14	1	1	
Production Export/Food Chain Support	m	.7	1	
J. Groundwater Discharge/Recharge	4	1	1	
K. Uniqueness	m	.4	1	
L. Recreation/Education Potential	H		1.	(4.62) = (7.4)=
Totals:		8.5	11	39.27 64.6

77%

OVERALL ANALYSIS AREA (AA) RATING: (Circle appropriate category based on the criteria outlined below)

(II)	11

II IV

Category I Wetland: (Must satisfy one of the following criteria; if does not meet criteria, go to Category II)  Score of 1 functional point for Listed/Proposed Threatened or Endangered Species; or  Score of 1 functional point for Uniqueness; or  Score of 1 functional point for Flood Attenuation and answer to Question 14E.ii is "yes"; or  Total actual functional points > 80% (round to nearest whole #) of total possible functional points.
Category IV   Wetland: (Criteria for Category I not satisfied and meets any one of the following criteria; if not satisfied, go to Category IV)   Score of 1 functional point for Species Rated S1, S2, or S3 by the MT Natural Heritage Program; or Score of .9 or 1 functional point for General Wildlife Habitat; or Score of .9 or 1 functional point for General Fish/Aquatic Habitat; or   "High" to "Exceptional" ratings for both General Wildlife Habitat and General Fish/Aquatic Habitat; or Score of .9 functional point for Uniqueness; or Total Actual Functional Points > 65% (round to nearest whole #) of total possible functional points.
Category III Wetland: (Criteria for Categories I, II or IV not satisfied)
Category IV Wetland: (Criteria for Categories I or II are not satisfied and all of the following criteria are met; if does not satisfy criteria go to Category III)  "Low" rating for Uniqueness; and  "Low" rating for Production Export/Food Chain Support; and  Total actual functional points < 30% (round to nearest whole #) of total possible functional points

# **Appendix C**

# REPRESENTATIVE PHOTOGRAPHS 2002 AERIAL PHOTOGRAPH

MDT Wetland Mitigation Monitoring Circle Mitigation Site Circle, Montana





**Location:** A **Photo Frame:** 10 **Description:** Wetland view **Compass Reading:** N



**Location:** B **Photo Frame:** 11 **Description:** Upland us (across WL) **Compass Reading:** 320°



**Location:** C **Photo Frame:** 12 **Description:** WL buffer (across WL) **Compass Reading:** W



**Location:** D **Photo Frame:** 3 **Description:** Wetland view **Compass Reading:** W



**Location:** E **Photo Frame:** 8 **Description:** Wetland view **Compass Reading:** S



**Location:** F **Photo Frame:** 9 **Description:** Wetland view **Compass Reading:** E





**Location:** G **Photo Frame:** 4 **Description:** Beginning transect (new 2002) **Compass Reading:** NW



**Location:** H **Photo Frame:** 5 **Description:** End transect (new 2002) **Compass Reading:** SE



**Location:** cover Wetland overview **Photo Frame:** 7 **Description:** Compass Reading: SW

JOB:CIRCLE WETLAND ROLL:000 SCALE:1:6000 FLT:40 07/22/2002 12:05:17 CIRCLE 2002 27.6V -58mb dt435.4 FS100 1/ 500 f/5.6 FF1.0 EC 0 SIN

# Appendix D

# BIRD SURVEY PROTOCOL GPS PROTOCOL

MDT Wetland Mitigation Monitoring Circle Mitigation Site Circle, Montana



#### **BIRD SURVEY PROTOCOL**

The following is an outline of the MDT Wetland Mitigation Site Monitoring Bird Survey Protocol. Though each site is vastly different, the bird survey data collection methods must be standardized to a certain degree to increase repeatability. An Area Search within a restricted time frame will be used to collect the following data: a bird species list, density, behavior, and habitat-type use. There will be some decisions that team members must make to fit the protocol to their particular site. Each of the following sections and the desired result describes the protocol established to reflect bird species use over time.

#### Species Use within the Mitigation Wetland: Survey Method

Result: To conduct a bird survey of the wetland mitigation site within a restricted period of time and the budget allotment.

#### Sites that can be circumambulated or walked throughout.

These types of sites will include ponds, enhanced historic river channels, wet meadows, and any area that can be surveyed from the entirety of its perimeter or walked throughout. If the wetland is not uncomfortably inundated, conduct several "meandering" transects through the site in an orderly fashion (record the number and approximate location/direction of the transects in the field notebook; they do not have to be formalized or staked). If a very small portion of the site cannot be crossed due to inundation, this method will also apply. Though the sizes of the site vary, each site will require surveying to the fullest extent possible within a set time limit. The optimum times to conduct the survey are in the morning hours. Conduct the survey from sunrise to no later than 11:00 AM. (Note: some sites may have to be surveyed in the late afternoon or evening due to time constraints or weather; if this is the case, record the time of day and include this information in your report discussion.) If the survey is completed before 11:00 AM and no additions are being made to the list, then the task is complete. The overall limiting factor regarding the number of hours that are spent conducting this survey is the number of budgeted hours; this determination must be made by site by each individual.

In many cases, binoculars will be the only instrument that is needed to identify and count the birds using the wetland. If the wetland includes deep water habitat that can not be assessed with binoculars, then a scope and tripod are necessary. If this is the case, establish as many lookout posts as necessary from key vantage points to collect the data. Depending on the size of the open water, more time may be spent viewing the mitigation area from these vantage points than is spent walking the peripheries of more shallow-water wetlands.

#### Sites that cannot be circumambulated.

These types of sites will include large-bodied waters, such as reservoirs, particularly those with deep water habitat (>6 ft) close to the shore and no wetland development in that area of the shoreline. If one area of the reservoir was graded in such a way to create or enhance the development of a wetland, then that will be the area in which the ambulatory bird survey is conducted. The team member must then determine the length of the shoreline that will be surveyed during each visit.



As stated above in the ambulatory site section, these large sites most likely will have to be surveyed from established vantage points.

#### Species Use within the Mitigation Wetland: Data Recording

Result: A complete list of bird species using the site, an estimate of bird densities and associated behaviors, and identification of habitat use.

#### 1. Bird Species List

Record the bird species on the Bird Survey - Field Data Sheet using the appropriate 4-letter code of the common name. The coding uses the first two letters of the first two words of the birds' common name or if one name, the first four (4) letters. For example, mourning dove is coded MODO and mallard is MALL. If an unknown individual is observed, use the following protocol and define your abbreviation at the bottom of the field data sheet: unknown shorebird: UNSB; unknown brown bird (UNBR); unknown warbler (UNWA); unknown waterfowl (UNWF). For a flyover of a flock of unknown species, use a term that describes the birds' general characteristics and include the approximate flock size in parentheses; do not fill in the habitat column. For example, a flock of black, medium-sized birds could be coded: UNBB / FO (25). You may also note on the data sheet if that particular individual is using a constructed nest box.

#### 2. Bird Density

In the office, sum the Bird Survey – Field Data Sheet data by species and by behavior. Record this data in the Bird Summary Table.

#### 3. Bird Behavior

Bird behavior must be identified by what is known. When a species is simply observed, the behavior that it is immediately exhibiting is what is recorded. Only behaviors that have discreet descriptive terms should be used. The following terms are recommended: breeding pair individual (BP); foraging (F); flyover (FO); loafing (L; e.g. sleeping, roosting, floating with head tucked under wing are loafing behaviors); and, nesting (N). If more behaviors are observed that do have a specific descriptive word, use them and we will add it to the protocol; descriptive words or phrases such as "migrating" or "living on site" are unknown behaviors.

#### 4. Bird Species Habitat Use

We are interested in what bird species are using which particular habitat within the mitigation wetlands. This data is easily collected by simply recording what habitat the species was initially observed. Use the following broad category habitat classifications: aquatic bed (AB - rooted floating, floating-leaved, or submergent vegetation); forested (FO); marsh (MA - cattail, bulrush, emergent vegetation, etc. with surface water); open water (OW - primarily unvegetated); scrubshrub (SS); and upland buffer (UP); wet meadow (WM - sedges, rushes, grasses with little to no surface water). If other categories are observed onsite that are not suggested here, we will make a new category next year.



D-2

### **GPS Mapping and Aerial Photo Referencing Procedure**

The wetland boundaries, photograph location points and sampling locations were field located with mapping grade Trimble Geo III GPS units. The data was collected with a minimum of three positions per feature using Course/Acquisition code. The collected data was then transferred to a PC and differentially corrected to the nearest operating Community Base Station. The corrected data was then exported to ACAD drawings in Montana State Plain Coordinates NAD 83 international feet.

The GPS positions collected and processed had a 68% accuracy of 7 feet except in isolated areas of Tasks .008 and .011, where it went to 12 feet. This is within the 1 to 5 meter range listed as the expected accuracy of the mapping grade Trimble GPS.

Aerial reference points were used to position the aerial photographs. This positioning did not remove the distortion inherent in all photos; this imagery is to be used as a visual aide only. The located wetland boundaries were given a final review by the wetland biologist and adjustments were made if necessary.

Any relationship of features located to easement or property lines are not to be construed from these figures. These relationships can only be determined with a survey by a licensed surveyor.

