### Montana Department of Transportation Wetland Mitigation Monitoring Report

### JTX – TUNNICLIFF RANCH MITIGATION SITE

### **Project Overview**

Watershed: Watershed #14 - Middle Yellowstone

**Monitoring Year: 2019** 

Years Monitored: 4th year of monitoring

Corps Permit Number: NWO-2010-01938-MTH

Monitoring Conducted By: RESPEC/HDR

Dates Monitoring Was Conducted: July 10, 2019

**Purpose of the Approved Project:** 

The site was constructed to provide 29.63 acres of compensatory wetland mitigation credits for wetland impacts associated with future transportation project-related wetland impacts in Watershed #14 – Middle Yellowstone. Construction consisted of excavating a series of 13 cells ranging in size from 0.33 to 1.50 acres. Eight woody plant enclosures, with 1,650 containerized woody plantings, were constructed around the periphery of excavated cells to establish scrub/shrub wetland and riparian habitat.

### Site Location:

Latitude: 45.83953 Longitude: -107.59887 County: Big Horn Nearest Town: Hardin, MT

Map Included: Yes

Mitigation Site Construction Started: Fall/2015 Construction Ended: Winter/2016 Dates of Any Recent Corrective or Maintenance Activities (since previous report):

**Activity:** Weed Spraying **Date:** July 3, 2019 **Specific recommendations for any additional corrective actions:** Weed treatment will continue in 2020. Montana Department of Transportation (MDT) is considering a second round of woody plantings in 2020. Enclosure fences labeled PE-04, PE-05, PE-06, and PE-07 in Figure A-3 in Appendix A have short segments of fence that are sagging from the top and are in need of repair.

**Anticipated Wetland Credit Acres: 29.63** 

Wetland Credit Acres Generated to Date: 11.04

**Previous Monitoring Reports:** 

https://www.mdt.mt.gov/publications/brochures/wetland mitigation.shtml

**<u>Requirements</u>** (from approved mitigation plan, banking instrument, or Department of Army (DA) permit conditions)

**Monitoring Period:** 5 years from construction completion or until concurrence by the US Army Corps of Engineers (USACE).

**Performance Standards:** A summary of performance standards established for the JTX – Tunnicliff Ranch site and whether or not they are being achieved is provided in Table 1.

1

**Table 1. Summary of Performance Standards** 

Performance Standards	Success Criteria	Criteria Achieved Y/N	Discussion
Wetland Characteristics	The three parameter criteria for hydrology, vegetation, and soils are met as outlined in the 1987 Wetland Manual and 2010 GP Regional Supplement.	Υ	Nine of the 13 excavated cells have developed a dominant wetland community with the other 4 cells transitioning to wetland. 8.35 acres of wetland and transitional wetland had developed at the site at the time of the 2019 monitoring event.
Wetland Hydrology	Soil saturation is present for at least 12.5 percent of the growing season.	Y	All 13 excavated cells were flooded or saturated near the surface during the 2019 monitoring event and soil saturation was present. This metric was met in 2019.
	Hydric soil conditions are present or appear to be forming.	Υ	Excavated cells within the recently constructed mitigation site are beginning to exhibit some hydric soil development (e.g., sulfidic odor and faint mottles).
Hydric Soil	Soil is sufficiently stable to prevent erosion.	Υ	Disturbed soil is stable and does not exhibit signs of erosion.
	Soil is able to support plant cover.	Υ	Plant cover has continued to develop across disturbed soils.  Vegetative cover is estimated to be 95% across disturbed upland areas and 50% across wetland areas in 2019.
	Wetlands are delineated as hydrophytic by using technical guidelines.	Y	Nine of the 13 excavated cells had developed wetlands as of the 2019 monitoring event. A very small wetland area is also developing in Cell 1. The remaining cells were showing signs of a declining upland vegetation cover because of a high-water table.
Hydrophytic Vegetation	Noxious weeds do not exceed 5 percent cover.	Υ	Noxious weeds were identified in four locations in 2019 across the site but do not exceed 5 percent cover in the excavation areas or the surrounding undisturbed habitat in 2019.
	Hydrophytic vegetation success will include achieving a minimum overall vegetation cover of 80 percent in created wetland areas within 5 years after site construction.	N	A dominant wetland community Type 9 has developed in excavated Cells 4, 5, 6, 7, 8, 9, 11, 12, and 13. A very small wetland area (<100 square feet) has developed in Cell 1.Vegetative cover within developing wetlands ranged from 10 to 90 percent in 2019. This performance measure is trending in a positive direction.
Woody Plants	Plantings exceed 50 percent survival after 5 years.	N	Approximately 27 percent of the woody plantings observed appeared alive in 2016; that percentage dropped to 15 percent in 2017 and 2 percent in 2018 and 2019, which does not meet the 50 percent survival criteria. Woody plants were waterstressed following planting in the spring of 2016.
	Noxious weeds do not exceed 5 percent cover within the buffer areas on the site.	Y	Noxious weed cover did not exceed 5 percent cover in the upland buffer in 2019. MDT has implemented a weed-control program and has a contractor who sprayed the site on July 3, 2019.
Upland Buffer	Any disturbed area within the creditable buffer zone must have at least 50 percent aerial cover of non-weed species by the end of the monitoring period.	Y	Upland buffers that surround the developing wetland areas within the site exhibited greater than 50 percent aerial cover of non-weed species.
Fencing	Wildlife-friendly fencing is installed along the easement boundaries.	Y	Wildlife-friendly fencing has been installed around three sides of the easement boundary and is in good condition. The western boundary has standard barbed wire fencing and is in good condition.

### **Summary Data**

**Wetland Delineation** — All the excavated wetland cells and graded areas that connect the cells were surveyed for developing wetland habitat. In 2019, a total of 5.49 acres of emergent wetland was

delineated within wetland Cells 4, 5, 6, 7, 8, 9, 11, 12, and 13. Wetland Cells 1, 2, 3, and 10 were saturated in 2019 and contained primarily dead and dying upland vegetation with a few scattered wetland plants that are beginning to be established. In 2018, these transitional wetland areas contained standing open water during the field survey but no open water was documented in 2019. However, these areas were still saturated in 2019 and vegetation was still transitioning from upland grasses to wetland species across each cell. Like the other wetland cells that now have a dominance of wetland vegetation, these transitioning cells meet the wetland criteria for hydrology and plants and have soils that will likely develop hydric indicators over time. The cells transitioning to wetland accounted for 2.86 acres at the site in 2019. Aquatic habitat, including emergent wetland and transitional wetland areas, totaled 8.35 acres, which is a 0.04-acre increase since 2018. Additional wetland habitat is expected to develop in low-lying areas between the cells but largely depends on seasonally high groundwater.

Before construction, MDT identified two small palustrine emergent wetlands in the southeastern corner of the site and a smaller palustrine emergent wetland along the eastern boundary, which altogether totaled 0.03 acre. These small wetlands were identified and mapped during the 2019 monitoring event, and no changes noted from previous years (Figure A-3, Appendix A).

**Functional Assessment** – The 2019 results of the functional assessments are summarized in Table 2. Completed Montana Wetland Assessment Method (MWAM) forms for the JTX – Tunnicliff Ranch site are provided in Appendix B. Overall, the site rates as a Category III wetland and has generated 49.4 Functional Units.

Table 2. Montana Wetland Assessment Method Summary for the JTX – Tunnicliff Ranch Site

Function and Value Parameters From the 2008 Montana Wetland Assessment Method	2017	2018	2019
Listed/Proposed Threatened & Endangered (T&E) Species Habitat	Low (0.0)	Low (0.0)	Low (0.0)
Montana Natural Heritage Program (MTNHP) Species Habitat	Low (0.1)	Mod (0.6)	Mod (0.6)
General Wildlife Habitat	Mod (0.4)	Mod (0.7)	Mod (0.7)
General Fish/Aquatic Habitat	N/A	N/A	N/A
Flood Attenuation	Mod (0.5)	Mod (0.6)	Mod (0.6)
Short- and Long-Term, Surface-Water Storage	Mod (0.6)	High (0.9)	High (0.9)
Sediment/Nutrient/Toxicant Removal	Mod (0.7)	Mod (0.7)	Mod (0.7)
Sediment/Shoreline Stabilization	N/A	Mod (0.6)	Mod (0.6)
Production Export/Food Chain Support	Mod (0.4)	Mod (0.5)	Mod (0.5)
Groundwater Discharge/Recharge	Mod (0.7)	Mod (0.7)	Mod (0.7)
Uniqueness	Mod (0.4)	Mod (0.4)	Mod (0.4)
Recreation/Education Potential (bonus points)	High (0.2)	High (0.2)	High (0.2)
Actual Points/Possible Points	4.0/9	5.9/10	5.9/10
% of Possible Score Achieved	44%	59%	59%
Overall Category	III	III	III
Total Acreage of Assessed Wetlands Within Site Boundaries	3.86	8.31	8.38
Functional Units (acreage × actual points)	15.3	49.1	49.4

**Vegetation** – A total of 57 plant species have been identified at the site in the 4 years of monitoring. Four areas containing state-listed Priority 2B noxious weeds were mapped at the JTX – Tunnicliff Ranch site (Figure A-3, Appendix A). Four upland community types and two wetland community types were identified and mapped at the site in 2019 (Figure A-3, Appendix A). Three very small wetlands were

identified within the monitoring area before site development but are not described below as their own community type because of their small size (total 0.03 acre). Wetland species associated with these small wetland pockets include creeping meadow foxtail (*Alopecurus arundinaceus*), Baltic rush (*Juncus balticus*), and sedge (*Carex sp.*). Dominant plant species that were observed within each community are listed on the Wetland Mitigation Site Monitoring form (Appendix B). Species beginning to establish within Wetland Type 13 include foxtail barley (*Hordeum jubatum*), broad-leaf cattail (*Typha latifolia*), and saltmarsh club-rush (*Schoenoplectus maritimus*). The vegetation community types identified on the site in 2019 include the following:

- Upland Type 6 Pascopyrum smithii/Poa pratensis
- Upland Type 7 Schedonorus pratensis
- Upland Type 8 Thinopyrum intermedium
- Wetland Type 9 Schoenoplectus spp./Typha latifolia
- Upland Type 12 Elaeagnus angustifolia/Thinopyrum intermedium
- Wetland Type 13 –Transitional wetland.

Vegetation cover was measured along two transects (T-1 and T-2) in 2019 (Figure A-2, Appendix A). Photographs of the transect end points are provided in Appendix C. Table 3 summarizes the data for T-1. T-1 is 792 feet long and intersected upland vegetation community Type 8 – *Thinopyrum intermedium* and wetland community Type 9 – *Schoenoplectus* spp.; 56 percent of the transect crossed wetland habitat, which is a 3 percent increase since 2018. Total vegetative cover increased from 75 percent in 2018 to 95 percent in 2019.

Table 3. Data Summary for T-1 From 2016 Through 2019 at the JTX – Tunnicliff Ranch Site

Monitoring Year		2017	2018	2019
Transect Length (feet)	792	792	792	792
Vegetation Community Transitions Along Transect	1	6	6	5
Vegetation Communities Along Transect	2	2	2	2
Hydrophytic Vegetation Communities Along Transect	0	1	1	1
Total Vegetative Species	10	21	21	21
Total Hydrophytic Species	2	8	9	9
Total Upland Species	8	13	12	12
Estimated % Total Vegetative Cover	75	60	75	95
Estimated % Unvegetated	25	40	25	5
% Transect Length Comprising Hydrophytic Vegetation Communities	0	47	53	56
% Transect Length Comprising Upland Vegetation Communities	100	53	47	44
% Transect Length Comprising Unvegetated Open Water	0	0	0	0

Data collected on T-2 (Wetland Mitigation Site Monitoring form, Appendix B) are summarized in Table 4. T-2 is 900 feet long and intersects upland community Type 8 and wetland community Type 9 and 13; 14 percent of the transect crossed wetland habitat in 2019, while 53 percent crossed transitional wetland habitat (CT 13). The transitional wetland consists of dead and dying upland vegetation and scattered individual wetland plants. The transitional wetlands did not contain open water in 2019 as they did in 2018.

Eight woody plant enclosures (PE-1 through PE-8) are shown on Figure A-3 (Appendix A) and were monitored for woody plant survival in 2019 while walking and recording live woody stems. A total of

1,650 containerized woody plants were installed in the eight plant enclosures in 2016. Woody species planted at the site include silver buffalo-berry (*Sheperdia argentea*), Douglas hawthorne (*Crataegus douglasii*), silverberry (*Elaeaganus commutata*), common chokecherry (*Prunus virginiana*), plains cottonwood (*Populus deltoids*), box elder (*Acer negundo*), and bur oak (*Quercus macrocarpa*). A total of 34 live stems were counted, and the overall survival is estimated at 2 percent. Wildlife fencing around each enclosure was effective in keeping wildlife away from plantings as no signs of browse were noted. Despite the weed fabric that was installed around each woody plant, grasses and forbs were outcompeting most of the plantings. The largest number of live plants was observed in PE-6 (20) where a small clump of ten cottonwoods had taken hold. In addition to cottonwood, individual silver buffaloberry, silverberry, and chokecherry plants were identified in the various enclosures. A lack of supplemental watering in Year 1 and competition from grasses are the likely causes of mortality at the site. In 2019, several Russian olive (*Elaeagnus angustifolia*) plants were noted to be volunteering across the site.

Table 4. Data Summary for T-2 From 2016 Through 2019 at the JTX – Tunnicliff Ranch Site

Monitoring Year		2017	2018	2019
Transect Length (feet)	900	900	900	900
Vegetation Community Transitions Along Transect	1	6	5	5
Vegetation Communities Along Transect	2	3	3	3
Hydrophytic Vegetation Communities Along Transect	0	1	2	2
Total Vegetative Species	12	11	11	11
Total Hydrophytic Species	0	5	6	6
Total Upland Species	12	6	5	5
Estimated % Total Vegetative Cover	60	60	65	85
Estimated % Unvegetated	40	40	35	15
% Transect Length Comprising Hydrophytic Vegetation Communities	0	12	14	14
% Transect Length Comprising Upland Vegetation Communities	100	88	33	33
% Transect Length Comprising Transitional Wetland	0	0	53	53

**Hydrology** – Groundwater is expected to be the primary hydrologic source for wetland development, with precipitation and periodic overbank flooding from the nearby Bighorn River supplementing hydrology at the site. Groundwater monitoring that was completed by the US Geological Survey (USGS) in 2019 shows groundwater levels at or above the design wetland cell elevation of 2,832 feet from March through July, as was the case in 2017 and 2018. Surface water was documented in wetland Cells 4, 5, 6, 7, 8, 11, 12, and 13 during the site visit, and Cells 1, 2, 3, and 10 lacked standing water. Those cells lacking standing water during the site visit were typically saturated to near the surface, which indicated that wetland hydrology was present in these cells.

**Photographs** – Photographs were taken at photo points 1–4 (PP1 to PP4), transect endpoints, and data points and are provided in Appendix C with comparisons between 2019 and the first year of monitoring. Please refer to previous years' monitoring reports for all previous annual photographs (<a href="https://www.mdt.mt.gov/publications/brochures/wetland\_mitigation.shtml">https://www.mdt.mt.gov/publications/brochures/wetland\_mitigation.shtml</a>).

**Soils** – Soil test pits were excavated at four locations (Figure A-2 – Appendix A). DP-1U and DP-1W were located adjacent to and within excavated Cell 4, respectively. Cell 4 is located in an area mapped in the Kyle Clay, saline (Kw) series. The soil profile at DP-1W, which is located in Cell 4, revealed a dark gray (10YR 4/1) clay/loam down to 10 inches. The soil in this area was saturated to the surface during the July monitoring event. Wetland vegetation has developed in Cell 4. The soil profile at DP-1U revealed a

brown (10YR 4/2) silty clay loam to a depth of 10 inches and a layer of 10YR5/2 sand from 10 to 14 inches. Hardpan conditions were encountered at 14 inches. No hydric soil indicators were observed for DP 1U.

DP-2U and DP-2W were located adjacent to and within excavated Cell 11, respectively. Cell 11 is located in an area mapped in the Kyle Clay, saline (Kw) series. The soil profile at DP-2W, which is located in Cell 11, revealed a dark brown (10YR 3/2) clay/loam with faint yellowish-brown (10YR 5/6) mottles from the surface to a depth of approximately 10 inches. Loamy sand conditions were encountered from 10 to 16 inches and hardpan conditions at 16 inches. The soil in this area was saturated to the surface during the July monitoring event. Wetland vegetation has developed in Cell 11. The soil profile at DP-2U revealed a brown (10YR 4/2) silt loam to a depth of 3 inches, sandy/clay/loam from 3 to 9 inches, and loamy sand from 9 to 14 inches. Hardpan conditions were encountered at 14 inches. No hydric soil indicators were observed for DP 2U.

Credit Summary – Total credits for the site in 2019 are 11.04 acres, which is a 0.04-acre increase from 2018. As of July 2019, the JTX – Tunnicliff Ranch site had developed 5.49 acres of emergent wetland within 9 of the 13 excavated cells and 2.86 acres of transitional wetland within 4 excavated cells for a total of 8.35 acres of aquatic habitat. Credited at 1:1, the site is currently receiving 8.35 acres of credit for wetland development. Wetlands are expected to continue to develop across the site. Planted woody species survival is estimated at 2 percent in the 8 PEs across the site as of the July 2019 monitoring event. The original mitigation credit strategy called for the eight woody plant enclosures to be credited at 5:1 if the enclosures were successful in producing scrub/shrub habitat across the site. With just 2 percent of the woody plants surviving in 2019, this metric is not being met and credits at this time are zero. Additional credits from the site include 0.03 acre for preservation of existing wetlands on the site before construction and 2.66 acres of upland buffer credit. Table 5 summarizes the current estimated wetland credits based on the USACE-approved credit ratios [USACE, 2005] and the wetland delineation that was completed in July 2019.


Table 5. Wetland Mitigation Credits Estimated for the JTX – Tunnicliff Ranch Site (2016–2019)

Compensatory Mitigation Type	Mitigation Area Description	Wetland Type <sup>(a)</sup>	Anticipated Mitigation Surface Area (acres)	USACE- Approved Mitigation Ratios	Anticipated Mitigation Credit (acres)	2016 Mitigation Credit (acres)	2017 Mitigation Credit (acres)	2018 Mitigation Credit (acres)	2019 Mitigation Credit (acres)
Creation (Establishment)	Depressional wetlands	Palustrine emergent and palustrine scrub/shrub	26.85	1:1	26.85	0.0	3.86	8.31	8.35
Creation (Reestablishment)	Woody plant enclosures	Palustrine scrub/shrub	2.73	5:1	0.55	0.5	0.47	0	0
Preservation	Pre-project Wetlands	Palustrine Emergent	0.03	1:1	0.03	0.03	0.03	0.03	0.03
Upland Buffer	100-foot wide upland perimeter	N/A	10.98	5:1	2.2	0.0	2.66	2.66	2.66
	Totals		40.6		29.63	0.5	7.02	11.00	11.04

*Wildlife* – Twenty-three bird species were identified in 2019. Six of the seven bird boxes installed at the site are functional and all appeared to be used in 2019 by a variety of species including tree swallows (*Tachycineta bicolor*) and house wrens (*Troglodytes aedon*). In addition to the 23 bird species, northern leopard frogs (*Lithobates pipiens*) were also observed within many of the excavated wetland cells (Appendix B). Few deer tracks and one white-tailed deer (*Odocoileus virginianus*) were noted across the site.

### Maps, Plans, Photos

Site Location Map



Project Area Maps/Figures: See Appendix A

Data Forms: See Appendix B (Site Monitoring form, plant list, USACE data forms, and MWAM forms)

Photos: See Appendix C

Plans: See Appendix D of 2016 Monitoring Report

https://www.mdt.mt.gov/other/webdata/external/planning/wetlands/2016\_REPORTS/JTX\_Tunnicliff.P

<u>DF</u>

### **Conclusions**

Based on the results of the third year of monitoring, the mitigation site is continuing to develop into a wetland ecosystem. The site is meeting all performance standards except for the following:

- 1. Hydrophytic vegetation achieving a minimum overall vegetation cover of 80 percent in monitored wetland areas within 5 years after site construction
  - a. Hydrophytic vegetative cover development continues to trend positively toward meeting this performance standard. No remedial actions are recommended at this time.
- 2. Woody plants exceed 50 percent survival after 5 years.

Woody plantings survival is not trending toward meeting this performance standard. MDT's staff botanist will be consulted to determine if remedial action is necessary. Remedial action may include replanting woody species before the end of the 5-year monitoring period.


### **References**

**US Army Corps of Engineers, 2005.** "Montana Mitigation Information," *army.mil*, retrieved October 10, 2016 from <a href="http://www.nwo.usace.army.mil/Missions/Regulatory-Program/Montana/Mitigation/">http://www.nwo.usace.army.mil/Missions/Regulatory-Program/Montana/Mitigation/</a>

# APPENDIX A PROJECT AREA MAPS

MDT Wetland Mitigation Monitoring JTX – Tunnicliff Ranch Big Horn County, Montana

A-1 RSI-2972





IX Tunnicliff Wetland Mitigation Site 2019 Monitoring Activity Locations

80 160 320 480 640 800

- - - - - - - - - - - - Feet

A-2







# 2019 Wetland Delineation

# APPENDIX B MONITORING FORMS

MDT Wetland Mitigation Monitoring JTX – Tunnicliff Ranch Big Horn County, Montana

B-1 RSI-2972

### RESPEC/MDT WETLAND MITIGATION SITE MONITORING FORM

Project Name: **JTX-Tunnicliff** Project Number: **STPX STWD (056)** Assessment Date: July 10, 2019 Person(s) conducting the assessment: M. Traxler, T. Traxler Location: **Hardin** MDT District: **Billings** Milepost: Legal Description: T 1N Section 10 1N R 33E Section 15 Weather Conditions: 90 degrees, sunny Time of Day: 1:00 PM-5:30 PM Initial Evaluation Date: June 15, 2016 Monitoring Year: 4 # Visits in Year: 1 Size of evaluation area: **50 acres** Land use surrounding wetland: Rural agricultural and Big Horn River Floodplain. **HYDROLOGY** Surface Water Source: Groundwater Inundation: **Present** Average Depth: **0.5 feet** Range of Depths: 0.5-1 ft. Percent of assessment area under inundation: 10% Depth at emergent vegetation-open water boundary: **0.5 feet** If assessment area is not inundated then are the soils saturated within 12 inches of surface: Other evidence of hydrology on the site (ex. – drift lines, erosion, stained vegetation, etc.): Groundwater Monitoring Wells: **Present** Record depth of water below ground surface (in feet): Well Number Depth Well Number **Well Number Depth Depth** 4.61 **7A** 5.25 Additional Activities Checklist: Map emergent vegetation-open water boundary on aerial photograph. Observe extent of surface water during each site visit and look for evidence of past surface water elevations (drift lines, erosion, vegetation staining, etc.) Use GPS to survey groundwater monitoring well locations, if present. **COMMENTS / PROBLEMS:** Well readings listed above are from USGS readings on 7/18 which was one week after the

monitoring event. Both depths are Below Land Surface (BLS). This groundwater level equated to shallow standing water in a majority of the excavated wetland cells and saturation to near the surface in cells that lacked standing surface water.

### **VEGETATION COMMUNITIES**

Community Number: 6 Community Title (main spp): Pascopyrum smithii/Poa pratensis

| Dominant Species       | % Cover    | Dominant Species | % Cover |
|------------------------|------------|------------------|---------|
| Poa pratensis          | 4 = 21-50% |                  |         |
| Thinopyrum intermedium | 1 = 1-5%   |                  |         |
| Bromus arvense         | 3 = 11-20% |                  |         |
| Acroptilon repens      | 2 = 6-10%  |                  |         |
| Pascopyrum smithii     | 4 = 21-50% |                  |         |
|                        |            |                  |         |

Comments / Problems:

Community Number: 7 Community Title (main spp): Schedonorus pratensis

|                        | \ 117     |                         |          |
|------------------------|-----------|-------------------------|----------|
| Dominant Species       | % Cover   | <b>Dominant Species</b> | % Cover  |
| Schedonorus pratensis  | 5 = > 50% | Bromus inermis          | +=<1%    |
| Dactylis glomerata     | 1 = 1-5%  | Medicago sativa         | +=<1%    |
| Thinopyrum intermedium | +=<1%     | Melilotis officinalis   | + = < 1% |
| Poa pratensis          | 1 = 1-5%  | Glycerrhiza lepidota    | + = < 1% |
| Bromus arvensis        | +=<1%     | Trifolium fragiferum    | +=<1%    |
| Elaeagnus angustifolia | +=<1%     | Arctium lappa           | +=<1%    |

Comments / Problems: \_\_\_\_\_

Community Number: **8** Community Title (main spp): **Thinopyrum intermedium** 

| <b>Dominant Species</b> | % Cover   | Dominant Species     | % Cover  |
|-------------------------|-----------|----------------------|----------|
| Thinopyrum intermedium  | 5 = > 50% | Glycerrhiza lepidota | 1 = 1-5% |
| Iva axillaris           | 1 = 1-5%  | Sporobolus airoides  | 1 = 1-5% |
| Acroptilon repens       | 1 = 1-5%  | Lepidium perfoliatum | 1 = 1-5% |
| Bromus arvensis         | 1 = 1-5%  | Melilotus officinale | 1 = 1-5% |
| Elymus repens           | 1 = 1-5%  | Melilotus albus      | 1 = 1-5% |
| Schedonorus pratensis   | 1 = 1-5%  | Asclepias speciosa   | +=<1%    |

Comments / Problems: <u>Distichlis spicata-<1</u>; <u>Poa pratensis-1</u>; <u>Hordeum jubatum-<1</u>

Community Number: **9** Community Title (main spp): **Schoenoplectus spp./Typha latifolia** 

|                          | \ 11/     |                           |            |
|--------------------------|-----------|---------------------------|------------|
| <b>Dominant Species</b>  | % Cover   | Dominant Species          | % Cover    |
| Schoenoplectus maritimus | 2 = 6-10% | Schoenoplectus pungens    | + = < 1%   |
| Thinopyrum intermedium   | +=<1%     | Beckmannia syzigachne     | + = < 1%   |
| Juneus balticus          | 1 = 1-5%  | Schoenoplectus americanus | 2 = 6-10%  |
| Thinopyrum intermedium   | +=<1%     | Open Water                | 3 = 11-20% |
| Chenopodium album        | +=<1%     | Typha latifolia           | 5 = > 50%  |
| Hordeum jubatum          | +=<1%     |                           |            |

Comments / Problems: **CT-9 is a PEM wetland community.** 

### **VEGETATION COMMUNITIES (continued)**

Community Number: 12 Community Title (main spp): Elaeagnus angustifolium/Thinopyrum

intermedium

| <b>Dominant Species</b> | % Cover    | Dominant Species        | % Cover  |
|-------------------------|------------|-------------------------|----------|
| Thinopyrum intermedium  | 5 = > 50%  | Carex sp.               | 1 = 1-5% |
| Elaeagnus angustifolia  | 3 = 11-20% | Alopecurus arundinaceus | 1 = 1-5% |
| Shepherdia argentea     | 2 = 6-10%  | Salix fragilis          | 1 = 1-5% |
| Bromus inermis          | 1 = 1-5%   | Echinocystis lobata     | 1 = 1-5% |
| Symphoricarpos albus    | 1 = 1-5%   | Acroptilon repens       | 1 = 1-5% |
| Fraxinus pennsylvanica  | 1 = 1-5%   | Cynoglossum officinale  | +=<1%    |

Comments / Problems: \_\_\_\_

Community Number: 13 Community Title (main spp): Transitional Wetland

| Dominant Species         | % Cover   | <b>Dominant Species</b> | % Cover |
|--------------------------|-----------|-------------------------|---------|
| Open Water               | 5 = > 50% |                         |         |
| Hordeum jubatum          | 1 = 1-5%  |                         |         |
| Schoenoplectus maritimus | +=<1%     |                         |         |
| Elymus repens            | +=<1%     |                         |         |
| Distichlis spicata       | +=<1%     |                         |         |
| Typha latifolia          | +=<1%     |                         |         |

Comments / Problems: Standing dead THIINT >50% (drown-out).

Community Number: \_\_\_ Community Title (main spp): \_\_\_\_

| <b>Dominant Species</b> | % Cover | Dominant Species | % Cover |
|-------------------------|---------|------------------|---------|
|                         |         |                  |         |
|                         |         |                  |         |
|                         |         |                  |         |
|                         |         |                  |         |
|                         |         |                  |         |
|                         |         |                  |         |

Comments / Problems:

Community Number: \_\_\_ Community Title (main spp): \_\_\_\_

| <b>Dominant Species</b> | % Cover | Dominant Species | % Cover |
|-------------------------|---------|------------------|---------|
|                         |         |                  |         |
|                         |         |                  |         |
|                         |         |                  |         |
|                         |         |                  |         |
|                         |         |                  |         |
|                         |         |                  |         |
| Comments / Problems:    |         |                  |         |

### PLANTED WOODY VEGETATION SURVIVAL

| Plant Species | Number<br>Originally<br>Planted | Number<br>LIVE<br>Observed | Number<br>Volunteer<br>Observed | Comments   |
|---------------|---------------------------------|----------------------------|---------------------------------|--|
| PA-1          |                                 | 0                          |                                 | All PA: grass and weedy forb competition and lack of |
| PA-2          |                                 | 0                          |                                 | irrigation   |
| PA-3          |                                 | 0                          |                                 |  |
| PA-4          |                                 | 4                          | 3                               | 1 planted woody, 3 volunteer Russian olive           |
| PA-5          |                                 | 0                          |                                 |  |
| PA-6          |                                 | 20                         | 10                              | 10 cottonwood, 10 volunteer Russian olive            |
| PA-7          |                                 | 2                          | 2                               | 2 volunteer russian olive                            |
| PA-8          |                                 | 8                          | 6                               | 2 planted woody, 6 volunteer Russian olive           |
|               |                                 |                            |                                 |  |
|               |                                 |                            |                                 |  |
|               |                                 |                            |                                 |  |
| TOTAL LIVE    |                                 | 34                         |                                 | 2% Survival (of original 1650 stems planted)         |

| Plant Species        | Number<br>Originally<br>Planted |
|----------------------|---------------------------------|
| Sheperdia argentea   | 400                             |
| Crataegus douglasii  | 400                             |
| Elaeaganus commutate | 400                             |
| Prunus virginiana    | 400                             |
| Populus deltoids     | 25                              |
| Acer negundo         | 10                              |
| Quercus macrocarpa   | 15                              |

Comments / Problems: 1,650 containerized woody plants were installed in the 8 planting areas.
All planting were in 1 gallon containers except for cottonwood which were in 5 gallon containers.
Grasses out-competed virtually all plantings (2% remain). Volunteer Russian olives are showing up across the site, including several in PE-6. Protective fencing was starting to sag in PE-4, PE-5, PE-6, and PE-7, but was otherwise in good condition.

Site: <u>Tunnicliff</u> Date: <u>July 10, 2019</u> Examiner: <u>Mark Traxler</u>

Transect Number: 1 Approximate Transect Length: 792 feet Compass Direction from Start: 200° Note:

| Transect Interval Length: 155 feet (Station 0-155)    |           |  |
|---|-----------|--|
| Vegetation Community Type: 8 - Thinopyrum intermedium |           |  |
| Plant Species   | Cover     |  |
| Thinopyrum intermedium                                | 5 = > 50% |  |
| Schedonorus pratensis                                 | + = < 1%  |  |
| Taraxacum officinale                                  | + = < 1%  |  |
| Equisetum arvense                                     | +=<1%     |  |
| Bare Ground   | +=<1%     |  |
| Melilotus albus                                       | 1 = 1-5%  |  |
| Poa pratensis   | 2 = 6-10% |  |
| Bromus inermis  | 1 = 1-5%  |  |
| Melilotus officinalis                                 | 2 = 6-10% |  |
| Convulvulus arvensis                                  | + = < 1%  |  |
|   |           |  |
| Total Vegetative Cover:                               | 90%       |  |

| Transect Interval Length: 72 feet (Station 155-227)                |           |  |
|--|-----------|--|
| Vegetation Community Type: 9 – Schoenoplectus spp./Typha latifolia |           |  |
| Plant Species  | Cover     |  |
| Juneus balticus  | 1 = 1-5%  |  |
| Schoenoplectus maritimus   | 1 = 1-5%  |  |
| Typha latifolia  | 5 = > 50% |  |
| Bare Ground (mud and standing dead THIINT)                         | 1 = 1-5%  |  |
| Hordeum jubatum  | 1 = 1-5%  |  |
|  |           |  |
|  |           |  |
|  |           |  |
|  |           |  |
|  |           |  |
|  |           |  |
| Total Vegetative Cover:  | 90%       |  |

| Transect Interval Length: 103 feet (Station 227-330)  |           |  |
|---|-----------|--|
| Vegetation Community Type: 8 - Thinopyrum intermedium |           |  |
| Plant Species   | Cover     |  |
| Thinopyrum intermedium                                | 5 = > 50% |  |
| Medicago sativa                                       | + = < 1%  |  |
| Bromus arvense  | + = < 1%  |  |
| Schedonorous pratensis                                | +=<1%     |  |
| Poa pratensis   | 1 = 1-5%  |  |
| Melilotus albus                                       | 1 = 1-5%  |  |
|   | _         |  |
|   |           |  |
|   | _         |  |
|   |           |  |
|   |           |  |
|   |           |  |
| Total Vegetative Cover:                               | 100%      |  |

| Transect Interval Length: 219 feet (Station 330-549)               |            |  |
|--|------------|--|
| Vegetation Community Type: 9 – Schoenoplectus spp./Typha latifolia |            |  |
| Plant Species  | Cover      |  |
| Schoenoplectus maritimus   | 3 = 11-20% |  |
| Typha latifolia  | 4 = 21-50% |  |
| Rumex crispus  | + = < 1%   |  |
| Thinopyrum intermedium   | +=<1%      |  |
| Schoenoplectus acutus  | 3 = 11-20% |  |
| Hordeum jubatum  | 1 = 1-5%   |  |
| Beckmannia syzigachne  | + = < 1%   |  |
| Bare Ground (mud)  | 1 = 1-5%   |  |
|  |            |  |
|  |            |  |
|  |            |  |
|  |            |  |
| Total Vegetative Cover:  | 90%        |  |

Site: <u>Tunnicliff</u> Date: <u>July 10, 2019</u> Examiner: <u>Mark Traxler</u>

Transect Number: 1 Approximate Transect Length: 792 feet Compass Direction from Start: 200° Note:

| Transect Interval Length: 89 feet (Station 549-638)   |           |  |
|---|-----------|--|
| Vegetation Community Type: 8 - Thinopyrum intermedium |           |  |
| Plant Species   | Cover     |  |
| Thinopyrum intermedium                                | 5 = > 50% |  |
| Schedonorus pratensis                                 | + = < 1%  |  |
| Taraxacum officinale                                  | + = < 1%  |  |
| Medicago lupulina                                     | + = < 1%  |  |
| Bare Ground   | 1 = 1-5%  |  |
| Melilotus albus                                       | 1 = 1-5%  |  |
| Poa pratensis   | + = < 1%  |  |
| Bromus inermis  | + = < 1%  |  |
| Melilotus officinalis                                 | + = < 1%  |  |
| Hordeum jubatum                                       | 1 = 1-5%  |  |
| Trifolium repens                                      | 1 = 1-5%  |  |
| Total Vegetative Cover:                               | 95%       |  |

| Transect Interval Length: 154 feet (Station 638-792)               |            |  |
|--|------------|--|
| Vegetation Community Type: 9 – Schoenoplectus spp./Typha latifolia |            |  |
| Plant Species  | Cover      |  |
| Juneus balticus  | 1 = 1-5%   |  |
| Schoenoplectus maritimus   | 5 = > 50%  |  |
| Typha latifolia  | 1 = 1-5%   |  |
| Hordeum jubatum  | 3 = 11-20% |  |
| Schoenoplectus acutus  | 1 = 1-5%   |  |
| Bare Ground  | 1 = 1-5%   |  |
|  |            |  |
|  |            |  |
|  |            |  |
|  |            |  |
|  |            |  |
| Total Vegetative Cover:  | 90%        |  |

| Transect Interval Length:  |       |
|----------------------------|-------|
| Vegetation Community Type: |       |
| Plant Species              | Cover |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
| Total Vegetative Cover:    | %     |

| Transect Interval Length:  |       |
|----------------------------|-------|
| Vegetation Community Type: |       |
| Plant Species              | Cover |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
| Total Vegetative Cover:    | %     |

Site: <u>Tunnicliff</u> Date: <u>July 10, 2019</u> Examiner: <u>Mark Traxler</u>

Transect Number: 2 Approximate Transect Length: 900 feet Compass Direction from Start: 330° Note:

| Transect Interval Length: 130 feet (Station 0-130)                 |            |  |  |
|--|------------|--|--|
| Vegetation Community Type: 9 – Schoenoplectus spp./Typha latifolia |            |  |  |
| Plant Species  | Cover      |  |  |
| Schoenoplectus maritimus   | 5 = > 50%  |  |  |
| Rumex crispus  | + = < 1%   |  |  |
| Open Water   | + = < 1%   |  |  |
| Alopecurus arundinaceus  | + = < 1%   |  |  |
| Typha latifolia  | 3 = 11-20% |  |  |
| Schoenoplectus acutus  | 1 = 1-5%   |  |  |
| Hordeum jubatum  | 3 = 11-20% |  |  |
|  |            |  |  |
|  |            |  |  |
|  |            |  |  |
|  |            |  |  |
| Total Vegetative Cover:  | 90%        |  |  |

| Transect Interval Length: 145 feet (Station 255-400) |            |  |  |  |
|--|------------|--|--|--|
| Vegetation Community Type: 13 - Transitional         |            |  |  |  |
| Plant Species  | Cover      |  |  |  |
| Hordeum jubatum                                      | 1 = 1-5%   |  |  |  |
| Schoenoplectus maritimus                             | +=<1%      |  |  |  |
| Open Water   | +=<1%      |  |  |  |
| Elymus Repens  | 3 = 11-20% |  |  |  |
| Alopecurus arundinaceus                              | 1 = 1-5%   |  |  |  |
|  |            |  |  |  |
|  |            |  |  |  |
|  |            |  |  |  |
|  |            |  |  |  |
|  |            |  |  |  |
|  |            |  |  |  |
|  |            |  |  |  |
| Total Vegetative Cover:                              | 60%        |  |  |  |

| Transect Interval Length: 125 feet (Station 130-255)  |           |  |  |  |
|---|-----------|--|--|--|
| Vegetation Community Type: 8 - Thinopyrum intermedium |           |  |  |  |
| Plant Species   | Cover     |  |  |  |
| Thinopyrum intermedium                                | 5 = > 50% |  |  |  |
| Hordeum jubatum                                       | 2 = 6-10% |  |  |  |
| Trifolium sp.   | 1 = 1-5%  |  |  |  |
| Bare Ground   | 1 = 1-5%  |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
| Total Vegetative Cover:                               | 90%       |  |  |  |

| Transect Interval Length: 140 feet (Station 400-540)  |           |  |  |  |
|---|-----------|--|--|--|
| Vegetation Community Type: 8 - Thinopyrum/Schedonorus |           |  |  |  |
| Plant Species   | Cover     |  |  |  |
| Thinopyrum intermedium                                | 5 = > 50% |  |  |  |
| Chenopodium album                                     | 2 = 6-10% |  |  |  |
| Bare Ground   | 1 = 1-5%  |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
| Total Vegetative Cover:                               | 95%       |  |  |  |

Site: <u>Tunnicliff</u> Date: <u>July 12, 2018</u> Examiner: <u>Mark Traxler</u>

Transect Number: 2 Approximate Transect Length: 900 feet Compass Direction from Start: 330° Note:

| Transect Interval Length: 335 feet (Station 540-875) |            |
|--|------------|
| Vegetation Community Type: 13 - Transitional         |            |
| Plant Species  | Cover      |
| Chenopodium album                                    | + = < 1%   |
| Hordeum jubatum                                      | 2 = 6-10%  |
| Schoenoplectus maritimus                             | 3 = 11-20% |
| Open Water (Dead Veg)                                | 3 = 11-20% |
| Typha latifolia                                      | 3 = 11-20% |
| Rumex crispus  | 1 = 1-5%   |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
| Total Vegetative Cover:                              | 60%        |

| Transect Interval Length: 25 feet (Station 875-900)   |           |  |  |  |
|---|-----------|--|--|--|
| Vegetation Community Type: 8 - Thinopyrum intermedium |           |  |  |  |
| Plant Species   | Cover     |  |  |  |
| Bromus arvense  | 1 = 1-5%  |  |  |  |
| Lepidium perfoliatum                                  | + = < 1%  |  |  |  |
| Thinopyrum intermedium                                | 5 = > 50% |  |  |  |
| Chenopodium album                                     | +=<1%     |  |  |  |
| Melilotus albus                                       | + = < 1%  |  |  |  |
| Bare Ground (litter)                                  | 1 = 1-5%  |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
|   |           |  |  |  |
| Total Vegetative Cover:                               | 90%       |  |  |  |

| Transect Interval Length:  |       |
|----------------------------|-------|
| Vegetation Community Type: |       |
| Plant Species              | Cover |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
|                            |       |
| Total Vegetative Cover:    | %     |

| Transect Interval Length:  |       |  |  |  |
|----------------------------|-------|--|--|--|
| Vegetation Community Type: |       |  |  |  |
| Plant Species              | Cover |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
|                            |       |  |  |  |
| Total Vegetative Cover:    | %     |  |  |  |

Cover EstimateIndicator ClassSource+ = < 1%3 = 11-10%+ = ObligateP = Planted1 = 1-5%4 = 21-50%- = Facultative/WetV = Volunteer2 = 6-10%5 = > 50%0 = Facultative

Percent of perimeter developing wetland vegetation (excluding dam/berm structures): \_\_\_\_%

Establish transects perpendicular to the shoreline (or saturated perimeter). The transect should begin in the upland area. Permanently mark this location with a standard metal fencepost. Extend the imaginary transect line towards the center of the wetland, ending at the 3 foot depth (in open water), or at the point where water depths or saturation are maximized. Mark this location with another metal fencepost.

Estimate cover within a 10 foot wide "belt" along the transect length. At a minimum, establish a transect at the windward and leeward sides of the wetland. Remember that the purpose of this sampling is to monitor, not inventory, representative portions of the wetland site.

Comments:

### **PHOTOGRAPHS**

Take photographs of the following permanent reference points listed in the check list below. Record the direction of the photograph using a compass. When at the site for the first time, establish a permanent reference point by setting a ½ inch rebar or fencepost extending 2-3 feet above ground. Survey the location with a resource grade GPS and mark the location on the aerial photograph.

| Photograph Checklist:   |
|---|
| One photograph for each of the four cardinal directions surrounding the wetland.            |
| At least one photograph showing upland use surrounding the wetland. If more than one upland |
| exists then take additional photographs.  |
| At least one photograph showing the buffer surrounding the wetland.                         |
| One photograph from each end of the vegetation transect, showing the transect.              |

| Location  | Photograph<br>Frame # |  |     |
|-----------|-----------------------|--|-----|
| PP-1      |                       | Photo Point 1, Photo 1: 45.83945617/-107.5966157 | 320 |
| PP-1      |                       | Photo Point 1, Photo 2: 45.83945617/-107.5966157 | 270 |
| PP-1      |                       | Photo Point 1, Photo 3: 45.83945617/-107.5966157 | 220 |
| PP-2      |                       | Photo Point 2, Photo 1: 45.83785325/-107.5996803 | 315 |
| PP-2      |                       | Photo Point 2, Photo 2: 45.83785325/-107.5996803 | 0   |
| PP-2      |                       | Photo Point 2, Photo 3: 45.83785325/-107.5996803 | 45  |
| PP-3      |                       | Photo Point 3, Photo 1: 45.83943906/-107.6009084 | 140 |
| PP-3      |                       | Photo Point 3, Photo 2: 45.83943906/-107.6009084 | 100 |
| PP-3      |                       | Photo Point 3, Photo 3: 45.83943906/-107.6009084 | 45  |
| PP-4      |                       | Photo Point 4, Photo 1: 45.84139478/-107.5988983 | 105 |
| PP-4      |                       | Photo Point 4, Photo 2: 45.84139478/-107.5988983 | 160 |
| PP-4      |                       | Photo Point 4, Photo 3: 45.84139478/-107.5988983 | 240 |
| T-1 start |                       | Transect 1 start: 45.8392488/-107.5963573        | 200 |
| T-1 end   |                       | Transect 1 end: 45.83765226/-107.5984577         | 50  |
| T-2 start |                       | Transect 2 start: 45.83844422/-107.6005579       | 330 |
| T-2 end   |                       | Transect 2 end: 45.84089981/-107.6009804         | 160 |
| DP-1W     |                       | Wetland soil pit #1: 45.839807/-107.569752       |     |
| DP-1U     |                       | Upland soil pit #1: 45.839775/-107.596643        |     |
| DP-2W     |                       | Wetland soil pit #2: 45.839274/-107.598507       |     |
| DP-2U     |                       | Upland soil pit #2: 45.83923/-107.598482         |     |
|           |                       | *  |     |
|           |                       |  |     |
|           |                       |  |     |
|           |                       |  |     |
|           |                       |  |     |
|           |                       |  |     |

| Comments / P | roblems: |
|--------------|----------|
|              |          |

### **GPS SURVEYING**

| Using a resource grade GPS survey the items on the checklist below. Collect at least 3 location points set at a 5 second recording rate. Record file numbers for site in designated GPS field notebook.                                       |  |  |  |  |
|---|--|--|--|--|
| GPS Checklist:  |  |  |  |  |
| Comments / Problems: Transect ends, photo points, and wells are monumented and not GPS'd every year unless needed.  |  |  |  |  |
| WETLAND DELINEATION (attach COE delineation forms)  |  |  |  |  |
| At each site conduct these checklist items:  Delineate wetlands according to the 1987 Army COE manual and regional supplement.  Delineate wetland – upland boundary onto aerial photograph.   |  |  |  |  |
| Comments / Problems:  |  |  |  |  |
| FUNCTIONAL ASSESSMENT  Complete and attach full MDT Montana Wetland Assessment Method field forms.  |  |  |  |  |
| Comments / Problems:  |  |  |  |  |
| MAINTENANCE   |  |  |  |  |
| Were man-made nesting structure installed at this site? <u>Yes</u> If yes, do they need to be repaired? <u>Yes</u> If yes, describe the problems below and indicate if any actions were taken to remedy the problems.                         |  |  |  |  |
| Were man-made structures built or installed to impound water or control water flow into or out of the wetland? <u>NA</u> If yes, are the structures working properly and in good working order? <u>NA</u> If no, describe the problems below. |  |  |  |  |
| Comments / Problems: One bird box on west fence line was on the ground and destroyed. May want to install new box to replace destroyed box.   |  |  |  |  |
|   |  |  |  |  |

### WILDLIFE

### **Birds**

Were man-made nesting structures installed? Yes

If yes, type of structure: **box** How many? **8** Are the nesting structures being used? **Yes** 

Do the nesting structures need repairs? Yes - see comments

### **Mammals and Herptiles**

| Mammal and Herptile Species  | Number   | Indirect Indication of Use |      |         |       |
|------------------------------|----------|----------------------------|------|---------|-------|
| Wallinia and Herpthe Species | Observed | Tracks                     | Scat | Burrows | Other |
| Deer sp.                     | 2        |                            |      |         | fawns |
| Raccoon                      |          |                            |      |         |       |
|                              |          |                            |      |         |       |
|                              |          |                            |      |         |       |
|                              |          |                            |      |         |       |
|                              |          |                            |      |         |       |
|                              |          |                            |      |         |       |
|                              |          |                            |      |         |       |

### **Additional Activities Checklist:**

**NA** Macroinvertebrate Sampling (if required)

Comments / Problems: Two boxes in use by tree swallows and 4 used by house wrens in 2019. Some boxes appeared full of nesting material from previous years. One box on the west fenceline was damaged and laying on the ground. House wren observations by MDT staff on 7/10/2019.

### **BIRD SURVEY - FIELD DATA SHEET**

Site: <u>Tunnicliff</u> Date: <u>7/10/19</u> Survey Time: <u>1:00</u> pm to <u>5:30</u> pm

| Bird Species          | #  | Behavior | Habitat | Bird Species | # | Behavior | Habitat |
|-----------------------|----|----------|---------|--------------|---|----------|---------|
| Tree Swallow          | 4  | FO N     |         |              |   |          |         |
| Wilson's Snipe        | 2  | F FO     |         |              |   |          |         |
| Red-winged Blackbird  | 20 | F FO BP  |         |              |   |          |         |
| House Wren            |    |          |         |              |   |          |         |
| Common Yellowthroat   |    |          |         |              |   |          |         |
| American Robin        |    |          |         |              |   |          |         |
| Eastern Kingbird      |    |          |         |              |   |          |         |
| European Starling     |    |          |         |              |   |          |         |
| Western Meadowlark    |    |          |         |              |   |          |         |
| Yellow-rumped Warbler |    |          |         |              |   |          |         |
| American Crow         |    |          |         |              |   |          |         |
| Savannah Sparrow      |    |          |         |              |   |          |         |
| Vesper Sparrow        |    |          |         |              |   |          |         |
| Yellow Warbler        |    |          |         |              |   |          |         |
| Bullock's Oriole      |    |          |         |              |   |          |         |
| Bluebird sp.          |    |          |         |              |   |          |         |
| American Kestrel      |    |          |         |              |   |          |         |
| Northern Flicker      |    |          |         |              |   |          |         |
| Tree Swallow          |    |          | •       |              |   | ·        | _       |
| Bank Swallow          |    |          | •       |              |   | ·        | _       |
| Gray Catbird          |    |          | •       |              |   | ·        | _       |
| Mallard               |    |          |         |              |   |          |         |
| Ring-necked Pheasant  |    |          |         |              |   |          |         |

### **BEHAVIOR CODES**

**BP** = One of a breeding pair **BD** = Breeding display **F** = Foraging

**FO** = Flyover **L** = Loafing

N = Nesting

HABITAT CODES

AB = Aquatic bed
FO = Forested
I = Island
WM = Wet meadow
MA = Marsh
US = Unconsolidated shore

MF = Mud Flat OW = Open Water

Weather: 90 degrees, sunny

Notes: List includes species observed by MDT staff on the same day as field monitoring.

## **Tunnicliff Plant List (2016-2019)**

| Scientific Names            | Common Names            | GP Indicator<br>Status <sup>(a)</sup> |
|-----------------------------|-------------------------|---------------------------------------|
| Acer negundo                | Box Elder               | FAC                                   |
| Acroptilon repens           | Russian Knapweed        | NL                                    |
| Agropyron cristatum         | Crested Wheatgrass      | NL                                    |
| Alopecurus arundinaceus     | Creeping Meadow-Foxtail | FACW                                  |
| Arctium lappa               | Greater Burdock         | NL                                    |
| Asclepias speciosa          | Showy Milkweed          | FAC                                   |
| Bassia scoparia             | Mexican-Fireweed        | FACU                                  |
| Brassica sp.                | Mustard sp.             | (UPL)                                 |
| Bromus arvensis (japonicus) | Field Brome             | FACU                                  |
| Bromus inermis              | Smooth Brome            | UPL                                   |
| Carex sp.                   | Sedge                   |                                       |
| Chenopodium album           | Lamb's-Quarters         | FACU                                  |
| Cirsium arvense             | Canadian Thistle        | FACU                                  |
| Convolvulus arvensis        | Field Bindweed          | NL                                    |
| Crataegus douglasii         | Douglas Hawthorne       | FAC                                   |
| Cynoglossum officinale      | Gypsy-Flower            | FACU                                  |
| Dactylis glomerata          | Orchardgrass            | FACU                                  |
| Distichlis spicata          | Coastal Salt Grass      | FACW                                  |
| Echinocystis lobata         | Wild Cucumber           | FAC                                   |
| Elaeagnus angustifolia      | Russian-Olive           | FACU                                  |
| Elaeagnus commutata         | Silverberry             | UPL                                   |
| Eleocharis palustris        | Common Spike-Rush       | OBL                                   |
| Elymus repens               | Creeping Wild Rye       | FACU                                  |
| Elymus trachycaulus         | Slender Wild Rye        | FACU                                  |
| Equisetum arvense           | Field Horsetail         | FAC                                   |
| Fraxinus pennsylvanica      | Green Ash               | FAC                                   |
| Glycyrrhiza lepidota        | American Licorice       | FACU                                  |
| Hordeum jubatum             | Fox-Tail Barley         | FACW                                  |
| Iva axillaris               | Deer-root               | FAC                                   |
| Juncus balticus             | Baltic rush             | FACW                                  |
| Lepidium perfoliatum        | Clasping Pepperwort     | FAC                                   |
| Leymus cinereus             | Great Basin Lyme Grass  | UPL                                   |
| Medicago lupulina           | Black Medick            | FACU                                  |
| Medicago sativa             | Alfalfa                 | UPL                                   |
| Melilotis albus             | White Sweet-Clover      | NL                                    |
| Melilotis officinalis       | Yellow Sweet-Clover     | FACU                                  |
| Pascopyrum smithii          | Western Wheatgrass      | FACU                                  |
| Poa secunda                 | Curly Blue Grass        | FACU                                  |
| Populus deltoides           | Eastern Cottonwood      | FAC                                   |

| Scientific Names          | Common Names            | GP Indicator<br>Status <sup>(a)</sup> |
|---------------------------|-------------------------|---------------------------------------|
| Prunus virginiana         | Common Chokecherry      | FACU                                  |
| Puccinellia nuttaliana    | Nutall's Alkali Grass   | OBL                                   |
| Quercus macrocarpa        | Bur Oak                 | FACU                                  |
| Rosa woodsii              | Wood's Rose             | FACU                                  |
| Rumex crispus             | Curly Dock              | FAC                                   |
| Schedonorus pratensis     | False Meadow Rye        | FACU                                  |
| Schoenoplectus acutus     | Hard-Stem Club-Rush     | OBL                                   |
| Schoenoplectus americanus | Chairmaker's Club-rush  | OBL                                   |
| Schoenoplectus maritimus  | Saltmarsh Club-rush     | OBL                                   |
| Schoenoplectus pungens    | Three-Square            | OBL                                   |
| Shepherdia argentea       | Silver Buffalo-Berry    | UPL                                   |
| Sporobolus airoides       | Alkali-sacaton          | FAC                                   |
| Symphoricarpos albus      | Common Snowberry        | UPL                                   |
| Taraxacum officinale      | Common Dandelion        | FACU                                  |
| Thinopyrum intermedium    | Intermediate Wheatgrass | NL                                    |
| Tragopogon dubius         | Meadow Goat's-beard     | NL                                    |
| Trifolium fragiferum      | Strawberry-head Clover  | FAC                                   |
| Trifolium repens          | White Clover            | FACU                                  |
| Typha latifolia           | Broad-leaf Cat-tail     | OBL                                   |

<sup>(</sup>a) 2016 NWPL (Lichvar et al., 2016).

New species identified in 2019 are **bolded**.

**Lichvar, R. W., D. L. Banks, W. N. Kirchner, and N. C. Melvin, 2016.** "The National Wetland Plant List: 2016 Wetland Ratings," *Phytoneuron*, Vol. 2016-30, No. 1–17.

### WETLAND DETERMINATION DATA FORM - Great Plains Region

| Project/Site: JTX - Tunnicliff   |                   |                    | City/County:        | Hardin/Big I | Horn                            | Samp              | oling Date: 10-Ju   | ıl-19      |
|--|-------------------|--------------------|---------------------|--------------|---------------------------------|-------------------|---|------------|
| Applicant/Owner: MDT   |                   |                    |                     | State:       | MT                              | Sampling Point:   | DP-:  | 1U         |
| Investigator(s): Mark Traxler, Tanner Tr   | axler             |                    | Section, To         |              | nge: <b>S</b> 34                | T 7N              | <b>R</b> 39E  |            |
| Landform (hillslope, terrace, etc.):   | epression         |                    | Local relief        | (concave, c  | convex, none): co               | oncave            | Slope: 0.5  | %/0.3 °    |
| Subregion (LRR): LRR G   | эргэээээ          | <b>Lat.:</b> 45    |                     |              | Long.: -107,59                  |                   | Datum: V  |            |
| -  |                   | Eat 43             | .039773             |              |                                 |                   |   | 70304      |
| Soil Map Unit Name: Kye clay, saline (   |                   |                    |                     | s • No C     |                                 | I classification: |   |            |
| re climatic/hydrologic conditions on t   |                   | _                  |                     |              | (=: :::0, :::-)                 | olain in Remarks  | •   | $\bigcirc$ |
| Are Vegetation, Soil   | , or Hydrology    | significantly      | disturbed?          | Are "N       | ormal Circumsta                 | nces" present?    | Yes • No  | $\circ$    |
| Are Vegetation, Soil   | , or Hydrology    | naturally pro      | blematic?           | (If nee      | eded, explain any               | answers in Rei    | marks.)   |            |
| Summary of Findings - Att  | ach site ma       | showing sa         | mpling p            | oint loc     | ations, tran                    | sects, impo       | rtant featu   | res, etc.  |
| Hydrophytic Vegetation Present?  | Yes O No 🖲        |                    | To the              | Sampled A    | roa                             |                   |   |            |
| Hydric Soil Present?   | Yes O No •        | )                  |                     | -            |                                 |                   |   |            |
| Wetland Hydrology Present?   | Yes O No 🖲        | )                  | withi               | n a Wetland  | <sub>l?</sub> Yes O No          |                   |   |            |
| <b>Remarks:</b> DP-1U on slope above wetland Cell other hydric soil or hydrology indicates |                   | prevalence of upla | ınd grasses a       | and forbs. S | oil was moist at                | surface from red  | cent precipitation  | ı but no   |
| VEGETATION - Use scient  | ific names o      | f plants           | Dominant            | FWS Re       | gion: GP                        |                   |   |            |
|  |                   |                    | Species? Rel.Strat. | Indicator    | Dominance Tes                   | st worksheet:     |   |            |
| <u>Tree Stratum</u> (Plot size: 30 Foot  | Radius )          | % Cover            |                     | Status       | Number of Domi                  | nant Species      |   |            |
| 1  |                   |                    | Ц                   |              | That are OBL, FA                |                   | 0   | (A)        |
| 2  |                   |                    | <u> </u>            |              | Total Number of                 | Dominant          |   |            |
| 3  |                   |                    |                     |              | Species Across A                |                   | 2   | (B)        |
| 4  |                   |                    |                     |              | Dorsont of dom                  | ninant Chasias    |   |            |
| _Sapling/Shrub Stratum_ (Plot size:  | 15 Foot Radius )  | 0                  | = Total Co          | over         | Percent of dom<br>That Are OBL, | FACW, or FAC:     | 0.0%  | (A/B)      |
|  |                   | 0                  |                     |              | Duning and Tool                 |                   |   |            |
| 1<br>2   |                   |                    |                     |              | Prevalence Ind                  |                   | A. debala la la co  |            |
| 3.   |                   | •                  |                     |              | Total % (                       |                   | <u>Multiply by:</u> <b>x 1</b> = 0                              | _          |
| 4.   |                   |                    |                     |              | FACW species                    |                   | $\mathbf{x} = \begin{array}{c} 0 \\ \mathbf{x} = 0 \end{array}$ | _          |
| 5.   |                   | 0                  |                     |              | •                               |                   | x 3 = 9   | _          |
|  |                   | 0                  | = Total Co          | over         | FAC species FACU species        |                   |   | _          |
| Herb Stratum (Plot size: 5 Foot Ra   | adius )           |                    |                     |              | •                               | 25                |   | _          |
| 1. Agropyron intermedium   |                   | 25                 | ▼ 58.1%             | UPL          | UPL species                     |                   |   |            |
|  |                   |                    | 23.3%               | FACU         | Column Total                    |                   | (A) <u>194</u>  | _ (B)      |
| 3. Melilotus officinale  |                   |                    | 11.6%               | FACU         | Prevalence                      | e Index = B/A =   | 4.512   |            |
| 4. Bromus ciliatus 5.  |                   | 3                  | 7.0%                | FAC          | Hydrophytic Ve                  | getation Indica   | tors:   |            |
| 6.   |                   |                    | 0.0%                |              | 1 - Ranid T                     | est for Hydroph   | vtic Vegetation   |            |
| 7.   |                   |                    | 0.0%                |              |                                 | ance Test is > 50 |   |            |
| 8.   |                   |                    | 0.0%                |              |                                 | ence Index is ≤3  | _   |            |
| 9.   |                   | 0                  | 0.0%                |              | 4 - Mornho                      | ological Adantati | ions <sup>1</sup> (Provide su                                   | pporting   |
| 10.  |                   | 0                  | 0.0%                |              |                                 |                   | separate sheet)   | Lha        |
|  |                   | 43                 | = Total Co          | over         | Problemati                      | ic Hydrophytic V  | $\prime$ egetation $^1$ (Expl                                   | ain)       |
| Woody Vine Stratum (Plot size: 3   | 30 Foot Radius )  |                    |                     |              |                                 | f hydric soil and | wetland hydrol  | ogy must   |
| 1  |                   | 0                  |                     |              | be present.                     |                   |   |            |
| 2.   |                   |                    |                     |              |                                 |                   |   |            |
|  |                   | 0                  | = Total Co          | over         | Hydrophytic                     |                   |   |            |
| % Bare Ground in Herb Stratum  | 57                |                    |                     |              | Vegetation<br>Present?          | Yes O No          | •   |            |
| Remarks:   |                   |                    |                     |              |                                 |                   |   |            |
| No wetland vegetation dominance o  | n slopes around e | excavated areas.   |                     |              |                                 |                   |   |            |
|  | s. sp.so around c |                    |                     |              |                                 |                   |   |            |

US Army Corps of Engineers

Soil Sampling Point: DP-1U

| Profile Description: (Describe to the deposition    Depth    Matrix  |   | ox Features  |   |        |   |   |
|--|---|--|---|--------|---|---|
| (inches) Color (moist) %   |   |  | -                                       | OC2    | Texture   | Remarks   |
| 0-10 10YR 4/2 100  | )   |  |   |        | Silty Clay Loam   |   |
| 10-14 10YR 5/2 100   | )   |  |   |        | Fine Sand   |   |
|  |   |  |   |        |   |   |
|  |   |  |   |        |   |   |
|  |   |  |   |        |   |   |
|  |   |  |   |        |   |   |
|  |   |  |   |        |   |   |
| Type: C=Concentration. D=Depletion. RM=  | =Reduced Matrix CS=Covere   | d or Coated 9  | Sand Grains                             | 2l oca | ation: PL=Pore Lining. M=M  | latrix  |
| ydric Soil Indicators: (Applicable to a  |   |  | <u> </u>                                |        |   | ematic Hydric Soils <sup>3</sup> :  |
| Histosol (A1)  | Sandy Gleyed I  | Matrix S4  |   |        | 1 cm Muck (A9) (I   | RR I, J)  |
| Histic Epipedon (A2)   | Sandy Redox (   | •  |   |        | Coastal Prairie Re  | dox (A16) (LRR F, G, H)   |
| Black Histic (A3)  | Stripped Matrix   |  |   |        | Dark Surface (S7)   | (LRR G)   |
| Hydrogen Sulfide (A4)  | Loamy Mucky I   |  |   |        | High Plains Depre   | ssions (F16)  |
| Stratified Layers (A5) (LRR F)   | Loamy Gleyed  | . ,  |   |        | (LRR H outsid   | e of MLRA 72 and 73)  |
| 1 cm Muck (A9) (LRR F,G,H)   | Depleted Matri  | ` ,  |   |        | Reduced Vertic (F   | 18)   |
| Depleted Below Dark Surface (A11)  | Redox Dark Su   | . ,  |   |        | Red Parent Materi   | al (TF2)  |
| Thick Dark Surface (A12)   | Depleted Dark   | , ,  |   |        | Very Shallow Dark   |   |
| Sandy Muck Mineral (S1)  | Redox depress   | ` '  | <i>c</i> \                              |        | Other (Explain in   | ,   |
| <ul><li> 2.5 cm Mucky Peat or Peat (S2) (LRR G,</li><li> 5 cm Mucky Peat or Peat (S3) (LRR F)</li></ul>  | , -   | pressions (F1) and 73 of LR  | •                                       |        |   | rtic vegetation and wetland<br>sent, unless disturbed or problem  |
| estrictive Layer (if present):   | •   |  |   |        | ,   | ,   |
|  |   |  |   |        |   |   |
| Туре:  |   |  |   |        |   |   |
| Depth (inches):emarks:   | Hardpan-like conditions e   | ncountered   | at 14". No                              | hydro  | Hydric Soil Present?  | Yes ○ No ● excavated area.  |
| Depth (inches):emarks:  b hydric soil indicators present to 14". I   | Hardpan-like conditions e   | encountered  | at 14". No                              | hydro  | 1 '   |   |
| Depth (inches):emarks: hydric soil indicators present to 14". I  | Hardpan-like conditions e   | encountered  | at 14". No                              | hydro  | logy at this height above   | excavated area.   |
| Depth (inches):emarks: hydric soil indicators present to 14". I  |   |  | at 14". No                              | hydro  | logy at this height above   | excavated area.   |
| Depth (inches):emarks: hydric soil indicators present to 14". I  | quired; check all that app  | ıly)   | at 14". No                              | hydro  | logy at this height above  Secondary Indica  Surface Soil   | excavated area.  Stors (minimum of two requirements (B6)  |
| Depth (inches):emarks:  b hydric soil indicators present to 14". I  ydrology  fetland Hydrology Indicators: rimary Indicators (minimum of one recommend of the surface Water (A1)  | quired; check all that app  | lly)<br>11)  |   | hydro  | Secondary Indica Surface Soil Sparsely Veg  | excavated area.  ators (minimum of two requir Cracks (B6) getated Concave Surface (B8)  |
| Depth (inches): emarks: b hydric soil indicators present to 14". I  ydrology  vetland Hydrology Indicators: rimary Indicators (minimum of one recommend)  Surface Water (A1)  High Water Table (A2)  | quired; check all that app<br>Salt Crust (B   | oly)<br>11)<br>rtebrates (B13  | 3)                                      | hydro  | Secondary Indica Surface Soil Sparsely Veg Drainage Pa  | excavated area.  ators (minimum of two requir Cracks (B6) getated Concave Surface (B8) tterns (B10)   |
| pepth (inches):  emarks:  hydric soil indicators present to 14". I  ydrology  /etland Hydrology Indicators:  rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)  Saturation (A3)   | quired; check all that app<br>Salt Crust (B<br>Aquatic Inve   | ly)<br>11)<br>rtebrates (B1:<br>Ifide Odor (C:   | 3)                                      | hydro  | Secondary Indica Surface Soil Sparsely Veg Drainage Pa Oxidized Rh  | excavated area.  ators (minimum of two requirements (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3)  |
| pepth (inches):  demarks: dema | quired; check all that app<br>Salt Crust (B<br>Aquatic Inve<br>Hydrogen Su  | ly)<br>11)<br>tebrates (B1:<br>Ifide Odor (C:<br>Water Table ((  | 3)<br>1)<br>C2)                         |        | Secondary Indica Surface Soil Sparsely Veg Drainage Pa Oxidized Rh (where   | excavated area.  ators (minimum of two requirements (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3) itilled)   |
| Depth (inches):  | quired; check all that app<br>Salt Crust (B<br>Aquatic Inve<br>Hydrogen Su<br>Dry Season N  | lly)<br>11)<br>tebrates (B1:<br>Ifide Odor (C:<br>Water Table (V<br>zospheres on   | 3)<br>1)<br>C2)                         |        | Secondary Indica Surface Soil Sparsely Vec Drainage Pa Oxidized Rh (where   | excavated area.  Inters (minimum of two requirements (B6)  Inters (B10)  Interpretation |
| Depth (inches): emarks: b hydric soil indicators present to 14". I  ydrology  retland Hydrology Indicators: rimary Indicators (minimum of one rec  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift deposits (B3)   | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Dry Season N Oxidized Rhi.  | lly) 11) 1tebrates (B1: Ifide Odor (C: Water Table (George)  | 3)<br>1)<br>C2)<br>Living Roots         |        | Secondary Indicate Surface Soil Sparsely Veg Drainage Pa Oxidized Rh (where   | excavated area.  ators (minimum of two requir Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3) itilled) rows (C8) isible on Aerial Imagery (C9)  |
| Depth (inches): emarks: b hydric soil indicators present to 14". I  ydrology  retland Hydrology Indicators: rimary Indicators (minimum of one recommany Indicators (Minimum of One recommand ( | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Dry Season N Oxidized Rhi: (where I   | lly) 11) Irtebrates (B1: Ifide Odor (C: Water Table (G: zospheres on not tilled) Reduced Iron  | 3)<br>1)<br>C2)<br>Living Roots         |        | Secondary Indica Surface Soil Sparsely Veg Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic                            | excavated area.  ators (minimum of two requir Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3) etilled) rows (C8) isible on Aerial Imagery (C9) Position (D2)  |
| pepth (inches):  emarks:  hydric soil indicators present to 14". If  ydrology  /etland Hydrology Indicators:  rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Dry Season N Oxidized Rhi: (where I Presence of I                               | lly) 11) 11tebrates (B1: 1fide Odor (C: Vater Table (C: zospheres on not tilled) Reduced Iron urface (C7)  | 3)<br>1)<br>C2)<br>Living Roots<br>(C4) |        | Secondary Indica Surface Soil Sparsely Vec Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic FAC-neutral                | excavated area.  ators (minimum of two require Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3)  tilled) rows (C8) isible on Aerial Imagery (C9) Position (D2) Test (D5)   |
| Depth (inches): emarks: b hydric soil indicators present to 14". I  ydrology  etland Hydrology Indicators: rimary Indicators (minimum of one recommany Indicators (Minimum of One recommand (M | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Dry Season N Oxidized Rhi: (where I Presence of I                               | lly) 11) Irtebrates (B1: Ifide Odor (C: Water Table (G: zospheres on not tilled) Reduced Iron  | 3)<br>1)<br>C2)<br>Living Roots<br>(C4) |        | Secondary Indica Surface Soil Sparsely Vec Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic FAC-neutral                | excavated area.  ators (minimum of two requir Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3) etilled) rows (C8) isible on Aerial Imagery (C9) Position (D2)  |
| Depth (inches):emarks: hydric soil indicators present to 14". I  /drology etland Hydrology Indicators: rimary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5)   | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Dry Season N Oxidized Rhi: (where I Presence of I                               | lly) 11) 11tebrates (B1: 1fide Odor (C: Vater Table (C: zospheres on not tilled) Reduced Iron urface (C7)  | 3)<br>1)<br>C2)<br>Living Roots<br>(C4) |        | Secondary Indica Surface Soil Sparsely Vec Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic FAC-neutral                | excavated area.  ators (minimum of two require Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3)  tilled) rows (C8) isible on Aerial Imagery (C9) Position (D2) Test (D5)   |
| Depth (inches): emarks: hydric soil indicators present to 14". If  ydrology  etland Hydrology Indicators: rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  eld Observations:   | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi: (where I Presence of I Other (Expla                               | lly)  11)  Irtebrates (B1:  Ifide Odor (C:  Vater Table (I  zospheres on  not tilled)  Reduced Iron  urface (C7)  in in Remarks  | 3)<br>1)<br>C2)<br>Living Roots<br>(C4) |        | Secondary Indica Surface Soil Sparsely Vec Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic FAC-neutral                | excavated area.  ators (minimum of two require Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3)  tilled) rows (C8) isible on Aerial Imagery (C9) Position (D2) Test (D5)   |
| Depth (inches): emarks: hydric soil indicators present to 14". If  ydrology  (etland Hydrology Indicators: rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  eld Observations: urface Water Present?  Yes   | quired; check all that app  Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi: (where I Thin Muck St T)  Depth (incl                            | ly)  11)  Itebrates (B1:  Iffide Odor (C:  Water Table (Cospheres on  not tilled)  Reduced Iron  Jurface (C7)  Jurface (C7)  Jurface (C7)  Jurface (C8)  | 3)<br>1)<br>C2)<br>Living Roots<br>(C4) |        | Secondary Indica Surface Soil Sparsely Vec Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic FAC-neutral                | excavated area.  ators (minimum of two require Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3)  tilled) rows (C8) isible on Aerial Imagery (C9) Position (D2) Test (D5)   |
| Depth (inches):  demarks: dema | quired; check all that app  Salt Crust (B Aquatic Inve Hydrogen Su Dry Season V Oxidized Rhi: (where I Presence of I Thin Muck St 7)  Depth (incl | Itebrates (B1: Ifide Odor (C: Vater Table (C:  | 3)<br>1)<br>C2)<br>Living Roots<br>(C4) | s (C3) | Secondary Indica Surface Soil Sparsely Vec Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic FAC-neutral                | excavated area.  ators (minimum of two require Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3)  tilled) rows (C8) isible on Aerial Imagery (C9) Position (D2) Test (D5)   |
| Depth (inches):  Remarks: Depth hydric soil indicators present to 14". If the provided soil indicators present (A1)    High Water Table (A2)   Saturation (A3)   Water Marks (B1)   Sediment Deposits (B2)   Drift deposits (B3)   Algal Mat or Crust (B4)   Iron Deposits (B5)   Inundation Visible on Aerial Imagery (B7)   Water-Stained Leaves (B9)   Indicators present (B9)   Indi | quired; check all that app  Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi: (where I Presence of I Thin Muck Su T)  Other (Expla             | ly)  11)  Itebrates (B1: Iffide Odor (C: Water Table (Cospheres on Not tilled)  Reduced Iron Inface (C7) In in Remarks  Ines): Ines]: I | 3) 1) C2) Living Roots (C4)             | s (C3) | Secondary Indicates Surface Soil Sparsely Veg Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic FAC-neutral Frost Heave | excavated area.  ators (minimum of two require Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3) • tilled) rows (C8) isible on Aerial Imagery (C9) Position (D2) Test (D5) Hummocks (D7) (LRR F)  |
| Depth (inches):  demarks:  Demarks: Dem | quired; check all that app  Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi: (where I Presence of I Thin Muck Su T)  Other (Expla             | ly)  11)  Itebrates (B1: Iffide Odor (C: Water Table (Cospheres on Not tilled)  Reduced Iron Inface (C7) In in Remarks  Ines): Ines]: I | 3) 1) C2) Living Roots (C4)             | s (C3) | Secondary Indicates Surface Soil Sparsely Veg Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic FAC-neutral Frost Heave | excavated area.  ators (minimum of two require Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3) • tilled) rows (C8) isible on Aerial Imagery (C9) Position (D2) Test (D5) Hummocks (D7) (LRR F)  |
| Depth (inches):  Demarks: Dema | quired; check all that app  Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi: (where I Presence of I Thin Muck Su T)  Other (Expla             | ly)  11)  Itebrates (B1: Iffide Odor (C: Water Table (Cospheres on Not tilled)  Reduced Iron Inface (C7) In in Remarks  Ines): Ines]: I | 3) 1) C2) Living Roots (C4)             | s (C3) | Secondary Indicates Surface Soil Sparsely Veg Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic FAC-neutral Frost Heave | excavated area.  ators (minimum of two require Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3) • tilled) rows (C8) isible on Aerial Imagery (C9) Position (D2) Test (D5) Hummocks (D7) (LRR F)  |
| Depth (inches):  Remarks: Depth hydric soil indicators present to 14". If the proof of the proof | quired; check all that app  Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi: (where I Presence of I Thin Muck Su T)  Other (Expla             | ly)  11)  Itebrates (B1: Iffide Odor (C: Water Table (Cospheres on Not tilled)  Reduced Iron Inface (C7) In in Remarks  Ines): Ines]: I | 3) 1) C2) Living Roots (C4)             | s (C3) | Secondary Indicates Surface Soil Sparsely Veg Drainage Pa Oxidized Rh (where Crayfish Bur Saturation V Geomorphic FAC-neutral Frost Heave | excavated area.  ators (minimum of two require Cracks (B6) getated Concave Surface (B8) tterns (B10) izospheres on Living Roots (C3) • tilled) rows (C8) isible on Aerial Imagery (C9) Position (D2) Test (D5) Hummocks (D7) (LRR F)  |

US Army Corps of Engineers Great Plains - Version 2.0

### WETLAND DETERMINATION DATA FORM - Great Plains Region

| Project/Site: JTX - Tunnicliff  |                          |                 | City/County:       | Hardin/Big  | Horn                   | Samp                                   | ling Date:             | 10-Jul-19    |       |
|---|--------------------------|-----------------|--------------------|-------------|------------------------|--|------------------------|--------------|-------|
| Applicant/Owner: MDT  |                          |                 |                    | State:      | : MT                   | Sampling Point:                        |                        | DP-1W        |       |
| Investigator(s): Mark Traxler, Tanner Tra   | axler                    |                 | Section, To        | wnship, Ra  | nge: <b>S</b> 34       | <b>T</b> _7N                           | <b>R</b> 39E           |              |       |
| Landform (hillslope, terrace, etc.): D  | epression                |                 | Local relief       | (concave, o | convex, none): c       | concave                                | Slope:                 | 0.0 %/_      | 0.0 ° |
|   | ·                        | <br>Lat.: 45,   | 839807             |             | Long.: -107.5          | <br>69752                              | Date                   | um: WGS84    |       |
| -   | (Viv)                    |                 | 1033007            |             |                        | /I classification:                     |                        | -            |       |
| Soil Map Unit Name: Kye clay, saline (  |                          | of voor'        |                    | s • No      |                        | _                                      |                        | <u>ea</u>    |       |
| re climatic/hydrologic conditions on t  |                          | -               |                    |             | , -                    | plain in Remarks                       | .,<br>Yes ⊙            | No O         |       |
| Are Vegetation, Soil  |                          | significantly ( |                    |             | ormal Circumsta        | -                                      |                        | NO C         |       |
| Are Vegetation, Soil  |                          | naturally pro   |                    | -           |                        | y answers in Rer                       | -                      |              |       |
| Summary of Findings - Att   |                          | owing sa        | mpling p           | oint loc    | ations, tran           | isects, impo                           | rtant fe               | eatures,     | etc.  |
| Hydrophytic Vegetation Present?   | Yes   No                 |                 | Is the             | Sampled A   | irea                   |  |                        |              |       |
| Hydric Soil Present?  | Yes   No                 |                 | withir             | n a Wetland | <sub>i?</sub> Yes 💿 No | $\bigcirc$                             |                        |              |       |
| Wetland Hydrology Present?  | Yes   No                 |                 |                    |             | •                      |  |                        |              |       |
| DP-1W located in Cell 4, qualifies as problematic due to new construction  VEGETATION - Use scienti | n, as expected and as is | s normal for r  |                    |             | nmunity and satu       | urated soils. Hydi                     | ric soils rei          | main         |       |
| (Plot size: 30 Foot F   | Padius \                 |                 | Rel.Strat.         | Indicator   | Dominance Te           | st worksheet:                          |                        |              |       |
| <u>Tree Stratum</u> (Plot size: 30 Foot F   | <u>radius</u> j          | <u>% Cover</u>  | Cover              | Status      | Number of Dom          |  |                        | · (A         |       |
| 1   |                          |                 | <u> </u>           |             | That are OBL, F.       | ACW, or FAC:                           |                        | 2 (A)        | .)    |
| 2.<br>3.  |                          |                 | <u> </u>           |             | Total Number of        |  |                        | - (D         |       |
| 4.  |                          |                 | <u> </u>           |             | Species Across A       | All Strata:                            |                        | 2 (B)        | ·)    |
|   |                          |                 | = Total Co         |             |                        | minant Species                         |                        |              |       |
| _Sapling/Shrub Stratum (Plot size: 1  | 15 Foot Radius )         |                 | - 1000             | ,           | That Are OBL,          | FACW, or FAC:                          | 100                    | .0% (A       | /B)   |
| 1   |                          | 0               |                    |             | Prevalence Inc         | dex worksheet:                         |                        |              |       |
| 2   |                          |                 |                    |             | Total %                | Cover of: N                            | fultiply by:           |              |       |
| 3   |                          | 0               |                    |             | OBL species            | 35>                                    | (1 =                   | 35           |       |
| 4   |                          |                 | <u> </u>           |             | FACW species           | s <u>2</u> >                           | (2 = _                 | 4            |       |
| 5   |                          |                 | Ц                  |             | FAC species            |  | <b>3</b> = _           | 0            |       |
| (Dlatation - F Foot Po  | adia                     | 0               | = Total Co         | over        | FACU species           | s <u> </u>                             | < 4 = _                | 0            |       |
| Herb Stratum (Plot size: 5 Foot Ra  | dius )                   |                 |                    |             | UPL species            | 5                                      | < 5 = _                | 25           |       |
|   |                          |                 | ✓ 59.5%<br>✓ 23.8% | OBL         | Column Total           | ls: <u>42</u>                          | (A) _                  | 64 (         | (B)   |
| Schoenoplectus maritimus     Agropyron intermedium  |                          | _               | 11.9%              | UPL         | Prevalenc              | e Index = B/A =                        | 1.5                    | 524          |       |
| 4. Hordeum jubatum  |                          |                 | 4.8%               | FACW        |                        |  |                        | <u> </u>     |       |
| 5.  |                          | 0               | 0.0%               |             | Hydrophytic Ve         | egetation Indicat                      | tors:                  |              |       |
| 6.  |                          | 0               | 0.0%               |             | ✓ 1 - Rapid            | Test for Hydroph                       | ytic Veget             | ation        |       |
| 7.  |                          | 0               |                    |             |                        | ance Test is > 50                      |                        |              |       |
| 8.<br>9.  |                          | 0               |                    |             | ✓ 3 - Prevale          | ence Index is ≤3                       | .0 <sup>1</sup>        |              |       |
| 10.   |                          |                 |                    |             | 4 - Morph              | ological Adaptati                      | ons <sup>1</sup> (Prov | ide support  | ting  |
| 10.   |                          |                 |                    |             |                        | Remarks or on a :<br>tic Hydrophytic V | -                      | -            |       |
| Woody Vine Stratum (Plot size: 3  | 0 Foot Radius            | 42              | = Total Co         | over        |                        | of hydric soil and                     | _                      |              | nuet  |
|   |                          | 0               |                    |             | be present.            | n nyunc son anu                        | wecianu n              | yurology iii | iust  |
| 1<br>2.   |                          | •               |                    |             |                        |  |                        |              |       |
| ۷   |                          |                 |                    |             | Hydrophytic            |  |                        |              |       |
| % Bare Ground in Herb Stratum   | 58                       | 0               | = Total Co         | over        | Vegetation<br>Present? | Yes   No                               | $\circ$                |              |       |
| Remarks:  |                          |                 |                    |             |                        |  |                        |              |       |
|   |                          |                 |                    |             |                        |  |                        |              |       |
| Wetland cell quickly developing a pro   | ominance of wetland sp   | pecies.         |                    |             |                        |  |                        |              |       |

US Army Corps of Engineers

Soil Sampling Point: DP-1W

| Profile Descr    | iption: (De    | scribe to t  | he depth no   | eeded to document     | the indi    | cator or co | onfirm the       | absence of indicators.)   | )  |
|------------------|----------------|--------------|---------------|-----------------------|-------------|-------------|------------------|---------------------------|--|
| Depth            |                | Matrix       |               |                       | ox Featu    |             |                  |                           |  |
| (inches)         | Color (        | moist)       | <u>%</u>      | Color (moist)         | %           | Tvpe 1      | Loc <sup>2</sup> | Texture                   | Remarks                                  |
| 0-2              | 10YR           | 3/1          | 100           |                       |             |             |                  | Clay Loam                 |  |
| 2-10             | 10YR           | 4/1          | 100           |                       |             |             |                  | Clay Loam                 |  |
| 10+              | rocks          |              |               | -                     | -           |             |                  | •                         |  |
|                  |                |              |               |                       |             |             |                  |                           |  |
|                  |                |              |               |                       |             |             |                  |                           |  |
|                  |                |              |               |                       |             |             |                  |                           |  |
|                  |                |              |               |                       |             |             |                  |                           |  |
|                  |                |              |               |                       |             |             |                  |                           |  |
|                  |                |              |               |                       |             |             |                  | -                         |  |
| 1Typo: C=Con     |                |              | n DM-Dodu     | and Matrix, CS=Covers | d or Coat   | od Sand Cr  | nine 2Loca       | ation: PL=Pore Lining. M= | Matrix                                   |
| 7.               |                |              |               | Rs, unless otherwis   |             |             | all is -LUC      |                           | plematic Hydric Soils <sup>3</sup> :     |
| Histosol (A      |                | (Аррпсав     | ie to ali EKI | Sandy Gleyed          |             | ,           |                  |                           |  |
|                  | pedon (A2)     |              |               | Sandy Redox (         |             |             |                  | 1 cm Muck (A9)            | Redox (A16) (LRR F, G, H)                |
| Black Histi      | . ,            |              |               | Stripped Matrix       | •           |             |                  | Dark Surface (S           |  |
|                  | Sulfide (A4)   |              |               | Loamy Mucky           | ` '         | 1)          |                  | High Plains Dep           | , , ,                                    |
|                  | Layers (A5) (  | LRR F)       |               | Loamy Gleyed          | -           | •           |                  |                           | ide of MLRA 72 and 73)                   |
|                  | k (A9) (LRR F  |              |               | Depleted Matri        | •           | ,           |                  | Reduced Vertic            | •  |
| Depleted I       | Below Dark S   | urface (A1   | 1)            | Redox Dark Su         | rface (F6)  | )           |                  | Red Parent Mate           | ` '                                      |
| Thick Dark       | k Surface (A1  | 2)           |               | Depleted Dark         | Surface (   | F7)         |                  |                           | ork Surface (TF12)                       |
| Sandy Mud        | ck Mineral (S  | 1)           |               | Redox depress         | ions (F8)   |             |                  | ✓ Other (Explain i        | , ,                                      |
| ☐ 2.5 cm Mu      | ucky Peat or I | Peat (S2) (I | LRR G, H)     | High Plains De        | pressions   | (F16)       |                  | _ ` ` '                   | hytic vegetation and wetland             |
| 5 cm Muck        | ky Peat or Pe  | at (S3) (LR  | .R F)         | (MLRA 72              | and 73 o    | f LRR H)    |                  |                           | resent, unless disturbed or problematic. |
| Restrictive La   | ayer (if pres  | sent):       |               |                       |             |             |                  |                           |  |
| Туре:            |                |              |               |                       |             |             |                  |                           |  |
| Depth (inch      | nes):          |              |               |                       |             |             |                  | Hydric Soil Present?      | Yes   No                                 |
| Remarks:         |                |              |               |                       |             |             |                  | •                         |  |
| New construct    | tion, do not   | expect to    | see any hy    | dric soil indicators  | for sever   | al vears:   | soil saturat     | ted to surface and dom    | inant hydrophytic vegetation in          |
| excavated are    |                |              |               | rane son maleators    | ioi sevei   | ui yeuis, s | Jon Jacara       | ted to surface and dom    | mane nyaropnyae vegetation in            |
|                  |                |              |               |                       |             |             |                  |                           |  |
| Hydrology        | y              |              |               |                       |             |             |                  |                           |  |
| Wetland Hyd      | rology Indi    | cators:      |               |                       |             |             |                  | Secondary Indi            | cators (minimum of two required)         |
| 1                |                |              | one required  | d; check all that app | ılv)        |             |                  |                           | oil Cracks (B6)                          |
| ✓ Surface W      |                |              | ,             | Salt Crust (B         |             |             |                  |                           | egetated Concave Surface (B8)            |
| ✓ High Wate      | . ,            | 1            |               | Aquatic Inve          | •           | (R13)       |                  | = ' '                     | Patterns (B10)                           |
| Saturation       | ` ,            |              |               | Hydrogen Su           |             | . ,         |                  |                           | , ,                                      |
| Water Ma         |                |              |               | Dry Season            |             |             |                  |                           | thizospheres on Living Roots (C3)        |
|                  | : Deposits (B2 | )\           |               | Oxidized Rhi          |             | • •         | Poots (C3)       | _ `                       | re tilled)<br>urrows (C8)                |
| Drift depo       | ' '            | .)           |               |                       | -           | _           | (0013 (03)       | _                         |  |
|                  | or Crust (B4   | `            |               | _                     | not tilled) |             |                  |                           | Visible on Aerial Imagery (C9)           |
|                  |                | ,            |               | Presence of           |             | ` '         |                  |                           | ic Position (D2)                         |
| ☐ Iron Depo      |                |              | (22)          | Thin Muck S           | -           | -           |                  |                           | al Test (D5)                             |
|                  | on Visible on  |              | ery (B/)      | U Other (Expla        | in in Rem   | arks)       |                  | ☐ Frost Heav              | e Hummocks (D7) (LRR F)                  |
| Water-Sta        | ained Leaves   | (B9)         |               |                       |             |             |                  |                           |  |
| Field Observa    | ations:        | /            |               | <b>\</b>              |             |             |                  |                           |  |
| Surface Water    | Present?       | Yes (        |               | Depth (inc            | nes):       | 3           | _                |                           |  |
| Water Table Pr   | resent?        | Yes (        | ● No ○        | ) Depth (inc          | nes):       | 0           |                  |                           |  |
| Saturation Pres  | sent?          | Yes (        | ● No ○        |                       | _           | 0           | Wetla            | and Hydrology Present     | ? Yes ● No ○                             |
| (includes capill |                |              |               |                       |             |             |                  |                           |  |
| Describe Rec     | corded Data    | (stream o    | jauge, mon    | itor well, aerial pho | tos, prev   | ious inspe  | ections), if     | available:                |  |
| Damanda          |                |              |               |                       |             |             |                  |                           |  |
| Remarks:         |                |              |               |                       |             |             |                  |                           |  |
| Wetland cell     | had 3 inche    | s of stanc   | ling water b  | ecause of elevated    | groundv     | vater level | s across si      | te in the summer of 20    | 19.                                      |
|                  |                |              |               |                       |             |             |                  |                           |  |
|                  |                |              |               |                       |             |             |                  |                           |  |

US Army Corps of Engineers Great Plains - Version 2.0

### WETLAND DETERMINATION DATA FORM - Great Plains Region

| Project/Site: JTX - Tunnicliff  |                  | c                | City/County:                      | Hardin/Big I | Horn                                  | Samp                                | ling Date:              | 10-Jul-19                       |
|---|------------------|------------------|-----------------------------------|--------------|---------------------------------------|-------------------------------------|-------------------------|---------------------------------|
| Applicant/Owner: MDT  |                  |                  |                                   | State:       | MT :                                  | Sampling Point:                     |                         | OP-2U                           |
| Investigator(s): Mark Traxler, Tanner   | Traxler          |                  | Section, To                       | ownship, Ra  |                                       | <b>T</b> 7N                         | <b>R</b> 39E            |                                 |
| Landform (hillslope, terrace, etc.):  | Depression       |                  | Local relief                      | (concave, c  | convex, none): co                     | ncave                               | Slope:                  | 0.5 <b>% /</b> 0.3 <sup>(</sup> |
| -<br>Subregion (LRR): LRR G   | ·                | <br>Lat.: 45,    | 83923                             |              | Long.: -107,59                        | 8482                                |                         | m: WGS84                        |
| Soil Map Unit Name: Kye clay, saline  | (Kw)             |                  | .03723                            |              |                                       | classification:                     |                         |                                 |
| re climatic/hydrologic conditions on  |                  | ic time of year! | . Ya                              | s • No C     |                                       | lain in Remarks                     |                         | J.                              |
| Are Vegetation , Soil   | , or Hydrology   | significantly o  |                                   |              | ormal Circumstai                      |                                     | Yes 💿                   | No O                            |
|   |                  |                  |                                   |              |                                       | •                                   |                         | 110 ©                           |
| Are Vegetation, Soil  | , or Hydrology   | naturally prol   |                                   | -            | eded, explain any                     |                                     | -                       |                                 |
| Summary of Findings - At  |                  | howing sa        | mpling p                          | oint loc     | ations, trans                         | sects, impo                         | rtant fe                | atures, etc.                    |
| Hydrophytic Vegetation Present?   | Yes O No •       |                  | Is the                            | e Sampled A  | rea                                   |                                     |                         |                                 |
| Hydric Soil Present?  | Yes O No •       |                  | withi                             | n a Wetland  | <sub>l?</sub> Yes O No (              | •                                   |                         |                                 |
| Wetland Hydrology Present?  | Yes ○ No •       |                  |                                   |              |                                       |                                     |                         |                                 |
| Remarks: Plot located upslope from wetland no other hydric soil or hydrology in  VEGETATION - Use scien | ndicators noted. | <u>'</u>         | f upland gras  Dominant  Species? |              | rbs. Soil was moi                     | st at surface fro                   | m recent pr             | recipitation but                |
|   |                  | Absolute         | Rel.Strat.                        | Indicator    | Dominance Tes                         | t worksheet:                        |                         |                                 |
| <u>Tree Stratum</u> (Plot size: 30 Foo  | t Radius )       | % Cover          | Cover                             | Status       | Number of Domir                       |                                     |                         |                                 |
| 1   |                  |                  | <u> </u>                          |              | That are OBL, FA                      | CW, or FAC:                         | 0                       | (A)                             |
| 2.<br>3.  |                  |                  | Ц                                 |              | Total Number of                       |                                     |                         |                                 |
| 4.  |                  |                  |                                   |              | Species Across Al                     | l Strata:                           | 1                       | (B)                             |
|   |                  |                  | = Total Co                        | - —          | Percent of dom                        | inant Species                       |                         |                                 |
| Sapling/Shrub Stratum (Plot size:   | 15 Foot Radius ) |                  | - 10001 50                        | ,vei         | That Are OBL, I                       | FACW, or FAC:                       | 0.0                     | % (A/B)                         |
| 1   |                  | 0                |                                   |              | Prevalence Inde                       | ex worksheet:                       |                         |                                 |
| 2   |                  |                  |                                   |              | Total % (                             | Cover of: M                         | fultiply by:            |                                 |
| 3   |                  | 0                |                                   |              | OBL species                           | 0×                                  | 1 =                     | 0                               |
| 4   |                  |                  |                                   |              | FACW species                          | x                                   | 2 =                     | 0                               |
| 5   |                  |                  | Ц                                 |              | FAC species                           | 0x                                  | 3 =                     | 0                               |
| (8)   | Dadt a N         | 0                | = Total Co                        | over         | FACU species                          | 10x                                 | 4 =                     | 40                              |
| Herb Stratum (Plot size: 5 Foot I   | Radius )         |                  |                                   |              | UPL species                           | 75 x                                | 5 =                     | 375                             |
| Agropyron intermedium     Melilotus officinale  |                  |                  | 88.2%                             |              | Column Total:                         | s: <u>85</u> (                      | (A)                     | 415 <b>(B)</b>                  |
| 3.  |                  |                  | 0.0%                              | FACU         |                                       | Index = B/A =                       | 4.88                    | 22                              |
| 4.  |                  |                  | 0.0%                              |              |                                       |                                     |                         | <u> </u>                        |
| 5.  |                  |                  | 0.0%                              |              | Hydrophytic Ve                        | getation Indicat                    | ors:                    |                                 |
| 6.  |                  | 0                | 0.0%                              |              | 1 - Rapid T                           | est for Hydroph                     | ytic Vegeta             | tion                            |
| 7.  |                  | 0                | 0.0%                              |              |                                       | nce Test is > 50                    |                         |                                 |
| 8. 9.   |                  |                  | 0.0%                              |              | 3 - Prevale                           | nce Index is ≤3                     | .0 <sup>1</sup>         |                                 |
| 10.   |                  |                  |                                   |              | 4 - Morpho                            | logical Adaptati                    | ons <sup>1</sup> (Provi | de supporting                   |
| 10  |                  | 0                |                                   |              |                                       | emarks or on a s<br>c Hydrophytic V | -                       | =                               |
| (Dlat sine)   | 20 Foot Radius   | 85               | = Total Co                        | over         |                                       |                                     |                         |                                 |
| Woody Vine Stratum (Plot size:  |                  |                  |                                   |              | Indicators of<br>be present.          | hydric soil and                     | wetland ny              | drology must                    |
| 1   |                  |                  | Ц                                 |              | -                                     |                                     |                         |                                 |
| 2   |                  |                  | Ц                                 |              | 14. duamby tic                        |                                     |                         |                                 |
| % Bare Ground in Herb Stratum   | 15               | 0                | = Total Co                        | over         | Hydrophytic<br>Vegetation<br>Present? | Yes O No                            | •                       |                                 |
|   |                  |                  |                                   |              | FI esciit:                            |                                     |                         |                                 |
| Remarks:  |                  |                  |                                   |              |                                       |                                     |                         |                                 |
| Dominance of upland grasses.  |                  |                  |                                   |              |                                       |                                     |                         |                                 |

US Army Corps of Engineers

Soil Sampling Point: DP-2U

| rofile Description: (Describe to the dep   |  | ox Features  | . commin tile           | absence of indicators.  |   |
|--|--|--|-------------------------|---|---|
| (inches) Color (moist) %   | Color (moist)  | % Type   | 1 Loc2                  | TextureR  | emarks  |
| 0-3 10YR 4/2 100   |  |  |                         | Silt Loam   |   |
| 3-9 10YR 4/2 100   |  |  |                         | Sandy Clay Loam   |   |
| 9-14 10YR 5/2 100  |  |  |                         | Loamy Sand  |   |
| 9-14 101K 3/2 100  |  |  |                         | LOGITIY Salid   |   |
|  |  |  |                         |   |   |
|  |  |  |                         |   |   |
|  |  |  |                         |   |   |
| Type: C=Concentration. D=Depletion. RM=  | Reduced Matrix, CS=Covere  | ed or Coated Sand  | Grains <sup>2</sup> Loc | ation: PL=Pore Lining. M=Matrix   |   |
| ydric Soil Indicators: (Applicable to a  | II LRRs, unless otherwis   | e noted.)  |                         | Indicators for Problematic Hydric   | Soils <sup>3</sup> :  |
| Histosol (A1)  | Sandy Gleyed   |  |                         | 1 cm Muck (A9) (LRR I, J)   |   |
| Histic Epipedon (A2)   | Sandy Redox (  |  |                         | Coastal Prairie Redox (A16) (LRR  | F, G, H)  |
| Black Histic (A3)  | Stripped Matrix  | x (S6)   |                         | Dark Surface (S7) (LRR G)   | ,   |
| Hydrogen Sulfide (A4)  | Loamy Mucky I  | Mineral (F1)   |                         | High Plains Depressions (F16)   |   |
| Stratified Layers (A5) (LRR F)   | Loamy Gleyed   | Matrix (F2)  |                         | (LRR H outside of MLRA 72 a   | and 73)   |
| 1 cm Muck (A9) (LRR F,G,H)   | Depleted Matri   | ix (F3)  |                         | Reduced Vertic (F18)  | •   |
| Depleted Below Dark Surface (A11)  | Redox Dark Su  | ırface (F6)  |                         | Red Parent Material (TF2)   |   |
| Thick Dark Surface (A12)   | Depleted Dark  | Surface (F7)   |                         | Very Shallow Dark Surface (TF12)  | )   |
| Sandy Muck Mineral (S1)  | Redox depress  | sions (F8)   |                         | Other (Explain in Remarks)  | ,   |
| 2.5 cm Mucky Peat or Peat (S2) (LRR G, I   | H) High Plains De  | pressions (F16)  |                         | <sup>3</sup> Indicators of hydrophytic vegetation a   | and wetland   |
| 5 cm Mucky Peat or Peat (S3) (LRR F)   | (MLRA 72   | and 73 of LRR H  | 1)                      | hydrology must be present, unless dist  |   |
| estrictive Layer (if present):   |  |  |                         |   |   |
| Type:  |  |  |                         | Hydric Soil Present? Yes  | No 💿  |
| Depth (inches):  |  |  |                         |   | NO S  |
| 1  |  |  |                         | 100   |   |
| Remarks:   |  |  |                         | 100   |   |
| Remarks:<br>o hydric soil indicators present. Hardpar  | n conditions encountered   | d at 14 inches.  |                         | 1,4   |   |
|  | n conditions encountered   | d at 14 inches.  |                         | 100   |   |
| hydric soil indicators present. Hardpar  | n conditions encountered   | d at 14 inches.  |                         | 1000  |   |
| hydric soil indicators present. Hardpar  | n conditions encountered   | d at 14 inches.  |                         |   |   |
| hydric soil indicators present. Hardpar /drology etland Hydrology Indicators:  |  |  |                         | Secondary Indicators (minimu  |   |
| ydrology  etland Hydrology Indicators: rimary Indicators (minimum of one rec   | quired; check all that app   | oly)   |                         | Secondary Indicators (minimul   | m of two requir   |
| ydrology  Yetland Hydrology Indicators: rimary Indicators (minimum of one red  Surface Water (A1)  | quired; check all that app   | oly)<br>:11)   |                         | Secondary Indicators (minimul Surface Soil Cracks (B6) Sparsely Vegetated Concave   | m of two requir   |
| ydrology  Yetland Hydrology Indicators: rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)   | quired; check all that app<br>Salt Crust (B<br>Aquatic Inve  | oly)<br>h11)<br>ertebrates (B13)   |                         | Secondary Indicators (minimumumumumumumumumumumumumumumumumumu  | m of two requir<br>e Surface (B8)                                       |
| ydrology  Tetland Hydrology Indicators: rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  | quired; check all that app<br>Salt Crust (B<br>Aquatic Inve<br>Hydrogen Su   | oly)<br>:11)<br>rtebrates (B13)<br>ulfide Odor (C1)  |                         | Secondary Indicators (minimul Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li   | m of two requir<br>e Surface (B8)                                       |
| ydrology  Yetland Hydrology Indicators: rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  | quired; check all that app<br>Salt Crust (B<br>Aquatic Inve<br>Hydrogen Su   | oly)<br>E11)<br>Intebrates (B13)<br>Ilfide Odor (C1)<br>Water Table (C2)   |                         | Secondary Indicators (minimul Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li (where tilled)  | m of two requir<br>e Surface (B8)                                       |
| ydrology  Yetland Hydrology Indicators: rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  | quired; check all that app<br>Salt Crust (B<br>Aquatic Inve<br>Hydrogen Su   | oly)<br>:11)<br>rtebrates (B13)<br>ulfide Odor (C1)  | ng Roots (C3)           | Secondary Indicators (minimul Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li   | m of two requir<br>e Surface (B8)                                       |
| ydrology  Tetland Hydrology Indicators: rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  | quired; check all that app<br>Salt Crust (B<br>Aquatic Inve<br>Hydrogen Su<br>Dry Season N   | oly)<br>E11)<br>Intebrates (B13)<br>Ilfide Odor (C1)<br>Water Table (C2)   | ng Roots (C3)           | Secondary Indicators (minimul Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li (where tilled)  | m of two requires Surface (B8) iving Roots (C3)                         |
| ydrology  Yetland Hydrology Indicators: rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  | quired; check all that app<br>Salt Crust (B<br>Aquatic Inve<br>Hydrogen Su<br>Dry Season N<br>Oxidized Rhi                                       | oly)<br>511)<br>ortebrates (B13)<br>ulfide Odor (C1)<br>Water Table (C2)<br>zospheres on Livi  |                         | Secondary Indicators (minimul Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li (where tilled) Crayfish Burrows (C8)  | m of two requires Surface (B8) iving Roots (C3)                         |
| ydrology  /etland Hydrology Indicators:  rimary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3)  | quired; check all that app<br>Salt Crust (B<br>Aquatic Inve<br>Hydrogen Su<br>Dry Season N<br>Oxidized Rhi                                       | oly) http://discourse.com/states/file/discou |                         | Secondary Indicators (minimum) Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li (where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial  | m of two requires Surface (B8) iving Roots (C3)                         |
| ydrology  Yetland Hydrology Indicators: rimary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4)   | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Dry Season N Oxidized Rhi (where I Presence of I Thin Muck So                  | oly) http://discourse.com/states/file/discou |                         | Secondary Indicators (minimul Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li (where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Geomorphic Position (D2)  | m of two require Surface (B8) iving Roots (C3) Imagery (C9)             |
| ydrology  Tetland Hydrology Indicators:  rimary Indicators (minimum of one red  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)   | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Dry Season N Oxidized Rhi (where I Presence of I Thin Muck So                  | oly) it11) irtebrates (B13) ilfide Odor (C1) Water Table (C2) zospheres on Livi not tilled) Reduced Iron (C4 urface (C7)   |                         | Secondary Indicators (minimum Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li (where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Geomorphic Position (D2) FAC-neutral Test (D5)                                      | m of two require Surface (B8) iving Roots (C3) Imagery (C9)             |
| ydrology  Yetland Hydrology Indicators:  Irimary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7 Water-Stained Leaves (B9)   | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Dry Season N Oxidized Rhi (where I Presence of I Thin Muck So                  | oly) it11) irtebrates (B13) ilfide Odor (C1) Water Table (C2) zospheres on Livi not tilled) Reduced Iron (C4 urface (C7)   |                         | Secondary Indicators (minimum Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li (where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Geomorphic Position (D2) FAC-neutral Test (D5)                                      | m of two requires Surface (B8) iving Roots (C3) Imagery (C9)            |
| ydrology  Yetland Hydrology Indicators: rimary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7 Water-Stained Leaves (B9)  eld Observations:  | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Dry Season N Oxidized Rhi (where I Presence of I Thin Muck So                  | oly) at1) artebrates (B13) alfide Odor (C1) Water Table (C2) zospheres on Livi not tilled) Reduced Iron (C4 urface (C7) ain in Remarks)  |                         | Secondary Indicators (minimum Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li (where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Geomorphic Position (D2) FAC-neutral Test (D5)                                      | m of two requires Surface (B8) iving Roots (C3) Imagery (C9)            |
| ydrology  Yetland Hydrology Indicators: rimary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7 Water-Stained Leaves (B9)  Indicators (B4) Iron Deposits (B5) Indicators (B7) Water-Stained Leaves (B9)  Indicators (B8)  Indicators (B8)  Indicators (B8)  Indicators (B8)   | quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi (where I Presence of I Other (Expla                               | oly) it11) retebrates (B13) ulfide Odor (C1) Water Table (C2) zospheres on Livi not tilled) Reduced Iron (C4 urface (C7) uin in Remarks) hes):   | )                       | Secondary Indicators (minimumumumumumumumumumumumumumumumumumu  | m of two requires Surface (B8) iving Roots (C3) Imagery (C9) 7) (LRR F) |
| ydrology  Vetland Hydrology Indicators:  Primary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7 Water-Stained Leaves (B9)  ield Observations: urface Water Present? Ves Naturation Present?  Ves Naturation Present?  Ves Naturation Present?  Ves Naturation Present?  Ves Naturation Present?   | Quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi (where I Presence of I Thin Muck Si Other (Expla                  | oly) intertebrates (B13) ulfide Odor (C1) Water Table (C2) izospheres on Livi not tilled) Reduced Iron (C4 urface (C7) in in Remarks) hes): hes):  | )                       | Secondary Indicators (minimum Surface Soil Cracks (B6) Sparsely Vegetated Concave Drainage Patterns (B10) Oxidized Rhizospheres on Li (where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Geomorphic Position (D2) FAC-neutral Test (D5)                                      | m of two require Surface (B8) iving Roots (C3) Imagery (C9)             |
| ydrology  /etland Hydrology Indicators:  /rimary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7 Water-Stained Leaves (B9)  ield Observations: urface Water Present? //ater Table Present? yes N  Auturation Present? Yes N  | Quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi (where in Presence of in Thin Muck Si Other (Explain) Depth (incl | oly) it1) retebrates (B13) ulfide Odor (C1) Water Table (C2) zospheres on Livi not tilled) Reduced Iron (C4 urface (C7) uin in Remarks) hes): hes):  | ) Wet                   | Secondary Indicators (minimular Surface Soil Cracks (B6)  Sparsely Vegetated Concave Drainage Patterns (B10)  Oxidized Rhizospheres on Line (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial  Geomorphic Position (D2)  FAC-neutral Test (D5)  Frost Heave Hummocks (D7) | m of two requires Surface (B8) iving Roots (C3) Imagery (C9) 7) (LRR F) |
| ydrology  /etland Hydrology Indicators:  Primary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7 Water-Stained Leaves (B9)  ield Observations: urface Water Present?  //es  N  | Quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi (where in Presence of in Thin Muck Si Other (Explain) Depth (incl | oly) it1) retebrates (B13) ulfide Odor (C1) Water Table (C2) zospheres on Livi not tilled) Reduced Iron (C4 urface (C7) uin in Remarks) hes): hes):  | ) Wet                   | Secondary Indicators (minimular Surface Soil Cracks (B6)  Sparsely Vegetated Concave Drainage Patterns (B10)  Oxidized Rhizospheres on Line (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial  Geomorphic Position (D2)  FAC-neutral Test (D5)  Frost Heave Hummocks (D7) | m of two requires Surface (B8) iving Roots (C3) Imagery (C9) 7) (LRR F) |
| ydrology  Vetland Hydrology Indicators:  Vrimary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7 Water-Stained Leaves (B9)  Vetland Hydrology Indicators: Unification (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Vater-Stained Leaves (B9)  Vetland Hydrology Indicators: V | Quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi (where in Presence of in Thin Muck Si Other (Explain) Depth (incl | oly) it1) retebrates (B13) ulfide Odor (C1) Water Table (C2) zospheres on Livi not tilled) Reduced Iron (C4 urface (C7) uin in Remarks) hes): hes):  | ) Wet                   | Secondary Indicators (minimular Surface Soil Cracks (B6)  Sparsely Vegetated Concave Drainage Patterns (B10)  Oxidized Rhizospheres on Line (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial  Geomorphic Position (D2)  FAC-neutral Test (D5)  Frost Heave Hummocks (D7) | m of two requires Surface (B8) iving Roots (C3) Imagery (C9) 7) (LRR F) |
| ydrology  Yetland Hydrology Indicators: rimary Indicators (minimum of one red Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7 Water-Stained Leaves (B9)  Yetland Observations: Urface Water Present?  Yes Naturation Present?  | Quired; check all that app Salt Crust (B Aquatic Inve Hydrogen Su Oxidized Rhi (where in Presence of in Thin Muck Si Other (Explain) Depth (incl | oly) it1) retebrates (B13) ulfide Odor (C1) Water Table (C2) zospheres on Livi not tilled) Reduced Iron (C4 urface (C7) uin in Remarks) hes): hes):  | ) Wet                   | Secondary Indicators (minimular Surface Soil Cracks (B6)  Sparsely Vegetated Concave Drainage Patterns (B10)  Oxidized Rhizospheres on Line (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial  Geomorphic Position (D2)  FAC-neutral Test (D5)  Frost Heave Hummocks (D7) | m of two requires Surface (B8) iving Roots (C3) Imagery (C9) 7) (LRR F) |

US Army Corps of Engineers Great Plains - Version 2.0

### WETLAND DETERMINATION DATA FORM - Great Plains Region

| Project/Site: JTX - Tunnicliff   |                           | c                | City/County:                  | Hardin/Big I | Horn                                  | Samp                            | oling Date: <u>10</u> -Jul      | -19              |
|--|---------------------------|------------------|-------------------------------|--------------|---------------------------------------|---------------------------------|---------------------------------|------------------|
| Applicant/Owner: MDT   |                           |                  |                               | State:       | : _MT <b>Sa</b>                       | mpling Point:                   | DP-2                            | <b>w</b>         |
| Investigator(s): Mark Traxler, Tanner Tr                                   | raxler                    |                  | Section, To                   | wnship, Ra   | nge: <b>S</b> 34                      | <b>T</b> _7N                    | <b>R</b> 39E                    |                  |
| Landform (hillslope, terrace, etc.):                                       | Depression                |                  | Local relief                  | (concave, c  | convex, none): CONC                   | cave                            | Slope: 0.0                      | % / <u>0.0</u> ° |
| Subregion (LRR): LRR G   |                           | <b>Lat.:</b> 45. | .839274                       |              | Long.: -107.5985                      | 507                             | Datum: W                        | GS84             |
| Soil Map Unit Name: Kye clay, saline (                                     | (Kw)                      |                  |                               |              | NWI c                                 | lassification:                  | Not Mapped                      |                  |
| re climatic/hydrologic conditions on t                                     | the site typical for this | s time of year?  | ? Yes                         | s • No C     | (If no, expla                         | in in Remarks                   |                                 |                  |
| Are Vegetation, Soil   | , or Hydrology            | significantly    | disturbed?                    | Are "N       | ormal Circumstance                    | es" present?                    | Yes   No                        | $\circ$          |
| Are Vegetation, Soil   | , or Hydrology            | naturally pro    | blematic?                     | (If nee      | eded, explain any a                   | nswers in Rer                   | marks.)                         |                  |
| Summary of Findings - Att  | tach site map si          | howing sa        | mpling p                      | oint loc     | ations, transe                        | ects, impo                      | rtant featur                    | es, etc.         |
| Hydrophytic Vegetation Present?  | Yes   No                  |                  | Is the                        | Sampled A    | rea                                   |                                 |                                 |                  |
| Hydric Soil Present?   | Yes 💿 No 🔾                |                  |                               | -            | <sub>i?</sub> Yes  No                 |                                 |                                 |                  |
| Wetland Hydrology Present?   | Yes   No                  |                  | Within                        | i a wetiand  | )                                     |                                 |                                 |                  |
| Pata point located in Cell 11, and question of the VEGETATION - Use scient |                           |                  | wetland criter                |              | etation, soils, and hy                | /drology.                       |                                 |                  |
|  |                           |                  | Species? . Rel.Strat.         | Indicator    | Dominance Test v                      | worksheet:                      |                                 |                  |
| Tree Stratum (Plot size: 30 Foot   | Radius )                  | % Cover          |                               | Status       | Number of Dominar                     | nt Species                      |                                 |                  |
| 1  |                           |                  | Ц                             | . ———        | That are OBL, FACV                    |                                 | 2                               | (A)              |
| 2  |                           |                  | <u> </u>                      |              | Total Number of Do                    | minant                          |                                 |                  |
| 3.<br>4.   |                           |                  | <u> </u>                      |              | Species Across All S                  |                                 | 2                               | (B)              |
| 1  |                           |                  |                               |              | Percent of domina                     | ant Species                     |                                 |                  |
| Sapling/Shrub Stratum (Plot size:  | 15 Foot Radius )          | 0                | = Total Co                    | ver          | That Are OBL, FA                      |                                 | 100.0%                          | _ (A/B)          |
| 1  |                           | 0                |                               |              | Prevalence Index                      | worksheet:                      |                                 |                  |
| 2  |                           |                  |                               |              | Total % Cov                           |                                 | Multiply by:                    |                  |
| 3  |                           | 0                |                               |              | OBL species                           |                                 | <b>x 1 =</b> 45                 | _                |
| 4  |                           |                  | <u></u>                       |              | FACW species                          | 8 >                             | x 2 = 16                        | _                |
| 5  |                           |                  | Ш                             |              | FAC species                           |                                 | x 3 = 0                         |                  |
| (District Foot D   | adius \                   | 0                | = Total Co                    | ver          | FACU species                          | ,                               | x 4 =0                          |                  |
| Herb Stratum (Plot size: 5 Foot R  | <u>adius</u> )            |                  | <b>2</b> 2.50                 |              | UPL species                           |                                 | x 5 = <u>25</u>                 |                  |
| <ol> <li>Typha latifolia</li> <li>Schoenoplectus maritimus</li> </ol>      |                           |                  | <b>✓</b> 34.5% <b>✓</b> 34.5% | OBL OBL      | Column Totals:                        | 58                              | (a) <u>86</u>                   | (B)              |
| 3 Floogharia polyetria   |                           |                  | 8.6%                          | OBL          | Prevalence Ir                         | ndex = B/A =                    | 1.483                           |                  |
|  |                           |                  | 8.6%                          | FACW         | Hydrophytic Vege                      | -                               |                                 |                  |
|  |                           |                  | 8.6%                          | UPL          |                                       |                                 |                                 |                  |
| 6. Hordeum jubatum   |                           | 3                | 5.2%                          | FACW         | ✓ 1 - Rapid Tes                       |                                 |                                 |                  |
| 7.<br>8.   |                           |                  |                               |              | 2 - Dominano                          |                                 |                                 |                  |
| 9.   |                           |                  | 0.0%                          |              | ✓ 3 - Prevalenc                       |                                 |                                 |                  |
| 10.  |                           |                  | 0.0%                          |              | 4 - Morpholog                         | gical Adaptati<br>narks or on a | ions $^1$ (Provide su $_{ m s}$ | porting          |
|  |                           |                  | = Total Co                    | - ———        |                                       |                                 | /egetation <sup>1</sup> (Expla  | ain)             |
| Woody Vine Stratum (Plot size:   | 30 Foot Radius )          |                  | - 1000100                     | •            | 1 Indicators of h                     |                                 | wetland hydrolo                 | -                |
| 1  |                           | 0                |                               |              | be present.                           |                                 |                                 |                  |
| 2  |                           |                  |                               |              |                                       |                                 |                                 |                  |
| % Bare Ground in Herb Stratum  | 42                        | 0                | = Total Co                    | ver          | Hydrophytic<br>Vegetation<br>Present? | Yes • No                        | $\circ$                         |                  |
| Remarks:   |                           |                  |                               |              | 1                                     |                                 |                                 |                  |
| Dead and dying upland grasses com  | ımon around developiı     | ng wetland cel   | l.                            |              |                                       |                                 |                                 |                  |

US Army Corps of Engineers

Soil Sampling Point: DP-2W

|                               |   |                | depth nee     |                            |                  |                                 | nfirm the        | absence of indicators            | .)                            |                     |
|-------------------------------|---|----------------|---------------|----------------------------|------------------|---------------------------------|------------------|----------------------------------|-------------------------------|---------------------|
| Depth<br>(inches)             | Ma                                      | atrix<br>nist) | %             | Color (moist)              | lox Featu<br>_%_ | res<br><u>Tvpe <sup>1</sup></u> | Loc <sup>2</sup> | Texture                          | Ren                           | narks               |
| 0-10                          | 10YR                                    | 3/2            | 95            | 10YR 5/6                   | 5                | D                               | M                | Clay Loam                        | mottles                       | iu iu               |
| 10-16                         | 10YR                                    |                | 100           |                            |                  |                                 |                  | Loamy Sand                       |                               |                     |
|                               |   |                |               |                            |                  |                                 |                  | Louiny Sund                      |                               |                     |
|                               |   |                |               |                            |                  |                                 |                  |                                  |                               |                     |
|                               |   |                |               |                            |                  |                                 |                  |                                  |                               |                     |
|                               |   |                |               |                            |                  |                                 |                  |                                  |                               |                     |
|                               |   |                |               |                            |                  |                                 |                  |                                  |                               |                     |
|                               |   |                |               |                            |                  |                                 |                  |                                  |                               |                     |
|                               |   |                |               |                            |                  |                                 |                  | H-                               |                               |                     |
| 1Type: C=Cc                   | oncentration, D=I                       | Denletion, I   | RM=Reduce     | d Matrix, CS=Cover         | ed or Coat       | ed Sand Gra                     | nins 2l oca      | tion: PL=Pore Lining. M          | ============================= |                     |
|                               |   |                |               | s, unless otherwis         |                  |                                 |                  | Indicators for Pro               |                               | oils <sup>3</sup> : |
| Histosol                      | •                                       | ,,,            |               | Sandy Gleyed               |                  | -                               |                  | 1 cm Muck (A9                    | -                             |                     |
| Histic Ep                     | ipedon (A2)                             |                |               | Sandy Redox                | (S5)             |                                 |                  | = '                              | Redox (A16) (LRR F,           | G, H)               |
| Black His                     | . ,                                     |                |               | Stripped Matr              | . ,              |                                 |                  | Dark Surface (S                  | , ,                           |                     |
| = ' -                         | n Sulfide (A4)                          | D E\           |               | Loamy Mucky                | -                | -                               |                  | High Plains De                   | ` '                           |                     |
|                               | l Layers (A5) (LRI<br>ck (A9) (LRR F,G, | -              |               | Loamy Gleyed Depleted Mati | •                | 2)                              |                  | _ `                              | side of MLRA 72 an            | d 73)               |
|                               | Below Dark Surf                         | •              |               | Redox Dark S               | . ,              | )                               |                  | Reduced Vertic                   | ` '                           |                     |
| _ :                           | rk Surface (A12)                        | , ,            |               | Depleted Dark              | •                | •                               |                  | Red Parent Ma                    | ark Surface (TF12)            |                     |
| Sandy Mu                      | uck Mineral (S1)                        |                |               | Redox depres               | sions (F8)       |                                 |                  | Other (Explain                   | , ,                           |                     |
|                               | lucky Peat or Pea                       | . , .          | . ,           | High Plains De             | epressions       | (F16)                           |                  | <sup>3</sup> Indicators of hydro | •                             | l wetland           |
| 5 cm Mud                      | cky Peat or Peat                        | (S3) (LRR F    | =)            | (MLRA 72                   | and 73 o         | of LRR H)                       |                  | hydrology must be p              | resent, unless distur         | bed or problematic. |
| Restrictive L                 | Layer (if preser                        | nt):           |               |                            |                  |                                 |                  |                                  |                               |                     |
| Type:                         |   |                |               |                            |                  |                                 |                  | Hydric Soil Present              | ? Yes • N                     | 0                   |
| Depth (inc                    | ches):                                  |                |               |                            |                  |                                 |                  | Hydric Soil Present              | r yes 🙂 N                     | <b>o</b>            |
| Remarks:                      |   |                |               |                            |                  |                                 |                  |                                  |                               |                     |
| Newly develo                  | oping hydric so                         | il.            |               |                            |                  |                                 |                  |                                  |                               |                     |
|                               |   |                |               |                            |                  |                                 |                  |                                  |                               |                     |
| Hydrolog                      | IV                                      |                |               |                            |                  |                                 |                  |                                  |                               |                     |
|                               | drology Indicat                         | tors:          |               |                            |                  |                                 |                  | Secondary Ind                    | icators (minimum              | of two required)    |
| •                             |   |                | required:     | check all that ap          | nlv)             |                                 |                  |                                  | oil Cracks (B6)               | or two required)    |
|                               | Water (A1)                              | <u> </u>       | z regairea,   | Salt Crust (I              |                  |                                 |                  |                                  | Vegetated Concave S           | urface (B8)         |
| =                             | ater Table (A2)                         |                |               | Aquatic Inve               | •                | (B13)                           |                  | = ' '                            | Patterns (B10)                | arrace (Bo)         |
| ✓ Saturatio                   | ` ,                                     |                |               | Hydrogen S                 |                  | ` '                             |                  |                                  | Rhizospheres on Livi          | na Roots (C3)       |
| _                             | larks (B1)                              |                |               | Dry Season                 |                  |                                 |                  | <del></del>                      | ere tilled)                   | J ()                |
| Sedimen                       | nt Deposits (B2)                        |                |               | Oxidized Rh                | izosphere        | s on Living R                   | oots (C3)        | _ `                              | Burrows (C8)                  |                     |
| Drift dep                     | oosits (B3)                             |                |               | (where                     | not tilled       | )                               |                  | Saturatio                        | n Visible on Aerial Im        | nagery (C9)         |
| Algal Ma                      | at or Crust (B4)                        |                |               | Presence of                | Reduced          | Iron (C4)                       |                  | Geomorp                          | hic Position (D2)             |                     |
| Iron Dep                      | posits (B5)                             |                |               | ☐ Thin Muck S              | Surface (C       | 7)                              |                  | ✓ FAC-neut                       | ral Test (D5)                 |                     |
| Inundati                      | ion Visible on Aer                      | ial Imagery    | (B7)          | Other (Expl                | ain in Rem       | narks)                          |                  | Frost Hea                        | ve Hummocks (D7)              | (LRR F)             |
| Water-St                      | tained Leaves (B                        | 9)             |               |                            |                  |                                 |                  |                                  |                               |                     |
| Field Observ                  | vations:                                |                |               |                            |                  |                                 |                  |                                  |                               |                     |
| Surface Water                 | r Present?                              | Yes 💿          |               | Depth (inc                 | ches):           | 3                               | _                |                                  |                               |                     |
| Water Table F                 | Present?                                | Yes 💿          | No $\bigcirc$ | Depth (inc                 | ches):           | 0                               |                  |                                  |                               |                     |
| Saturation Pre                |   | Yes •          | No O          | Depth (inc                 | ches):           | 0                               | Wetla            | and Hydrology Presen             | t? Yes 🖲                      | No O                |
| (includes capi<br>Describe Re |   |                |               | or well, aerial pho        |                  | vious inspe                     | ctions) if:      | available <sup>.</sup>           |                               |                     |
| _DCGCIDE IVE                  | .co. aca Data (5                        | a carri gat    | معرب ۱۱۱۱۱۱۱۱ | o. wen, acriai pric        | , was, pre       | TIOUS IIISPC                    | -cion3), II      | a randoici                       |                               |                     |
| Remarks:                      |   |                |               |                            |                  |                                 |                  |                                  |                               |                     |
|                               | I had 3 inches o                        | of standing    | g water be    | cause of elevated          | l ground         | water level                     | s across sit     | te in the summer of 2            | 019.                          |                     |
|                               |   |                | J             |                            | J. 2 W. W.       |                                 | 500 511          |                                  |                               |                     |
|                               |   |                |               |                            |                  |                                 |                  |                                  |                               |                     |

US Army Corps of Engineers Great Plains - Version 2.0

### MDT MONTANA WETLAND ASSESSMENT FORM (revised March 2008)

| 1. | . Project Name: JTX-Tunnicliff 2. MDT Project #: STPX STWD (056) 3. Control #: 7286   |                                       |                               |   |         |  |  |  |  |  |  |
|----|---|---------------------------------------|-------------------------------|---|---------|--|--|--|--|--|--|
| 3. | Evaluation Date: 7/10/2019  | 4. Evaluator(s): Mark Traxler         | Tanner Traxler 5. Wetland/S   | Site #(s): <u>Tunnicliff</u>  |         |  |  |  |  |  |  |
| 6. | Wetland Location(s): Township 1 N, Range 33 E, Section 10; Township 1 N, Range 33 E, Section 15   |                                       |                               |   |         |  |  |  |  |  |  |
|    | Approximate Stationing or Roadposts: NA   |                                       |                               |   |         |  |  |  |  |  |  |
|    | Watershed: 14 - Middle Yell   | owstone County: Big Horn              | <del></del>                   |   |         |  |  |  |  |  |  |
| 7. | Evaluating Agency: RESPECT Purpose of Evaluation:  ☐ Wetland potentially affect Mitigation wetlands; pro ☐ Mitigation wetlands; poccition of the Company of | cted by MDT project<br>e-construction |                               | : (visually estimated) 8.38 (measured, e.g. GPS)  AA) Size (acre): (visuall rmining AA) 8.38 (measured) |         |  |  |  |  |  |  |
| 10 | . CLASSIFICATION OF WET   | LAND AND AQUATIC HABITA               | ATS IN AA (See manual for def | initions.)  |         |  |  |  |  |  |  |
|    | HGM Class (Brinson)   | Class (Cowardin)                      | Modifier (Cowardin)           | Water Regime  | % OF AA |  |  |  |  |  |  |
| I  | Depressional  | Emergent Wetland                      | Excavated                     | Seasonal / Intermittent   | 100     |  |  |  |  |  |  |
| ļ  |   |                                       |                               |   |         |  |  |  |  |  |  |
|    |   |                                       |                               |   |         |  |  |  |  |  |  |

Comments:

11. ESTIMATED RELATIVE ABUNDANCE (of similarly classified sites within the same Major Montana Watershed Basin; see manual.) abundant

### 12. GENERAL CONDITION OF AA

i. Disturbance: Use matrix below to select the appropriate response; see manual for Montana listed noxious weed and aquatic nuisance vegetation species lists.

|  | Predominant Conditions Adjacent to (within 500 feet of) AA   |   |  |  |  |
|--|--|---|--|--|--|
| Conditions within AA   | Managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or buildings; and noxious weed or ANVS cover is ≤15%. | Land not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to minor clearing; contains few roads or buildings; noxious weed or ANVS cover is ≤30%. | Land cultivated or heavily grazed or logged; subject to substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >30%. |  |  |
| AA occurs and is managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or occupied buildings; and noxious weed or ANVS cover is ≤15%.   |  | low disturbance   |  |  |  |
| AA not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to relatively minor clearing, fill placement, or hydrological alteration; contains few roads or buildings; noxious weed or ANVS cover is ≤30%. |  |   |  |  |  |
| AA cultivated or heavily grazed or logged; subject to relatively substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >30%.                                  |  |   |  |  |  |

Comments (types of disturbance, intensity, season, etc.): AA vegetation recovering from construction disturbance; disturbance other than wetland construction is zero except for wildlife use and wetland monitoring.

- ii. Prominent noxious, aquatic nuisance, and other exotic vegetation species: All noxious weeds have decreased: Convolvulus arvensis, Cirsium arvense, Acroptilon repens.
- iii. Provide brief descriptive summary of AA and surrounding land use/habitat: FAS, large parcel homesites, ranching.

13. STRUCTURAL DIVERSITY (Based on number of "Cowardin" vegetated classes present [do not include unvegetated classes]; see #10 above.)

| Existing # of "Cowardin" Vegetated Classes in AA               |     | Is current management preventing (passive) existence of additional vegetated classes? |      | Modified<br>Rating |
|--|-----|---|------|--------------------|
| ≥3 (or 2 if one is forested) classes                           |     | NA  | NA   | NA                 |
| 2 (or 1 if forested) classes                                   |     | NA  | NA   | NA                 |
| 1 class, but not a monoculture                                 | mod | ←NO   | YES→ |                    |
| 1 class, monoculture (1 species comprises ≥90% of total cover) |     | NA  | NA   | NA                 |

Comments: Site contains emergent wetland and transitional emergent wetland

| 14A. HABITAT FOR FEDERA  | LLY LI   | STED                        | OR I                      | PROP             | OSED                | THRE             | EATEN            | IED (           | OR EN                   | IDANG             | ERED              | PLA          | NTS C                         | OR AN                           | IMALS  | 3      |         |        |                          |   |  |  |
|--|--|-----------------------------|---------------------------|------------------|---------------------|------------------|------------------|-----------------|-------------------------|-------------------|-------------------|--------------|-------------------------------|---------------------------------|--|--------|---------|--------|--------------------------|---|--|--|
| <ul> <li>i. AA is Documented (D) or S         Primary or critical habitat (list Secondary habitat (list specific Incidental habitat (list specific No usable habitat     </li> </ul>   | t speci<br>ies)  | ted (S<br>es)               | (i) to c                  |                  | s<br>s              |                  | x base           | ed on           | defini                  | tions ir          | i manu            | al.          |                               |                                 |  |        |         |        |                          |   |  |  |
| ii. Rating: Based on the strong  |  |                             |                           |                  |                     | _                |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          | _ |  |  |
| Highest Habitat Level  | Doc/F  | Prima                       | ry :                      | Sus/P            | rimary              | y Do             | c/Sec            | onda            | ary S                   | Sus/Se            | conda             | ry           | Doc/I                         | ncider                          | ntal   | Sus    | Incide/ | ntal   | None                     | Э |  |  |
| Functional Point/Rating  |  |                             |                           | -                |                     |                  |                  | -               |                         | -                 |                   |              |                               |                                 |  |        |         |        | 0L                       |   |  |  |
| Sources for documented use   | (e.g. o  | bserv                       | ations                    | , reco           | ords): <u>L</u>     | JSFW:            | S T&E            | list fo         | or Big                  | Horn C            | ounty             |              |                               |                                 |  |        |         |        |                          |   |  |  |
| 14B. HABITAT FOR PLANTS Do not include species lis   |  |                             |                           |                  | S1, S2              | , OR \$          | S3 BY            | THE             | MON                     | ΓΑΝΑ              | NATUI             | RAL          | HERIT                         | AGE I                           | PROG   | RAM    |         |        |                          |   |  |  |
| AA is Documented (D) or Suspected (S) to contain: Check box based on definitions in manual.  Primary or critical habitat (list species) Secondary habitat (list species) Incidental habitat (list species) No usable habitat                         |  |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| ii. Rating: Based on the strongest habitat chosen in 14A(i) above, select the corresponding functional point and rating.  Highest Habitat Level   Doc/Primary   Sus/Primary   Doc/Secondary   Sus/Secondary   Doc/Incidental   Sus/Incidental   None |  |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| Highest Habitat Level Doc/Primary Sus/Primary Doc/Secondary Sus/Secondary Doc/Incidental Sus/Incidental None S1 Species  |  |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| S1 Species   |  |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| S2 and S3 Species6M  |  |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| Sources for documented use (e.g. observations, records): Suitable great blue heron habitat   |  |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
|  | 14C. GENERAL WILDLIFE HABITAT RATING   |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| i. Evidence of Overall Wildlife  | i. Evidence of Overall Wildlife Use in the AA: Check substantial, moderate, or low based on supporting evidence. |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| □ Substantial: Based on any □ observations of abundan □ abundant wildlife sign su □ presence of extremely lir □ interview with local biolog  | t wildlife<br>ch as s<br>niting h  | e #s c<br>cat, tr<br>abitat | or high<br>acks,<br>featu | nest<br>res no   | structu<br>ot avail | res, g           | ame tra          | ails, e         | etc.                    | •                 | f<br>li<br>s      | ew o         | r no wi<br>o no wi<br>e adiad | Idlife o<br>Idlife s<br>cent up | bserva<br>sign<br>bland fo   | ations | ources  | g peak | k].<br>use pe<br>e of AA |   |  |  |
| <ul> <li>Moderate: Based on any of<br/>□ observations of scattered<br/>□ common occurrence of w<br/>□ adequate adjacent uplan<br/>□ interview with local biolog</li> </ul>   | l wildlife<br>vildlife s<br>d food :   | e grou<br>sign su<br>source | ips or<br>uch as<br>es    | indivi<br>s scat | , tracks            |                  |                  |                 |                         |                   |                   | perio        | ds                            |                                 |  |        |         |        |                          |   |  |  |
| ii. Wildlife Habitat Features: \For class cover to be considere percent composition of the AA (S/I = seasonal/intermittent; T/E  | d even   | ly dist<br>0). A            | ribute<br>bbrev           | d, the           | most a              | and le<br>urface | ast pre<br>water | evaler<br>durat | nt <b>veg</b><br>ions a | etated<br>re as f | classe<br>ollows: | es mu<br>P/P | ist be v<br>= perm            | within 2<br>nanent              | 20% of<br>/peren   | f each |         |        |                          |   |  |  |
| Structural Diversity   | = temp   | orary                       | СРПС                      |                  |                     | 1 – ab.          | ociit [o         | CC III          | ariuai                  | ioi iuit          |                   |              | _                             |                                 | omioj.   |        |         |        |                          |   |  |  |
| (see #13) Class Cover Distribution   |  | E                           | ven                       | <u></u>          | High                | ☐ Un             | even             |                 |                         | ⊠E                |                   | 7 IMO        | derate                        | u<br>□ Un                       | even   |        |         | L      |                          |   |  |  |
| (all vegetated classes)  Duration of Surface  Water in ≥ 10% of AA   | P/P  | S/I                         | T/E                       | Α                | P/P                 | S/I              | T/E              | Α               | P/P                     | S/I               | T/E               | Α            | P/P                           | S/I                             | T/E  | Α      | P/P     | S/I    | T/E                      | Α |  |  |
| ■ Low Disturbance at AA (see #12i)   |  |                             |                           |                  |                     |                  |                  |                 |                         | Н                 |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| ☐ Moderate Disturbance<br>at AA (see #12i)   |  |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| ☐ High Disturbance at AA (see #12i)  |  |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| iii. Rating: Use the conclusion  | ns from  | i and                       | ii abo                    | ve an            | nd the r            | natrix           | below            | to se           | lect th                 | e funct           | ional c           | oint a       | and rat                       | ing.                            |  |        |         |        |                          |   |  |  |
| Evidence of Wildlife Use   |  |                             |                           |                  |                     |                  |                  |                 |                         | s Rati            |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| (i)  |  | _ Exc                       | ceptic                    | nal              |                     |                  | High             |                 |                         | <u> </u>          | derat             | e            |                               | ☐ Lo                            | w  |        |         |        |                          |   |  |  |
| Substantial  |  |                             |                           |                  |                     |                  |                  |                 |                         |                   |                   |              |                               |                                 |  |        |         |        |                          |   |  |  |
| Moderate   |  |                             |                           |                  |                     |                  | .7M              |                 |                         | -                 |                   |              |                               |                                 |  | -      |         |        |                          |   |  |  |
| Minimal Comments: White tailed door  | phoom r  | nd 00                       | cito in                   | 2040             | ) E' :: -1          | once             |                  | rford           | 1004 -                  | nom~-             | al usa            |              | <u> </u>                      |                                 |  |        |         |        |                          |   |  |  |
| comments: white-talled deer of   | JUSELVE  | ะน บท                       | อแย เก                    | 12015            | , ⊏via              | ence (           | JI Wate          | MOII            | i aliu n                | nammi             | ıı use.           |              |                               |                                 | omments: White-tailed deer observed on site in 2019. Evidence of waterfowl and mammal use. |        |         |        |                          |   |  |  |

| 1 <i>1</i> D | CENEDAL | FISH HABITAT   | M NA  | (proceed to 14E) |
|--------------|---------|----------------|-------|------------------|
| 140.         | GENERAL | . FIOR RADITAL | IN NA | (Droceed to 14E) |

If the AA is not used by fish, fish use is not restorable due to habitat constraints, or is not desired from a management perspective [such as fish entrapped in a canal], then check the NA box and proceed to 14E.

Assess this function if the AA is used by fish or the existing situation is "correctable" such that the AA could be used by fish [i.e., fish use is precluded by perched culvert or other barrier].

Type of Fishery: Cold Water (CW) Warm Water (WW) Use the CW or WW guidelines in the manual to complete the matrix.

i. Habitat Quality and Known / Suspected Fish Species in AA: Use matrix to select the functional point and rating.

| Duration of Surface<br>Water in AA         | □Р   | erman    | ent / P | erenn     | ial |    | □s   | easoı    | nal / Ir | ntermit    | tent |    | □ т | empo  | rary / I | Ephen      | neral |     |
|--|------|----------|---------|-----------|-----|----|------|----------|----------|------------|------|----|-----|-------|----------|------------|-------|-----|
| Aquatic Hiding / Resting / Escape Cover    | Opti | ]<br>mal | Adeq    | ]<br>uate | Po  | or | Opti | ]<br>mal | Ade      | ]<br>quate | Po   | or | Opt | timal | Aded     | ]<br> uate | Po    | oor |
| Thermal Cover: optimal / suboptimal        | 0    | s        | 0       | s         | 0   | s  | 0    | s        | 0        | S          | 0    | s  | 0   | s     | 0        | S          | 0     | S   |
| FWP Tier I fish species                    |      |          |         |           |     |    |      |          |          |            |      |    |     |       |          |            |       |     |
| FWP Tier II or Native<br>Game fish species |      |          |         |           |     |    |      |          |          |            |      |    |     |       |          |            |       |     |
| FWP Tier III or Introduced Game fish       |      |          |         |           |     |    |      |          |          |            |      |    |     |       |          |            |       |     |
| FWP Non-Game Tier IV or No fish species    |      |          |         |           |     |    |      |          |          |            |      |    |     |       |          |            |       |     |

Sources used for identifying fish spp. potentially found in AA: No fish habitat within AA.

| ii. | Modified Rating: | NOTE: Modified score cannot exceed 1.0 or be less than 0.1 | 1 |
|-----|------------------|--|---|
|     |                  |  |   |

a) Is fish use of the AA significantly reduced by a culvert, dike, or other man-made structure or activity, or is the waterbody included on the current final MDEQ list of waterbodies in need of TMDL development with listed "Probable Impaired Uses" including cold or warm water fishery or aquatic life support, or do aquatic nuisance plant or animal species (see Appendix E) occur in fish habitat? TES, reduce score in i by 0.1 = \_\_ or 🖾 N0

b) Does the AA contain a documented spawning area or other critical habitat feature (i.e., sanctuary pool, upwelling area; specify in comments) for native fish or introduced game fish?  $\square$  YES, add to score in i or iia 0.1 = \_\_ or  $\square$  N0

| iii. | Final | Score and | Rating: _ | Comments: |  |
|------|-------|-----------|-----------|-----------|--|
|------|-------|-----------|-----------|-----------|--|

#### 14E. FLOOD ATTENUATION

■ NA (proceed to 14F) Applies only to wetlands that are subject to flooding via in-channel or overbank flow.


If wetlands in AA are not flooded from in-channel or overbank flow, check the NA box and proceed to 14F.

Entrenchment Ratio (ER) Estimation (see manual for additional guidance). Entrenchment ratio = (flood-prone width) / (bankfull width). Flood-prone width = estimated horizontal projection of where 2 X maximum bankfull depth elevation intersects the floodplain on each side of the stream.

700 / 250 =

flood prone width / bankfull width = entrenchment ratio





i. Rating: Working from top to bottom, use the matrix below to select the functional point and rating

| realing. Working from top to bottom, doe the matrix below to delect the functional point and rating. |                      |        |       |               |        |                      |     |        |      |
|--|----------------------|--------|-------|---------------|--------|----------------------|-----|--------|------|
| Estimated or Calculated Entrenchment   |                      |        | ☐ Mod | lerately Enti | enched | ☐ Entrenched         |     |        |      |
| (Rosgen 1994, 1996)  | C, D, E stream types |        | В     | stream typ    | е      | A, F, G stream types |     |        |      |
| Percent of Flooded Wetland Classified as   |                      |        |       |               |        |                      |     |        |      |
| Forested and/or Scrub/Shrub  | 75%                  | 25-75% | <25%  | 75%           | 25-75% | <25%                 | 75% | 25-75% | <25% |
| AA contains no outlet or restricted outlet   |                      |        | .6M   |               |        |                      |     |        |      |
| AA contains unrestricted outlet  |                      |        |       |               |        |                      |     |        |      |

ii. Are ≥10 acres of wetland in the AA subject to flooding AND are man-made features which may be significantly damaged by floods located within 0.5 mile downstream of the AA? YES NO Comments: AA subject to periodic flooding from Bighorn River although flows in the Bighorn River are controlled by a dam. Entrenchment ratio estimated from aerial photo interpretation and not measured in field. River is C-Type.

| 14F. | SHORT AND LONG TERM SURFACE WATER STORAGE                         | NA (proceed to        | 14G)                |              |
|------|---|-----------------------|---------------------|--------------|
|      | Applies to wetlands that flood or pond from overbank or in-change | al flow precipitation | unland surface flow | or groundwat |

Applies to wetlands that flood or pond from overbank or in-channel flow, precipitation, upland surface flow, or groundwater flow. If no wetlands in the AA are subject to flooding or ponding, then check the NA box and proceed to 14G.

i. Rating: Working from top to bottom, use the matrix below to select the functional point and rating. Abbreviations for surface water durations are as follows: P/P = permanent/perennial; S/I = seasonal/intermittent; and T/E = temporary/ephemeral [see manual for further definitions of these terms].

| Estimated Maximum Acre Feet of Water Contained<br>in Wetlands within the AA that are Subject to<br>Periodic Flooding or Ponding |       | >5 acre fo | eet          | ☐ <b>1</b> .1 | to 5 ac | re feet      |       | ≤1 acre t | foot  |
|---|-------|------------|--------------|---------------|---------|--------------|-------|-----------|-------|
| Duration of Surface Water at Wetlands within the AA   | □ P/P | ⊠ S/I      | □ <b>T/E</b> | □ P/P         | □ S/I   | □ <b>T/E</b> | □ P/P | □ S/I     | □ T/E |
| Wetlands in AA flood or pond ≥ 5 out of 10 years  |       | .9H        |              |               |         |              |       |           |       |
| Wetlands in AA flood or pond < 5 out of 10 years  |       |            |              |               |         |              |       |           |       |

Comments: 8.38 acres of wetlands have developed as of 2019

| 14G. | SEDIMENT / NUTRIENT / TOXICANT / RETENTION AND REMOVAL | □ NA ( | proceed to 14H |
|------|--|--------|----------------|
|------|--|--------|----------------|

Applies to wetland with potential to receive sediments, nutrients, or toxicants through influx of surface or ground water or direct input. If no wetlands in the AA are subject to such input, check the NA box and proceed to 14H.

i. Rating: Working from top to bottom, use the matrix below to select the functional point and rating.

| Sediment, Nutrient, and Toxicant<br>Input Levels within AA | AA receive has potent nutrients, such that a substantia sedimenta toxicants, present. | tial to delive<br>or compount<br>other funct<br>ally impaire<br>tion, source | er sedime<br>inds at lev<br>ions are n<br>d. Minor<br>es of nutr | ents,<br>rels<br>oot<br>rients or | Waterbody is need of TMDI causes" relat toxicants or A has potential nutrients, or c functions are sedimentation or signs of eu | developmer<br>ed to sedime<br>AA receives of<br>to deliver hig<br>compounds s<br>substantially<br>n, sources of | nt for "probal<br>nt, nutrients,<br>or surroundin<br>gh levels of s<br>such that othe<br>g impaired. M<br>nutrients or | ole<br>or<br>g land use<br>ediments,<br>er<br>ajor |
|--|---|--|--|-----------------------------------|---|---|--|--|
| % Cover of Wetland Vegetation in AA                        | □≥:   | 70%  | ⊠ <  | 70%                               | □≥7   | 70%   | □<   | 70%  |
| Evidence of Flooding / Ponding in AA                       | ☐ Yes   | □No  | ⊠ Yes  | ☐ No                              | ☐ Yes   | ☐ No  | ☐ Yes  | ☐ No   |
| AA contains no or restricted outlet                        |   |  | .7M  |                                   |   |   |  |  |
| AA contains unrestricted outlet                            |   |  |  |                                   |   |   |  |  |

Comments: AA has potential to receive sediment/nutrients/toxicants from surface or groundwater.

#### 14H. SEDIMENT / SHORELINE STABILIZATION NA (proceed to 14I)

Applies only if AA occurs on or within the banks of a river, stream, or other natural or man-made drainage, or on the shoreline of a standing water body which is subject to wave action.

If 14H does not apply, check the NA box and proceed to 14I.

| % Cover of Wetland Streambank or Shoreline by Species with Stability | Duration of S           | urface Water Adjacent to Roo | ted Vegetation          |
|--|-------------------------|------------------------------|-------------------------|
| Ratings of ≥6 (see Appendix F).                                      | ☐ Permanent / Perennial | Seasonal / Intermittent      | ☐ Temporary / Ephemeral |
| □ ≥ 65%  |                         |                              |                         |
| □ 35-64%   |                         | .6M                          |                         |
| ⊠ < 35%  |                         |                              |                         |

Comments: Seasonal surface water in some cells that are developing wetlands. Those cells with cattail have higher stability rating than those with upland grasses.

#### 14I. PRODUCTION EXPORT / FOOD CHAIN SUPPORT

i. Level of Biological Activity: Synthesis of wildlife and fish habitat rates (select).

| General Fish Habitat Rating | Genera | l Wildlife Habitat Rati | ing (14Ciii) |
|-----------------------------|--------|-------------------------|--------------|
| (14Diii)                    | ☐ E/H  | $\boxtimes$ M           | □L           |
| ☐ E/H                       |        |                         |              |
| ■ M                         |        |                         |              |
| □ L                         |        |                         |              |
| ⊠ NA                        |        | M                       |              |

**ii. Rating:** Working from top to bottom, use the matrix below to select the functional point and rating. Factor A = acreage of vegetated wetland component in the AA; Factor B = level of biological activity rating from above (14li); Factor C = whether or not the AA contains a surface or subsurface outlet; the final three rows pertain to the duration of surface water in the AA, where P/P, S/I, and T/E were previously defined, and A = "absent" [see manual for further definitions of these terms].

| Α     | ☑ Vegetated Component >5 acres |    |     |     |       |    | ☑ Vegetated Component 1-5 acres |    |     |    |       | ☐ Vegetated Component <1 acre |        |    |     |    |       |    |
|-------|--------------------------------|----|-----|-----|-------|----|---------------------------------|----|-----|----|-------|-------------------------------|--------|----|-----|----|-------|----|
| В     | ☐ High                         |    |     |     | ☐ Low |    | ☐ High                          |    |     |    | ☐ Low |                               | ☐ High |    |     |    | ☐ Low |    |
| С     | Yes                            | No | Yes | No  | Yes   | No | Yes                             | No | Yes | No | Yes   | No                            | Yes    | No | Yes | No | Yes   | No |
| P/P   |                                |    |     |     |       |    |                                 |    |     |    |       |                               |        |    |     |    |       |    |
| S/I   |                                |    |     | .4M |       |    |                                 |    |     |    |       |                               |        |    |     |    |       |    |
| T/E/A |                                |    |     |     |       |    |                                 |    |     |    |       |                               |        |    |     |    |       |    |

|  |  |  | vvetiand  | //Site #(s                     | ): <u>I unniciiπ</u>   |                               |  |                |                |  |
|--|--|--|---|--------------------------------|--|-------------------------------|--|----------------|----------------|--|
| 14I. PRODUCTION EXPORT / FOOD CH   | IAIN SU  | IPPORT (contir   | nued)   |                                |  |                               |  |                |                |  |
| iii. Modified Rating: Note: Modified scor  | e canno  | ot exceed 1.0 or   | r be less than  | 0.1.                           |  |                               |  |                |                |  |
| Vegetated Upland Buffer: Area with ≥ 30% plant cover, ≤ 15% noxious weed or ANVS cover, AND that is not subjected to periodic mechanic mowing or clearing (unless for weed control).  Is there an average ≥ 50-foot wide vegetated upland buffer around ≥ 75% of the AA's perimeter?   YES, add 0.1 to score in ii = NC  |  |  |   |                                |  |                               |  |                |                |  |
| iv. Final Score and Rating: $\underline{.5M}$ Comm   | nents:   |  |   |                                |  |                               |  |                |                |  |
| 14J. GROUNDWATER DISCHARGE / R Check the appropriate indicators in   | -  | _  |   |                                |  |                               |  |                |                |  |
| i. Discharge Indicators  ☐ The AA is a slope wetland. ☐ Springs or seeps are known or observed. ☐ Vegetation growing during dormant season/drought. ☐ Wetland occurs at the toe of a natural slope. ☐ Seeps are present at the wetland edge. ☐ AA permanently flooded during drought periods. ☐ Wetland contains an outlet, but no inlet. ☐ Shallow water table and the site is saturated to the surface. ☐ Other:   |  |  |   |                                |  |                               |  |                | 0 ,            |  |
| iii. Rating: Use the information from i an   | d ii abov  |  |   |                                |  |                               |  |                | <b>a</b>       |  |
|  |  | Duration of Saturation at AA Wetlands FROM GROUNDWATER DISCHARGE or WITH WATER THAT IS RECHARGING THE GROUNDWATER SYSTEM |   |                                |  |                               |  |                |                |  |
| Criteria   |  | ☐ P/P  | ⊠ S   |                                | <u> </u>   | CITOONDIIA                    | □ No   |                |                |  |
| ☐ Groundwater Discharge or Recharge  | arge   |  | .7M   |                                |  |                               |  |                |                |  |
| ☐ Insufficient Data/Information  |  |  |   | •                              |  | •                             |  |                | ]              |  |
| Comments: The site was designed to have  | <u>e shallc</u>  | ow excavations   | that utilize a h  | <u>igh grour</u>               | ndwater table a  | as the primary                | source o   | f wetland hyd  | <u>rology.</u> |  |
| 14K. UNIQUENESS  |  |  |   |                                |  |                               |  |                |                |  |
| i. Rating: Working from top to bottom, use the matrix below to select the functional point and rating.   |  |  |   |                                |  |                               |  |                |                |  |
| Replacement Potential  | spring<br>forest   | ontains fen, bo<br>gs or mature (;<br>ed wetland OF<br>iation listed as<br>TNHP  | -80 yr-old)<br>≷ plant                                  | cited ra<br>diversi<br>contail | es not contain<br>are types ANI<br>ity (#13) is hig<br>ns plant asso<br>as "S2" by the | Structural<br>h OR<br>ciation | AA does not contain previously cited rare types OR associations AND structural diversity (#13) is low-moderate |                |                |  |
| Estimated Relative Abundance (#11)   | □ Rare   | e ☐ Common   | □ Abundant  | □ Rare                         | □ Common   | □ Abundant                    | □ Rare   |                | □ Abundant     |  |
| ■ Low Disturbance at AA (#12i)   |  |  |   |                                |  |                               |  | .4M            |                |  |
| Moderate Disturbance at AA (#12i)  |  |  |   |                                |  |                               |  |                |                |  |
| High Disturbance at AA (#12i)  |  |  |   |                                |  |                               |  |                |                |  |
| Comments: Wetland type is common in the state of the stat | ENTIAL a recreational continuational continuationa continuationa continuationa continuationa continuationa cont | ational or educational  Educational/Sci Other:   | NA (proceed to ational opportusite? X YES entific Study | ınity.<br><b>5</b> , go to ii. | <b>NO</b> , che  | ck the NA box                 | ζ.   | ımptive recrea | ational        |  |
| Known or Potential Recreational or Educational Area Kr   |  |  |   |                                |  |                               |  | Potential      | a a            |  |
| Public ownership or public easement with general public access (no permission required)  |  |  |   |                                |  |                               |  |                | 7              |  |
| Private ownership with general publ  |  |  |   |                                | ii required)   |                               | .2H  |                | 1              |  |
| Private or public ownership without  | genera   | l public acces   | s, or requiring   | permis                         | sion for publi   | c access                      |  |                | 7              |  |
| Comments: Site owned by MFWP   |  |  |   |                                |  | <u> </u>                      |  | •              |                |  |
|  |  |  |   |                                |  |                               |  |                |                |  |

15. GENERAL SITE NOTES: \_\_\_\_\_

| Function & Value Variables                                    | Rating – Actual<br>Functional<br>Points | Possible<br>Functional<br>Points | Functional Units: Actual Points x Estimated AA Acreage | Indicate the Four Most Prominent Functions with an Asterisk |  |  |  |  |
|---|---|----------------------------------|--|---|--|--|--|--|
| A. Listed / Proposed T&E Species Habitat                      | low 0.00                                | 1.00                             | 0  |   |  |  |  |  |
| B. MT Natural Heritage Program Species Habitat                | mod 0.60                                | 1.00                             | 5.0  |   |  |  |  |  |
| C. General Wildlife Habitat                                   | mod 0.70                                | 1.00                             | 5.9  | *   |  |  |  |  |
| D. General Fish Habitat                                       | NA                                      | NA                               | 0  |   |  |  |  |  |
| E. Flood Attenuation  | mod 0.60                                | 1.00                             | 5.0  |   |  |  |  |  |
| F. Short and Long Term Surface Water Storage                  | high 0.90                               | 1.00                             | 7.5  | *   |  |  |  |  |
| G. Sediment / Nutrient / Toxicant Removal                     | mod 0.70                                | 1.00                             | 5.9  | *   |  |  |  |  |
| H. Sediment / Shoreline Stabilization                         | mod 0.60                                | 1.00                             | 5.0  |   |  |  |  |  |
| I. Production Export / Food Chain Support                     | mod 0.50                                | 1.00                             | 4.2  |   |  |  |  |  |
| J. Groundwater Discharge / Recharge                           | mod 0.70                                | 1.00                             | 5.9  | *   |  |  |  |  |
| K. Uniqueness   | mod 0.40                                | 1.00                             | 3.3  |   |  |  |  |  |
| L. Recreation / Education Potential (bonus point)             | high 0.20                               |                                  | 1.7  |   |  |  |  |  |
| Total Points 5.9 10 49.4 Total Functional Units               |   |                                  |  |   |  |  |  |  |
| Percent of Possible Score 59% (round to nearest whole number) |   |                                  |  |   |  |  |  |  |

|   | Category I Wetland: (must satisfy one of the following criteria; otherwise go to Category II)  ☐ Score of 1 functional point for Listed/Proposed Threatened or Endangered Species; or ☐ Score of 1 functional point for Uniqueness; or ☐ Score of 1 functional point for Flood Attenuation and answer to Question 14E.ii is "yes"; or ☐ Percent of possible score > 80% (round to nearest whole #).  |
|---|--|
|   | Category II Wetland: (Criteria for Category I not satisfied and meets any one of the following criteria; otherwise go to Category IV)  Score of 1 functional point for MT Natural Heritage Program Species Habitat; or  Score of .9 or 1 functional point for General Wildlife Habitat; or  Score of .9 or 1 functional point for General Fish Habitat; or  "High" to "Exceptional" ratings for both General Wildlife Habitat and General Fish/Aquatic Habitat; or  Score of .9 functional point for Uniqueness; or  Percent of possible score > 65% (round to nearest whole #). |
|   | ☐ Category III Wetland: (Criteria for Categories I, II, or IV not satisfied)   |
|   | Category IV Wetland: (Criteria for Categories I or II are not satisfied and all of the following criteria are met; if not go to Category III)  "Low" rating for Uniqueness; and  Vegetated wetland component < 1 acre (do not include upland vegetated buffer); and  Percent of possible score < 35% (round to nearest whole #).   |
| 0 | OVERALL ANALYSIS AREA (AA) RATING: Check the appropriate category based on the criteria outlined above.  |
|   |  |
|   |  |

# APPENDIX C PROJECT AREA PHOTOGRAPHS

MDT Wetland Mitigation Monitoring JTX – Tunnicliff Ranch Big Horn County, Montana

C-1 RSI-2972

### JTX Tunnicliff: 2019 Photo Point Photographs



Photo Point: 1 Bearing: 320 degrees

Location: Looking NW at Cell 4 Year: 2016



Photo Point: 1 Bearing: 320 degrees

Location: Looking NW at Cell 4 Year: 2019



Photo Point: 1 Location: Looking east across property Bearing: 270 degrees Year: 2016



Photo Point: 1 Location: Looking east across property Bearing: 270 degrees Year: 2019



Photo Point: 1 Bearing: 220 degrees

Location: Looking SW at Cell 5 Year: 2016



Photo Point: 1

Location: Looking SW at Cell 5

Bearing: 220 degrees Year: 2019

### **JTX Tunnicliff: 2019 Photo Point Photographs**



Photo Point: 2 Bearing: 315 degrees

Location: Looking NW at Cell 9 Year: 2016



Photo Point: 2 Bearing: 315 degrees

Location: Looking NW at Cell 9 Year: 2019



Photo Point: 2 Bearing: 0 degrees

Location: Looking North at Cell 8/9 Year: 2016



Photo Point: 2 Bearing: 0 degrees

Location: Looking North at Cell 8/9 Year: 2019



Photo Point: 2 Bearing: 45 degrees

Location: Looking NE at Cell 8 Year: 2016



Photo Point: 2 Bearing: 45 degrees

Location: Looking NE at Cell 8 Year: 2019

## **JTX Tunnicliff: Photo Point Photographs**



Photo Point: 3 Bearing: 140 degrees

Location: Looking SE at Cell 13 Year: 2016



Photo Point: 3 Bearing: 140 degrees

Location: Looking SE at Cell 13 Year: 2019



Photo Point: 3 Bearing: 100 degrees

Location: Looking East at Cell 13 Year: 2016



Photo Point: 3 Bearing: 100 degrees

Location: Looking East at Cell 13 Year: 2019



Photo Point: 3 Location: West side of property Looking NE Bearing: 45 degrees Year: 2016



Photo Point: 3 Location: West side of property Looking NE Bearing: 45 degrees Year: 2019

### JTX Tunnicliff: 2019 Photo Point Photographs



## JTX Tunnicliff: 2019 Transect Photographs



Transect 1: Start Bearing: 230 degrees

Location: SE corner of property Year: 2016



Transect 1: Start Bearing: 230 degrees

Location: SE corner of property Year: 2019



Transect 1: End Bearing: 50 degrees

Location: SE corner of property Year: 2016



Transect 1: End Bearing: 50 degrees

Location: SE corner of property Year: 2019



Transect 2: Start Bearing: 350 degrees

Location: West side of property Year: 2016



Transect 2: Start Bearing: 350 degrees

Location: West side of property

Year: 2019

## JTX Tunnicliff: 2019 Transect and Data Point Photographs

