#### Montana Department of Transportation Wetland Mitigation Monitoring Report

#### **ROSTAD RANCH MITIGATION SITE**

#### **Project Overview**

Watershed: Watershed #10 - Musselshell River Basin

**Monitoring Year: 2020** 

Years Monitored: 8th year of monitoring

Corps Permit Number: NWO-2006-90851-MTB

Monitoring Conducted By: Confluence Consulting Inc.

Dates Monitoring Was Conducted: July 7, 2020

**Purpose of the Approved Project:** 

The site was originally constructed to provide 39.70 acres of compensatory wetland mitigation credits for wetland impacts associated with future transportation project related wetland impacts in Watershed #10 – Musselshell River Basin. The initial project included the filling of drainage ditches, excavating and grading the site to distribute water across the site, and creating open-water areas. Adaptive Management actions were undertaken in 2017 to install several spreader berms to improve water management and distribution of supplemental irrigation water across the site. After discussions with the Corps and the Design Consultant, the overall wetland development goal was reduced to 27.4 acres.

#### Site Location:

Latitude: 46.462457 Longitude: -110.294063

County: Meagher Nearest Town: Martinsdale, MT

Map Included: Yes

Mitigation Site Construction Started: 2012 Construction Ended: 2012

Adaptive Management: In 2017, several berms were installed to improve overall water management

and distribution for increased wetland expansion across the site.

Dates of Any Recent Corrective or Maintenance Activities (since previous report):

Activity: Weed Spraying Date: July 2, 2020 Specific recommendations for any additional corrective

actions: Weed treatment should continue in 2021.

**Anticipated Wetland Credit Acres: 27.4** 

Wetland Credit Acres Generated to Date: 27.99

**Previous Monitoring Reports:** 

https://www.mdt.mt.gov/publications/brochures/wetland mitigation.shtml

**Requirements** (from approved mitigation plan, banking instrument, or Department of Army (DA)

permit conditions)

**Monitoring Period:** 5 years from construction completion or until concurrence by the US Army Corps of

Engineers (USACE).

**Performance Standards:** A summary of performance standards established for the Rostad site and

whether or not they are being achieved is provided in Table 1.

**Table 1. Summary of Performance Standards** 

Performance Standards	Success Criteria	Criteria Achieved Y/N	Discussion
Wetland Characteristics	The three parameter criteria for hydrology, vegetation, and soils are met as outlined in the 1987 Wetland Manual and 2010 GP Regional Supplement.	Y	Wetland habitat areas within the mitigation site meet the three parameter criteria.
Wetland Hydrology	Soil saturation is present for at least 12.5 percent of the growing season.	Y	Irrigation water was turned into the site on May 13th and turned off on July 16th, 2020. All wetlands within the project area were saturated for greater than the minimum 12.5 percent of growing season.
Hydric Soil	Hydric soil conditions are present or appear to be forming.	Y	The constructed wetland complex is beginning to develop hydric soils in areas that were identified as nonhydric prior to construction. Hydric soil characteristics are present in several areas that were identified as wetland prior to construction.
	Soil is sufficiently stable to prevent erosion.	Y	Disturbed soil is stable and does not exhibit signs of erosion.
	Soil is able to support plant cover.	Y	Plant cover has continued to develop across disturbed soils.
Hydrophytic	Combined absolute cover of facultative or wetter species is greater than or equal to 70 percent.	Y	Wetland areas within the mitigation site contain greater than 70% absolute cover from hydrophytic vegetation (OBL, FACW, and FAC).
Vegetation	Noxious weeds do not exceed 5 percent cover.	Υ	Noxious weed cover has been steadily decreasing and is now estimated to be less than 5 percent within delineated wetlands.
Woody Plants	Plantings exceed 50 percent survival after 5 years.	Y	Approximately 50 percent of the woody plantings observed were alive in 2020, which meets the 50 percent survival rate.
Herbaceous Plants	At the conclusion of the monitoring period, ocular coverage of desirable hydrophytic vegetation will be at least 80 percent.	Y	Created wetlands exhibited greater than 90 percent vegetation cover during the 2020 monitoring event.
Open-Water Areas	Open water that is established within the designated wetland cells will be considered successful and creditable if open water does not exceed 10 percent of the total wetland acreage.	Y	Small pockets of perennial open water occur towards the center of the site behind the spreader berms that were constructed in 2017, while seasonal open water occurs in the northeast corner of the site. In 2020, less than 10 percent of the total wetland acreage across the site was considered open water.
	Success will be achieved when noxious weeds do not exceed 5 percent cover within the buffer areas on the site.	Y	Although there was a slight increase in Canada thistle aerial coverage since 2019, noxious weed cover does no exceed 5% within upland buffer areas.
Upland Buffer	Any area that was disturbed within creditable buffer zone must have at least 50 percent aerial cover of desirable upland plant species by the end of the monitoring period.	Y	Upland buffers that surround wetland areas within the site exhibited greater than 50 percent aerial cover of non-weed species in 2020.

Performance Standards	Success Criteria	Criteria Achieved Y/N	Discussion
Weed Control	Weed-control measures are implemented to minimize and/or eliminate infestations of state-listed noxious weed species within the site.	Y	State-listed noxious weed species across the site were estimated at 2 percent absolute cover in 2020.
Fencing	Wildlife-friendly fencing is installed along the easement boundaries.	Y	Wildlife-friendly fencing has been installed around the easement boundaries and is in good condition.

#### **Summary Data**

**Wetland Delineation** — The total wetland acreage delineated in 2020 was 28.96 acres, which included preexisting wetlands and open water areas (see maps in Appendix A). This is the same acreage delineated in 2019 (0.01 acre increase), and a 14.06-acre increase since 2016. The adaptive management strategies implemented in 2017 increased the amount of inundation in some places on the site, and caused some areas previously delineated as upland to become wetland. Some of the newly inundated and saturated areas have yet to become dominated by wetland vegetation or hydric soil indicators in spite of being inundated for much of the growing season, but these characteristics are likely to develop in future years.

**Vegetation** – A total of 78 plant species were identified on the site from 2013 through 2020. Seven new species were identified at the site in 2020. Vegetation communities were identified by plant composition and dominance. The following vegetation community types were identified in 2020:

- Upland Type 8 *Bromus inermis/Trifolium* spp.
- Upland Type 11 Elymus trachycaulus/Pascopyrum smithii
- Wetland Type 2 *Juncus balticus/Carex nebrascensis*
- Wetland Type 3 Salix exigua
- Wetland Type 5 Glyceria grandis/Typhalatifolia
- Wetland Type 6 Open Water/Aquatic Macrophytes
- Wetland Type 7 Phalaris arundinacea
- Wetland Type 10 Alopecurus pratensis
- Wetland Type 12 Phalaris arundinacea/Eleocharis palustris

The community composition for each community type is provided in full detail on the Wetland Mitigation Site Monitoring form (Appendix B), and the community boundaries are shown on Figure A-3 (Appendix A).

Absolute cover of state-listed noxious weed was estimated at 2 percent across the entire site. Canada thistle (*Cirsium aravense*) was observed in six locations with patch sizes ranging from trace to moderate. Spotted knapweed (*Centaurea stoebe*) was also observed on the site in trace amounts in three locations (Figure A-3, Appendix A).

Vegetation cover was measured along four transects in 2020 (Figure A-2, Appendix A). Summaries of the data collected at these transects are presented in Tables 3-6 below, while detailed data for each

transect are provided in the site monitoring form in Appendix B. Photographs of the transect end points are provided in Appendix C.

Table 3 summarizes the data for T-1. T-1 is 422 feet long and intersected upland community types 8 and 11, and wetland community types 2, 5, 7, and 12; 61 percent of the transect crossed wetland habitat, which is a 1 percent decrease since 2019, but a 5 percent increase since 2017. Total vegetative cover has remained constant at 95 percent from 2016 to 2020.

Table 2. Data Summary for T-1 From 2016 Through 2020 at the Rostad Ranch Site

Monitoring Year	2016	2017	2018	2019	2020
Transect Length (feet)	422	422	422	422	422
Vegetation Community Transitions Along Transect	4	5	5	5	5
Vegetation Communities Along Transect	5	5	5	5	6
Hydrophytic Vegetation Communities Along Transect	4	4	4	4	4
Total Vegetative Species	26	23	26	23	22
Total Hydrophytic Species	10	10	11	10	8
Total Upland Species	16	13	15	13	14
Estimated % Total Vegetative Cover	95	95	95	95	95
Estimated % Unvegetated	5	5	5	5	5
% Transect Length Comprising Hydrophytic Vegetation Communities	59	56	62	62	61
% Transect Length Comprising Upland Vegetation Communities	41	44	38	38	39
% Transect Length Comprising Unvegetated Open Water	0	0	0	0	0
% Transect Length Comprising of Mud Flat	0	0	0	0	0

Data collected on T-2 (Wetland Mitigation Site Monitoring form, Appendix B) are summarized in Table 4. T-2 is 453 feet long and intersects upland community type 8 and wetland community types 2 and 7; 82 percent of the transect crossed wetland habitat in 2020, which is a 4 percent increase from 2019, and a 6 percent increase since 2018. Total vegetative cover has remained constant at 95 percent from 2016 to 2020.

Table 3. Data Summary for T-2 From 2016 Through 2020 at the Rostad Ranch Site

Monitoring Year		2017	2018	2019	2020
Transect Length (feet)	453	453	453	453	453
Vegetation Community Transitions Along Transect	2	2	3	3	4
Vegetation Communities Along Transect	2	2	3	3	3
Hydrophytic Vegetation Communities Along Transect	1	1	2	2	2
Total Vegetative Species	25	17	16	16	16
Total Hydrophytic Species	7	6	7	9	6
Total Upland Species	18	11	9	7	10
Estimated % Total Vegetative Cover	95	95	95	95	95
Estimated % Unvegetated	5	5	5	5	5
% Transect Length Comprising Hydrophytic Vegetation Communities	70	76	76	78	82
% Transect Length Comprising Upland Vegetation Communities	30	24	24	22	18
% Transect Length Comprising Unvegetated Open Water	0	0	0	0	0
% Transect Length Comprising of Mud Flat	0	0	0	0	0

Data collected on T-3 (Wetland Mitigation Site Monitoring form, Appendix B) are summarized in Table 5. T-3 is 320 feet long and intersects wetland community types 2, 5, and 7; 100 percent of the transect crossed wetland habitat in 2020, as was also the case in 2018 and 2019.

Table 4. Data Summary for T-3 From 2016 Through 2020 at the Rostad Ranch Site

Monitoring Year	2016	2017	2018	2019	2020
Transect Length (feet)	320	320	320	320	320
Vegetation Community Transitions Along Transect	4	3	3	3	3
Vegetation Communities Along Transect	4	3	3	3	3
Hydrophytic Vegetation Communities Along Transect	3	2	3	3	3
Total Vegetative Species	30	23	23	21	22
Total Hydrophytic Species	16	15	16	16	16
Total Upland Species	14	8	7	5	6
Estimated % Total Vegetative Cover	90	80	85	85	90
Estimated % Unvegetated	10	20	15	15	10
% Transect Length Comprising Hydrophytic Vegetation Communities	93	91	100	100	100
% Transect Length Comprising Upland Vegetation Communities	7	9	0	0	0
% Transect Length Comprising Unvegetated Open Water	0	0	0	0	0
% Transect Length Comprising of Mud Flat	0	0	0	0	0

Data collected on T-4 (Wetland Mitigation Site Monitoring form, Appendix B) are summarized in Table 6. T-4 was established in 2017 following adaptive management actions at the site and is 412 feet long. T-4 intersects upland community types 8 and 11 and wetland community type 7; 20 percent of the transect crossed wetland habitat in 2020, which is a decrease of 1 percent since 2019.

Table 5. Data Summary for T-4 From 2016 Through 2020 at the Rostad Ranch Site

Monitoring Year	2017	2018	2019	2020
Transect Length (feet)	412	412	412	412
Vegetation Community Transitions Along Transect	4	3	3	4
Vegetation Communities Along Transect	3	2	2	3
Hydrophytic Vegetation Communities Along Transect	1	1	1	1
Total Vegetative Species	10	16	14	17
Total Hydrophytic Species	1	3	5	4
Total Upland Species	10	13	9	13
Estimated % Total Vegetative Cover	70	80	80	80
Estimated % Unvegetated	30	20	20	20
% Transect Length Comprising Hydrophytic Vegetation Communities	12	12	21	20
% Transect Length Comprising Upland Vegetation Communities	88	88	79	80
% Transect Length Comprising Unvegetated Open Water	0	0	0	0
% Transect Length Comprising of Mud Flat	0	0	0	0

Approximately 2,000 willow cuttings were planted throughout the excavated areas. An estimated 50 percent of the willow cuttings survived through 2020. The cuttings appeared healthy and vigorous with some sign of browse. A total of 100 black cottonwoods (*Populus balsamifera*) and 100 quaking aspens (*Populus tremuloides*) were installed around the perimeter of the proposed open-water areas in 2012. Survival of these containerized, 5-gallon plant materials was also estimated at 50 percent in 2020. Willow dominance has increased in the southern portion of the site, which is reflected by a larger mapped area of Community Type 3 – *Salix exigua*.

**Hydrology** – The hydrology for the site is supplied from multiple sources, including a shallow seasonal groundwater table, groundwater that emerges from a natural spring located near the narrow-leaf willow (*Salix exigua*) stand in the southern portion of the site, direct precipitation, surface runoff, and surfacewater diversion out of an adjacent irrigation canal. Irrigation water was diverted onto the site on May 13, 2020, and was turned off on July 16th, 2020. Adaptive management in the spring of 2017 installed a series of berms at strategic locations within the site to assist in storing and distributing water to other areas of the mitigation site to improve the development of wetland habitat (See Figure A-2 for berm locations). Overall, inundation increased from approximately 15 acres in 2016 to more than 25 acres across the site in 2017 and nearly 29 acres in 2018, 2019, and 2020. One groundwater monitoring well remains at the site and is monitored monthly by the US Geological Survey (USGS). Groundwater elevations at this well were relatively constant at 4.0–4.5 feet below land surface from July through September.

**Photographs** – Photographs taken in 2020 at photo points 1–10 (PP1 to PP10), transect endpoints, and data points are provided in Appendix C along with photographs from the first year of monitoring. Please refer to previous years' monitoring reports for photographs from all other years (https://www.mdt.mt.gov/publications/brochures/wetland\_mitigation.shtml).

**Soils** – Soil test pits were excavated at six locations, and five of these pits (DP01w, DP01u, DP02w, DP02u, and DP03u) were located within a soil unit mapped by the Natural resources Conservation Service (NRCS) as the Delpoint variant-Marmarth-Cabbart loam soil series (NRCS 2020). DP03w was located in a soil unit originally mapped by NRSC as Martinsdaile-Meagher cobbly loam series (Figure A-2, Appendix A). DP01w, DP02w and DP03w all contained hydric soil indicators.

The soil at DP01w, which is located at the edge of a PEM wetland, consisted of 11 inches of dark brown (7.5YR 3/2) sandy clay loam with 1% black (2.5/N) redoximorphic depletions and 1% reddish-yellow (7.5YR 6/6) redoximorphic concentrations in the matrix, over a pale brown depleted matrix (10YR 6/3). This soil met the criteria for depleted matrix (F3) and classification as a hydric soil. DP01u, which is located upslope from DP01w, contained 14 inches of very dark grayish-brown (10YR 3/2) sandy loam and did not display any hydric soil indicators.

The soil profile at DP02w, contained a 10 inch surface horizon of very dark grayish-brown (10YR 3/2) sandy clay loam with 5% reddish-yellow (7.5YR 6/6), redoximorphic concentrations, and 15% black gleyed depletions (2.5/N). Below 10 inches was a depleted, gray (10YR 6/1), sandy loam that was observed to a depth of 16 inches. The soil met the criteria for depleted matrix (F3) as a hydric soil indicator. DP02u, which is located upslope from DP02w, exhibited a very dark grayish-brown (10YR 3/2) sandy loam and did not display any hydric soil indicators.

The soil profile at DP03w, revealed a 5-inch layer of very dark grey (10YR 3/1) sapric, organic material on top of 10 inches of depleted sandy clays. Two sandy clay horizons were observed. The first was observed from 5-13 inches and was greyish brown (10YR 5/2) with 2% reddish yellow (7.5YR 6/8) redoximorphic concentrations in the matrix. The second horizon, observed from 13-15 inches, was grey and contained 5% reddish yellow (7.5YR 6/8) redoximorphic concentrations in the matrix. This soil met the criteria for depleted matrix (F3) as a hydric soil indicator. DP03u, which is located upslope from DP03w, exhibited a brown (10YR 4/3) sandy loam and did not display any hydric soil indicators.

**Wildlife** — Four bird species were observed at the site during monitoring in 2020, and 39 have been reported historically. Six of the seven bird boxes installed at the site are functional and all appeared to be used in 2020 by a variety of species including Tree Swallows (*Tachycineta bicolor*). In addition to the bird species, deer (Odocoileus sp.) and raccoon (*Procyon lotor*) tracks were noted across the site.

**Functional Assessment** – The 2020 results of the functional assessments are summarized in the Table 2. Completed Montana Wetland Assessment Method (MWAM) forms for the Rostad Ranch Site are provided in Appendix B. Overall, the site rates as a Category II wetland and has generated 171.03 Functional Units.

Table 6. Montana Wetland Assessment Method Summary for the Rostad Ranch Site

Function and Value Parameters From the 2008 Montana Wetland Assessment Method	2016	2017	2018	2019	2020
Listed/Proposed Threatened & Endangered (T&E) Species Habitat	Low (0)				
Montana Natural Heritage Program (MTNHP) Species Habitat	High (0.9)				
General Wildlife Habitat	Mod (0.5)				
General Fish/Aquatic Habitat	N/A	N/A	N/A	N/A	N/A
Flood Attenuation	N/A	N/A	N/A	N/A	N/A
Short- and Long-Term, Surface-Water Storage	Mod (0.6)	High (0.9)	High (0.9)	High (0.9)	High (0.9)
Sediment/Nutrient/Toxicant Removal	High (1.0)				
Sediment/Shoreline Stabilization	High (0.9)				
Production Export/Food Chain Support	High (0.8)				
Groundwater Discharge/Recharge	Mod (0.7)				
Uniqueness	Low (0.3)				
Recreation/Education Potential (bonus points)	Low (0.05)				
Actual Points/Possible Points	5.75/9	6.05/9	6.05/9	6.05/9	6.05/9
% of Possible Score Achieved	63.9%	67%	67%	67%	67%
Overall Category	III	II	II	II	II
Total Acreage of Assessed Wetlands Within Site Boundaries	14.96	26.42	28.86	28.86	28.96
Functional Units (acreage × actual points)	86.02	159.85	174.60	174.60	175.21

Credit Summary — Table 7 summarizes the estimated wetland credits based on the USACE-approved credit ratios and the wetland delineations completed in 2017-2020. Proposed mitigation credits from the Rostad Ranch Mitigation Plan, Meagher County, Montana (Montana Department of Transportation, 2007) included reestablishing 27.11 wetland acres, rehabilitating 2.63 wetland acres, creating 9.84 wetland acres, preserving 0.25 wetland acres, and maintaining 6.76 acres of upland buffer. The wetland acreages that were delineated in 2020 included 18.46 acres of reestablished wetlands, 2.06 acres of rehabilitated wetland, 7.5 acres of created wetland, 0.25 acre of preservation wetland (community Type 3 – Salix exigua) and 0.69 acres of open water. Adaptive management activities on the site in 2017 resulted in a shift of crediting, which increased rehabilitated and reestablished wetland acreage and decreased created wetland acreage. The total mitigation credits estimated in 2020, totaled 27.99 credit acres, which is decrease of 1.35 acres since 2019. This value does not account for any credit that will be given for open water areas, as the mitigation ratios for these areas have not yet been determined.

Table 7. Wetland Mitigation Credits Estimated for the Rostad Ranch Site (2017–2020)

Compensatory Mitigation Type	Wetland Type <sup>(a)</sup>	Approved Mitigation Ratio <sup>(b)</sup>	Anticipated Mitigation Area (acres)	Anticipated Mitigation Credit (acres)	2017 Delineated Mitigation Areas (acres)	2017 Estimated Mitigation Credit (acres)	2018 Delineated Mitigation Areas (acres)	2018 Estimated Mitigation Credit (acres)	2019 Delineated Mitigation Areas (acres)	2019 Estimated Mitigation Credit (acres)	2020 Delineated Mitigation Areas (acres)	2020 Estimated Mitigation Credit (acres)
Restoration (Reestablishment)	Palustrine emergent	1:1	27.11	27.11	14.62	14.62	14.62	14.62	14.62	14.62	18.46	18.46
Creation (Establishment)	Palustrine emergent	1:1	9.84	9.84	10.74	10.74	13.18	13.18	13.18	13.18	7.50	7.50
Restoration (Rehabilitation)	Palustrine emergent	1.5:1	2.63	1.75	0.81	0.54	0.81	0.54	0.81	0.54	2.06	1.73
Preservation	Palustrine, scrub/shrub	4:1	0.25	0.06	0.25	0.06	0.25	0.06	0.25	0.06	0.25	0.06
Upland Buffer	N/A	5:1	6.76	1.35	6.76	1.35	6.76	1.35	6.76	1.35	6.76	1.35
Permanent Wetland Impact	N/A	1:1	N/A	-0.41	N/A	-0.41	N/A	-0.41	N/A	-0.41	N/A	-0.41
Open Water*	Palustrine aquatic bed	TBD	TBD	TBD	-	-	-	-	-	-	0.96	TBD
	Totals		46.59	39.70	33.18	26.90	35.62	29.34	35.62	29.34	35.72	27.99


<sup>(</sup>a) Cowardin et al. [1979].

<sup>(</sup>b) The mitigation credit ratios that were used are from the Montana Corps Regulatory Programs 2005 Wetland Credit Ratios [USACE, 2005].

<sup>\*</sup> Mitigation ratios and crediting for Open Water are To Be Determined (TBD).

#### Maps, Plans, Photos

Site Location Map



Project Area Maps/Figures: See Appendix A.

Data Forms: See Appendix B (Site Monitoring form, plant list, USACE data forms, and MWAM forms).

Photos: See Appendix C.

Plans: See Appendix D of 2018 Monitoring Report

https://www.mdt.mt.gov/other/webdata/external/planning/wetlands/2018-REPORTS/2018-FINAL-Rostad-Ranch.PDF

#### Conclusions


Based on the results of the seventh year of monitoring, the Rostad Ranch mitigation site is continuing to develop into a diverse wetland ecosystem. Since adaptive management actions were implemented to spread hydrology across the site in 2017, the site is meeting all of the project's performance standards. A total of 27.99 wetland credit acres have developed across the Rostad Ranch site, which exceeds the number of target acres by 0.54 acres. This site may provide additional credits in the future as it is wetlands are still developing in some areas.


#### **References**


- Berglund, J. and R. McEldowney. 2008. MDT Montana Wetland Assessment Method, PBS&J Project B43072.00, prepared by Post, Buckley, Schuh, & Jernigan, Helena, MT, for the Montana Department of Transportation, Helena, MT.
- Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe, 1979. Classification of Wetlands and Deepwater Habitats of the United States, FWS/OBS-79-31, prepared by the US Department of the Interior, Fish and Wildlife Service, Washington, DC.
- **Environmental Laboratory.** 1987. *Corps of Engineers Wetlands Delineation Manual*. U.S. Army Corps of Engineers. Washington, DC.
- **Federal Geographic Data Committee (FGDC).** 2013. *Classification of wetlands and deepwater habitats of the United States.* FGDC-STD-004-2013. Second Edition. Wetlands Subcommittee, Federal Geographic Data Committee and U.S. Fish and Wildlife Service, Washington, DC.
- Lesica, P. 2012. Manual of Montana Vascular Plants, Brit Press, Fort Worth, TX.
- Montana Department of Transportation, 2007. Rostad Ranch Wetland Mitigation Plan, Meagher County, Montana, prepared by the Montana Department of Transportation, Helena, MT.
- Montana Natural Heritage Program (MTNHP). 2020. Montana Species of Concern Report. Montana Natural Heritage Program. Accessed on 1 October 2020 at <a href="http://mtnhp.org/SpeciesOfConcern/?AorP=p">http://mtnhp.org/SpeciesOfConcern/?AorP=p</a>
- Natural Resources Conservation Service (NRCS). 2018. Field Indicators of Hydric Soils in the United States, Version 8.2. L.M. Vasilas, G.W. Hurt, and J.F. Berkowitz (eds.). USDA, NRCS, in cooperation with the National Technical Committee for Hydric Soils. 55 p.
- Natural Resources Conservation Service (NRCS). 2020. Soil Survey (SSURGO) Database for Meagher County, Montana. Accessed on 1 October 2020 at http://websoilsurvey.nrcs.usda.gov/
- **US Army Corps of Engineers, 2005.** "Montana Mitigation Information," *army.mil*, retrieved October 10, 2016, from <a href="http://www.nwo.usace.army.mil/Missions/Regulatory-Program/Montana/Mitigation">http://www.nwo.usace.army.mil/Missions/Regulatory-Program/Montana/Mitigation</a>
- **U.S. Army Corps of Engineers (USACE).** 2010. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Great Plains Region (Version 2.0), prepared by U.S. Army Corps of Engineers, U.S. Army Engineer Research and Development Center, Environmental Laboratory, Vicksburg, MS.
- U.S. Army Corps of Engineers (USACE). 2018. *National Wetland Plant List (Version 3.4)*, prepared by U.S. Army Corps of Engineers, U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory, Hanover, NH.
- **U.S. Fish and Wildlife Service (USFWS).** 2020. *IPaC Resource List*. Environmental Conservation Online System (ECOS). Accessed on 1 October 2020 at https://ecos.fws.gov/ipac/

# APPENDIX A PROJECT AREA MAPS

MDT Wetland Mitigation Monitoring Rostad Ranch Meagher County, Montana







R. McEldowney

Project Manager:

# APPENDIX B MONITORING FORMS

MDT Wetland Mitigation Monitoring Rostad Ranch Meagher County, Montana

### MDT WETLAND MITIGATION SITE MONITORING FORM

Project Site:	Rostad Ranch	Assessment Date/Time	8/11/2020
Person(s) co	onducting the assessmen	t: R Jones, S Weyant	
Weather: <u>Sเ</u>	<u>ınny, Breezy, 90 degreε</u>	es Location: Martinsdale, MT	
MDT District	: Billings	Milepost:	
Legal Descr	iption: T <u>8N</u> R <u>11E</u> S	ection(s) 12 and 13	
Initial Evalua	ation Date <u>: 8/21/2013</u>	Monitoring Year: 8 _#Visits in Year: 1	
Size of Eval	uation Area: 60 (ac	<u>cres)</u>	
Land use su	rrounding wetland:		
Agriculture			
		HYDROLOGY	
Surface Water S	ource: <u>Groundwater, s</u>	upplemental hydrology from ditch/headgat	e, surface runoff
Inundation:	✓ Average De	epth:1 (ft) Range of Depths:25-	<u>-2 (ft)</u>
Percent of asses	ssment area under inunda	ation: <u>25 %</u>	
Depth at emerge	ent vegetation-open wate	r boundary: <u>2 <b>(ft)</b></u>	
lf assessment ar	ea is not inundated then	are the soils saturated within 12 inches of su	ırface: Yes
		ex. – drift lines, erosion, stained vegetation, e	
		er marks, drift deposits, oxidized rhizosphe	
roots, geomorp	hic position, FAC-nuetra	al test	_
Groundwate	r Monitoring Wells		
	_	ground surface, in feet.	
·			
Well ID	Water Surface De	pth (ft)	
MW-1	5.56		
Additional Activities	Checklist:		
	nt vegetation-open water bound	lary on aerial photograph.	
✓ Observe exte	ent of surface water during each	site visit and look for evidence of past surface water	
elevations (drift lines	s, erosion, vegetation staining, e	etc.)	
✓ Use GPS to s	survey groundwater monitoring	well locations, if present.	
Hydrology Notes:			
Groundwater w	vell measured 9/04/2020	0 by USGS.	

#### **VEGETATION COMMUNITIES**

Acres:

1

Site \_Rostad Ranch

(Cover Class Codes  $\mathbf{0} = < 1\%$ ,  $\mathbf{1} = 1.5\%$ ,  $\mathbf{2} = 6.10\%$ ,  $\mathbf{3} = 11.20\%$ ,  $\mathbf{4} = 21.50\%$ ,  $\mathbf{5} = >50\%$ )

1

1

1

Community # 2 Community Type: Juncus balticus / Carex nebrascensis

Species	Cover class	Species	Cover class
Agrostis gigantea	1	Alopecurus pratensis	1
Beckmannia syzigachne	3	Carex nebrascensis	4
Carex stipata	1	Cirsium arvense	0
Deschampsia caespitosa	1	Eleocharis palustris	1
Epilobium ciliatum	1	Hordeum jubatum	2
Juncus balticus	4	Juncus bufonius	1
Mentha arvensis	1	Open Water	1
Pascopyrum smithii	1	Phalaris arundinacea	2
Phleum pratense	1	Poa palustris	1

#### Comments:

Poa pratensis

Trifolium pratense

Salix exigua

Wet meadow, revegetation successful since 2013.

Rumex crispus

Typha latifolia

Sonchus arvensis

Species	Cover class	Species	Cover class
Agrostis gigantea	0	Alopecurus pratensis	1
Beckmannia syzigachne	1	Carex nebrascensis	1
Carex utriculata	1	Deschampsia caespitosa	2
Eleocharis palustris	1	Poa palustris	2
Salix exigua	5	Typha latifolia	0
Veronica peregrina	0		
Comments:			

#### Comments:

Undisturbed Salix community near southern extent of monitoring boundary.

Community # 5	Community Type:	Glyceria grandis / Typha latifolia	Acres:	<u>3.9</u>
Species	Cover class	Species	Cover class	
Alopecurus pratensis	1	Beckmannia syzigachne	2	
Carex pellita	1	Eleocharis palustris	3	
Elymus trachycaulus	1	Glyceria grandis	4	
Hippuris vulgaris	1	Open Water	3	
Phalaris arundinacea	1	Rumex crispus	0	
Salix exigua	1	Typha latifolia	3	
Comments:				
		wer areas of the site. This CT contain		water.
Community # 6	Community Type:	Open Water / Aquatic macrophytes	Acres:	0.7
Species	Cover class	Species	Cover class	
Carex nebrascensis	0	Eleocharis palustris	0	
Glyceria grandis	0	Open Water	5	
Phalaris arundinacea	0	Typha latifolia	0	
Comments:				
Composition of this com observed.	munity type was change	d to reflect an open water community	/. No aquatic macrophytes	
Community # 7	Community Type:	Phalaris arundinacea /	Acres:	<u>11.5</u>
Species	Cover class	Species	Cover class	
Agrostis gigantea	1	Alopecurus arundinaceus	1	
Amaranthus retroflexus	1	Bromus inermis	1	
Carex nebrascensis	1	Carex praegracilis	1	
Cirsium arvense	0	Eleocharis palustris	1	
Elymus repens	1	Elymus trachycaulus	3	
Medicago sativa	0	Phalaris arundinacea	5	
Phleum pratense	1	Poa palustris	1	
Poa pratensis	1	Populus angustifolia	1	
Rumex crispus	0	Thlaspi arvense	1	

This community has expanded since 2019.

Trifolium pratense

Comments:

Typha latifolia

1

Community #	<b>8</b> Community Type:	Bromus inermis / Trifolium sp.	Acres:	<u> 28</u>
-------------	--------------------------	--------------------------------	--------	------------

Species	Cover class	Species	Cover class
Achillea millefolium	1	Agrostis gigantea	1
Bromus inermis	5	Carum carvi	1
Centaurea stoebe	1	Cirsium arvense	0
Elymus repens	2	Elymus trachycaulus	1
Juncus balticus	1	Medicago sativa	1
Melilotus officinalis	2	Pascopyrum smithii	1
Phalaris arundinacea	1	Phleum pratense	3
Poa palustris	1	Poa pratensis	1
Populus angustifolia	1	Schedonorus pratensis	2
Symphyotrichum ascendens	1	Taraxacum officinale	1
Trifolium pratense	1	Trifolium repens	3
Comments:			

Previously recorded as community Type 1 with a prevalence of Phleum pratense. Upland communities across the site are dominated by Bromus inermis.

Community # 10 Community Type: Alopecurus pratensis / Acres:

Species	Cover class	Species	Cover class
Agrostis gigantea	2	Alopecurus pratensis	4
Hordeum jubatum	1	Juncus balticus	2
Phalaris arundinacea	3		

#### **Comments:**

The lower (esatern) edge of this community type may transition into CT 2 or 12 in future years due to increased inundatation.

Community # 11 Community Type: Elymus trachycaulus / Pascopyrum smithii 2.7 Acres:

Species	Cover class	Species	Cover class
Agrostis gigantea	1	Bare Ground	2
Bromus inermis	1	Chenopodium sp.	2
Cirsium arvense	0	Elymus repens	1
Elymus trachycaulus	3	Melilotus officinalis	3
Pascopyrum smithii	3	Phalaris arundinacea	1
Sinapis arvensis	3	Symphyotrichum ascendens	1
Symphyotrichum ericoides	1	Trifolium hybridum	3
0			

#### **Comments:**

This community type is found in some areas that were revegetated following the 2017 constuction. In 2020, constructed berms had ~80% vegetative cover and were dominated by seeded species, volunteer grasses, and forbs.

Community # <u>12</u> Co	mmunity Type:	Phalaris arundinacea / Eleocharis	palustris Acres:	<u>2.9</u>
Species	Cover class	Species	Cover class	
Bare Ground	1	Beckmannia syzigachne	1	
Carex nebrascensis	1	Eleocharis palustris	3	
Glyceria grandis	2	Open Water	3	
Phalaris arundinacea	3	Rumex crispus	0	
Schoenoplectus maritimus	1	Typha latifolia	1	
Comments:				
New community type created	in 2020 to docume	nt wetland fringe around open wate	r.	
	T-1-11/-			

Total Vegetation Community Acreage 59.7 (Note: some area within the project bounds may be open water or other non-vegetative ground cover.)

### **VEGETATION TRANSECTS**

Rostad Ranch		Da	Date: 8/11/202	
Transect Number: _	1	_ Compass D	irection from Start:	<u>290</u> •
Interval Data:				
<b>Ending Station</b>	146	Community Type:	Bromus inermis / Trifolium	ı sp.
Species		Cover class	Species	Cover clas
Bromus inermis		4	Carum carvi	1
Cirsium arvense		1	Juncus balticus	1
Medicago sativa		0	Phleum pratense	2
Poa palustris		1	Poa pratensis	1
Symphyotrichum ascen	den	1	Taraxacum officinale	1
Trifolium pratense		0		
Ending Station	267	Community Type:	Juncus balticus / Carex ne	ebrascensis
Species		Cover class	Species	Cover clas
Agrostis gigantea		1	Alopecurus pratensis	2
Carex nebrascensis		2	Juncus balticus	3
Phalaris arundinacea		4	Poa palustris	;
<b>Ending Station</b>	286	Community Type:	Elymus trachycaulus / Pas	scopyrum smithii
Species		Cover class	Species	Cover clas
Agrostis gigantea		1	Bare Ground	2
Elymus trachycaulus		4	Pascopyrum smithii	2
Phalaris arundinacea		4	. ,	
<b>Ending Station</b>	358	Community Type:	Phalaris arundinacea /	
Species		Cover class	Species	Cover clas
Agrostis gigantea		1	Carex nebrascensis	2
Cirsium arvense		0	Elymus trachycaulus	
Phalaris arundinacea		5	Phleum pratense	(
Rumex crispus		1		
<b>Ending Station</b>	393	Community Type:	Glyceria grandis / Typha I	atifolia
Species		Cover class	Species	Cover clas
Eleocharis palustris		3	Elymus trachycaulus	
Glyceria grandis		2	Phalaris arundinacea	3
Rumex crispus		2	Typha latifolia	1

Ending Station	422 Community Type	Phalaris arundinacea	/ Eleocharis palustris
----------------	--------------------	----------------------	------------------------

Species	Cover class	Species	Cover class
Bare Ground	3	Beckmannia syzigachne	2
Eleocharis palustris	4	Glyceria grandis	2
Phalaris arundinacea	2	Rumex Crispus	0
Typha latifolia	1		

#### **Transect Notes:**

Upland community type 8 at end station 146 has decreased 6 feet in length since 2019. Wetland community types 2 and 7 at end stations 267 and 358 have increased by 1 and 6 feet, respecitvely.

Transect Number: 2 Compass Direction from Start: 120 **Interval Data:** 39 Community Type: Bromus inermis / Trifolium sp. **Ending Station Cover class Cover class Species Species** Bromus inermis 1 1 Elymus repens Juncus balticus 1 Phalaris arundinacea 5 3 Poa palustris Populus angustifolia 2 Trifolium pratense 109 Community Type: Phalaris arundinacea / **Ending Station Cover class Species Species** Cover class Agrostis gigantea 1 Phalaris arundinacea 5 Phleum pratense 2 300 Community Type: Juncus balticus / Carex nebrascensis **Ending Station Species** Cover class **Species Cover class** Agrostis gigantea 2 Alopecurus pratensis 3 Carex nebrascensis 4 Carex stipata 1 Juncus balticus 4 Pascopyrum smithii 0 Phalaris arundinacea 4 Phleum pratense 1 Poa pratensis 2 Trifolium pratense Typha latifolia 409 Community Type: Phalaris arundinacea / **Ending Station Species** Cover class **Species** Cover class Agrostis gigantea Phalaris arundinacea 5 2 Phleum pratense **Ending Station** Bromus inermis / Trifolium sp. 453 Community Type: Cover class **Cover class Species Species** 3 Bromus inermis Elymus repens 1 2 Elvmus trachycaulus 1 Pascopyrum smithii 2 Phalaris arundinacea 0 Phleum pratense Poa pratensis 4 Trifolium pratense 0 **Transect Notes:** Slight increase in cover provided by hydrophytic species from 2019.

Transect Number: 3		_ Compass Di	rection from Start:	<u>30</u> •
Interval Data:				
Ending Station	18	Community Type:	Phalaris arundinacea /	
Species		Cover class	Species	Cover class
Agrostis gigantea		1	Amaranthus retroflexus	1
Elymus repens		2	Phalaris arundinacea	4
Phleum pratense		1	Populus angustifolia	4
Ending Station	129	Community Type:	Juncus balticus / Carex neb	orascensis
Species		Cover class	Species	Cover class
Agrostis gigantea		4	Alopecurus pratensis	2
Carex nebrascensis		1	Cirsium arvense	1
Deschampsia caespitosa		1	Eleocharis palustris	4
Epilobium ciliatum		0	Juncus balticus	4
Juncus bufonius		1	Mentha arvensis	1
Phalaris arundinacea		2	Salix exigua	2
Sonchus arvensis		1		
<b>Ending Station</b>	313	Community Type:	Glyceria grandis / Typha lat	ifolia
Species		Cover class	Species	Cover class
Alopecurus pratensis		1	Beckmannia syzigachne	0
Carex pellita		0	Eleocharis palustris	4
Glyceria grandis		3	Hippuris vulgaris	1
Open Water		1	Salix exigua	2
Typha latifolia		5		
Ending Station	320	Community Type:	Juncus balticus / Carex neb	prascensis
Species		Cover class	Species	Cover class
Agrostis gigantea		1	Alopecurus pratensis	1
Beckmannia syzigachne		0	Carex nebrascensis	1
Eleocharis palustris		4	Juncus balticus	4
Phalaris arundinacea		4	Salix exigua	1
Transect Notes:				
Transect Notes:	entire	ly of wetland comm	unity types.	

Transect Number: 4		_ Compass Di	rection from Start:	<u>)   </u> •
Interval Data:				
Ending Station	18	Community Type:	Elymus trachycaulus / Pascop	oyrum smithii
Species		Cover class	Species	Cover class
Bromus inermis		1	Cirsium arvense	0
Elymus trachycaulus		3	Pascopyrum smithii	3
Phalaris arundinacea		5	Trifolium hybridum	0
Ending Station	100	Community Type:	Phalaris arundinacea /	
Species		Cover class	Species	Cover class
Alopecurus arundinaceus		2	Bromus inermis	1
Carex praegracilis		1	Eleocharis palustris	4
Phalaris arundinacea		1	Phleum pratense	1
Poa palustris		4	Poa pratensis	1
Typha latifolia		0		
Ending Station	292	Community Type:	Bromus inermis / Trifolium sp.	
Species		Cover class	Species	Cover class
Bromus inermis		5	Elymus repens	2
Elymus trachycaulus		3	Phleum pratense	1
Poa palustris		3	Poa pratensis	2
Symphyotrichum ascende	en	1	Trifolium pratense	0
<b>Ending Station</b>	312	Community Type:	Elymus trachycaulus / Pascop	yrum smithii
Species		Cover class	Species	Cover class
Bromus inermis		5	Elymus repens	1
Elymus trachycaulus		2	Pascopyrum smithii	2
Symphyotrichum ascende	en	1	Symphyotrichum ericoides	1
<b>Ending Station</b>	412	Community Type:	Bromus inermis / Trifolium sp.	
Species		Cover class	Species	Cover class
Bromus inermis		5	Poa pratensis	2
Symphyotrichum ascende	en	1		

Transect Notes:

Upland community type 11 encroached 5 feet in length at end station 18 into wetland community type 7.

#### **PLANTED WOODY VEGETATION SURVIVAL**

#### Rostad Ranch

Planting Type	#Planted	#Alive Notes
Populus balsamifera	100	Estimated 50% survival
Populus tremuloides	100	Estimated 50% survival
Salix sp.	2000	Estimated 50% survival

#### Comments

Willow stakes were planted in spring 2013. Due to tall herbaceous vegetation, locating all plantings was difficult during the site visit, especially locating stems that had died. Some dead stems were present in the open water portion of the NE wetland cell. Live plants observed looked healthy with minor browsing. Survival in 2020 was estimated at 50% based on the number of live stems observed. Willows are naturally expanding around vegetation community 3 in the southern area of the site.

#### Rostad Ranch

#### **WILDLIFE**

Were man-made nesting structures installed	? <u>Yes</u>
If yes, type of structure:	
How many?7	
Are the nesting structures being used?	No_
Do the nesting structures need repairs?	No

#### **Nesting Structure Comments:**

One bird box originally located near the start of Transect T-1 in the NE corner of the site is missing. All other boxes are in good condition, but empty and not in use.

Species	#Observed	Behavior	Habitat
Brewer's Blackbird	12	FO, L	
Sandhill Crane	2	FO	
Sparrow Sp.	3	FO	
Wilson's Snipe	3	FO, L	
Bird Comments			

#### BEHAVIOR CODES

**BP** = One of a breeding pair **BD** = Breeding display **F** = Foraging **FO** = Flyover **L** = Loafing **N** = Nesting

#### **HABITAT CODES**

**AB** = Aquatic bed **SS** = Scrub/Shrub **FO** = Forested **UP** = Upland buffer **I** = Island

WM = Wet meadow MA = Marsh US = Unconsolidated shore MF = Mud Flat OW = Open Water

## **Mammals and Herptiles**

Species	# Observed	d Tracks	Scat	Burrows	Comments	
White-tailed Deer	1	Yes	Yes	No No		
Wildlife Comments:						

#### Rostad Ranch

#### **PHOTOGRAPHS**

Take photographs of the following permanent reference points listed in the check list below. Record the direction of the photograph using a compass. When at the site for the first time, establish a permanent reference point by setting a ½ inch rebar or fencepost extending 2-3 feet above ground. Survey the location with a resource grade GPS and mark the location on the aerial photograph.

#### **Photograph Checklist:**

- ✓ One photograph for each of the four cardinal directions surrounding the wetland.
- At least one photograph showing upland use surrounding the wetland. If more than one upland exists then take additional photographs.
- At least one photograph showing the buffer surrounding the wetland.
- ☑ One photograph from each end of the vegetation transect, showing the transect.

Photo #	Latitude	Longitude	Bearing	Description	
DP01-u	46.459174	-110.297057			
DP01-w	46.45938	-110.29661			
DP02-u	46.458966	-110.296879			
DP02-w	46.45911	-110.296431			
DP03-u	46.462741	-110.292423			
DP03-w	46.462853	-110.292616			
Photo point 1	46.463894	-110.292697			
Photo point 10	46.461759	-110.298593			
Photo point 2	46.461612	-110.294535			
Photo point 3	46.460573	-110.294591			
Photo point 4	46.458259	-110.293701			
Photo point 5	46.458417	-110.296185			
Photo point 6	46.459813	-110.298179			
Photo point 7	46.461119	-110.299371			
Photo point 8	46.460987	-110.298118			
Photo point 9	46.461106	-110.294579			
Transect 1 End	d 46.463576102426	-110.2927263717	7		
Transect 1 Sta	1 46.463029103021	-110.291276			
Transect 2 End	d 46.461978946056	-110.295094			
Transect 2 Star	d 46.462875830304	-110.29637			
Transect 3 End	d 46.459923761462	-110.2958697392	2		
Transect 3 Sta	d 46.459397471592	-110.296821			
Transect 4 End	46.4629	-110.297851			
Transect 4 Star	1 46.461803077753	-110.297953			

#### Comments:

#### Rostad Ranch

#### ADDITIONAL ITEMS CHECKLIST

## **Hydrology** Map emergent vegetation/open water boundary on aerial photos. **V** Observe extent of surface water. Look for evidence of past surface water elevations (e.g. drift lines, vegetation staining, erosion, etc). **Photos** One photo from the wetland toward each of the four cardinal directions One photo showing upland use surrounding the wetland. One photo showing the buffer around the wetland One photo from each end of each vegetation transect, toward the transect Vegetation Map vegetation community boundaries ✓ Complete Vegetation Transects Soils ✓ Assess soils **Wetland Delineations V** Delineate wetlands according to applicable USACE protocol (1987 form or Supplement) Delineate wetland – upland boundary onto aerial photograph. Wetland Delineation Comments 27.99 wetland acres delineated. **Functional Assessments V** Complete and attach full MDT Montana Wetland Assessment Method field forms. **Functional Assessment Comments:** Category 2 wetland.

## Maintenance

Were man-made nesting structures installed at this site?

Yes

If yes, do they need to be reaired?

If yes, describe the problems below and indicate if any actions were taken to remedy the problems.								
Were man-made structures built or installed to impound water or control waterflow into or out of the wetland? Yes								
If yes, are the structures in need of repair No								

## WETLAND DETERMINATION DATA FORM - Great Plains Region

Project/Site: Rostad Ranch	City/County: Meagher	-	Sampling Date: 8/11/	/2020
		State: Montana	Sampling Point: DP01u	
Investigator(s): R. Jones, S Weyant				
Landform (hillslope, terrace, etc.): Valley bottom			Slope (%):	8.7
Subregion (LRR): LRR F Lat:	***	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Soil Map Unit Name: 86C: Delpoint variant-Marmath-Cabbart loa	ıms, 2-8 % slopes	NWI classifica	ation: Not Mapped	
Are climatic / hydrologic conditions on the site typical for this time of ye				
Are Vegetation, Soil, or Hydrology significantly	disturbed? Are "Nor	mal Circumstances" p	resent? Yes No	
Are Vegetation, Soil, or Hydrology naturally pro				
SUMMARY OF FINDINGS - Attach site map showing				, etc.
Hydrophytic Vegetation Present?  Hydric Soil Present?  Wetland Hydrology Present?  Remarks: Upland sample point adjacent to DP01w.	Is the Sampled Are within a Wetland?		No_ <u>✓</u>	
VEGETATION - Use scientific names of plants				
Tree Stratum Plot size (30 Foot Radius) Absolute Domian Species	I L	Dominance Test work	ksheet	
	1	Number of Dominant S that are OBL, FACW o		
		Total Number of Domir Species Across All Stra		
		Percent of Dominant S That Are OBL, FACW,		√B)
Sapling/Shrub Stratum Plot size (15 Foot Radius)		Prevalence Index wor		$\dashv$
	-	Total % Cover of	: Multiply by:	<u>:</u>
		•	0 X1 0	
		•	10 X 2 <u>20</u> 0 X 3 0	-
		•	0 X 3 0 25 X 4 100	-
Herbaceous Stratum Plot size ( 5 Foot Radius)	լ	·	60 X 5 300	7
Bromus inermis 60 🔽	UPL	Column Totals 9		(B)
Elymus trachycaulus 5			4.44	
Pascopyrum smithii 10 Dhalaris arundinacea 5	FACU FACW	Prevalence Index		2
Poa palustris 5	FACW	Hydrophytic Vegetation		
Poa pratensis 10	FACU		for Hydrophytic Vegetation	n
1 od prateriolo	TAGG	2 - Dominance		
		3 - Prevalence	Index is <= 3.0	
			cal Adaptations (Provide a in remarks or on separat	te
			n-Vascular Plants	
			drophytic Vegetation (Exp	olain)
Woody Vine Stratum Plot size ( 30 Foot Radius)			nd wetland hydrology must d or problematic for #3, 4,	
Percent Bare Ground 5		Hydrophytic Vegetation	on Yes NO	<b>✓</b>
Remarks:	-			
BG/litter=5%				

US Army Corps of Engineers Great Plains - Version 2.0

SOIL Sampling Point: DP01u

Depth (inches)	Matrix Color (moist)	%	Redox Features  Color (moist) % Type <sup>1</sup> L	oc <sup>2</sup> Texture Remarks
				Sandy Loam _
Hydric Soil II Histosol Histic Ep Black His Hydroger	ndicators: (Applic (A1) ipedon (A2) stic (A3) n Sulfide (A4)	able to all LRF	duced Matrix, CS=Covered or Coated Sars, unless otherwise noted.)  Sandy Gleyed Matrix (S4)  Sandy Redox (S5)  Stripped Matrix (S6)  Loamy Mucky Mineral (F1)	Indicators for Problematic Hydric Soils <sup>3</sup> :  1 cm Muck (A9) (LRR I, J) Coast Prairie Redox (A16) (LRR F, G, H) Dark Surface (S7) (LRR G) High Plains Depressions (F16)
1 cm Mud Depleted Thick Da Sandy M 2.5 cm M	Layers (A5) (LRR F ck (A9) (LRR F, G, I Below Dark Surfac rk Surface (A12) ucky Mineral (S1) lucky Peat or Peat ( cky Peat or Peat (S	H) e (A11) S2) (LRR G, H		(LRR H outside of MLRA 72 & 73)  Reduced Vertic (F18)  Red Parent Material (TF2)  Very Shallow Dark Surface (TF12)  Other (Explain in Remarks)  Indicators of hydrophytic vegetation and wetland hydrology must be present,
Restrictive I	ayer (if present):			unless disturbed or problematic.
Type:				
Depth (inc			<del>7</del> /	Hydric Soil Present? Yes No _
	hydric soil indica			
IYDROLOG				
	Irology Indicators:			2 2 2 2 2 2 2 2 2 2 2
	ators (minimum of o	ne required; ch		Secondary Indicators (minimum of two require
Saturatio Water Ma	ter Table (A2) n (A3)		□ Salt Crust (B11) □ Aquatic Invertebrates (B13) □ Hydrogen Sulfide Odor (C1) □ Dry-Season Water Table (C2) □ Oxidized Rhizospheres on Living Invertebrate (Where not tilled)	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8) Drainage Patterns (B10) Oxidized Rhizospheres on Living Roots (C) (where tilled) Crayfish Burrows (C8)
Iron Dep	t or Crust (B4) osits (B5) on Visible on Aerial I	magery (B7)	<ul> <li>☐ Presence of Reduced Iron (C4)</li> <li>☐ Thin Muck Surface (C7)</li> <li>☐ Other (Explain in Remarks)</li> </ul>	<ul><li>Saturation Visible on Aerial Imagery (C9)</li><li>Geomorphic Position (D2)</li><li>FAC-Neutral Test (D5)</li></ul>
	ained Leaves (B9)			Frost-Heave Hummocks (D7) (LRR F)
Field Observ Surface Water Water Table I Saturation Pro (includes cap	er Present? Y Present? Y esent? Y illary fringe)	W	Depth (inches):	Wetland Hydrology Present? Yes No
Describe Rec	orded Data (stream	gauge, monito	ring well, aerial photos, previous inspec	tions), if available:
Damadia				
Remarks: No	evidence of wetla	and hydrology	observed.	

## WETLAND DETERMINATION DATA FORM - Great Plains Region

Project/Site: Rostad Ranch	City/County: Meagher		Sampling Date: _	8/11/2020
		State: Montana	Sampling Point:	DP01w
Investigator(s): R. Jones, S Weyant			20000000000000000000000000000000000000	
Landform (hillslope, terrace, etc.): Valley bottom			Slop	ne (%): 5.25
Subregion (LRR): LRR F Lat:				
Soil Map Unit Name: 86C: Delpoint variant-Marmath-Cabbart loa	ams, 2-8 % slopes	NWI classifica	ation: Not Mappe	
Are climatic / hydrologic conditions on the site typical for this time of ye	ear? Yes 🔽 No 🔽	(If no, explain in Re	emarks.)	
Are Vegetation, Soil, or Hydrology significantly	y disturbed? Are "No	ormal Circumstances" p	resent? Yes	No
Are Vegetation, Soil, or Hydrology naturally pr				
SUMMARY OF FINDINGS - Attach site map showing				atures, etc.
Hydrophytic Vegetation Present? Yes  No  Hydric Soil Present? Yes  No  No  No  No  No  No  No  No  No  N	Is the Sampled Ar within a Wetland?		No _	
VEGETATION - Use scientific names of plants				
Tree Streeture Plot eize (20 Feet Redius) Absolute Domian		Dominance Test worl	ksheet	
Tree Stratum Plot size (30 Foot Radius) % Cover: Species	s? Status	Number of Dominant S that are OBL, FACW of	Species	1 <sub>(A)</sub>
		Total Number of Domi		1 <sub>(B)</sub>
Carling/Chrish Ctratum Diet size (15 Foot Padius)		Percent of Dominant S That Are OBL, FACW,		0 % (A/B)
Sapling/Shrub Stratum Plot size (15 Foot Radius)	F	Prevalence Index wo	rksheet	
		Total % Cover of		Itiply by:
			12 X1	12
		FACW species 8 FAC species	83 X2 0 X3	166 0
		FACU species	0 X3	0
Herbaceous Stratum Plot size ( 5 Foot Radius)  Agrostis stolonifera 10		UPL species	0 X 5	0
Agrostis stolonifera 10 Carex nebrascensis 2		Column Totals 9	95 (A)	178 (B)
Eleocharis palustris 8	OBL			1.87
Juncus balticus 70	EVC/W	Prevalence Index		1.07
Juncus bufonius 2	OBL	Hydrophytic Vegetati	i <b>on Indicators</b> for Hydrophytic Ve	acotation
Mentha arvensis 1	FACW	_		getation
Phalaris arundinacea 2	FACW	2 - Dominance		
		✓ 3 - Prevalence	Index is <= 3.0	
			cal Adaptations (P a in remarks or on	
		5 - Wetland No	on-Vascular Plants	
		Problematic Hy	/drophytic Vegetati	ion (Explain)
Woody Vine Stratum Plot size ( 30 Foot Radius)		ndicators of hydric sil ar present, unless disturbe	nd wetland hydrolo	ngy must be
Percent Bare Ground 5	Ī	Hydrophytic Vegetati Present?		NO $\square$
Remarks:	•	•	-	
BG/litter=5%				

US Army Corps of Engineers Great Plains - Version 2.0

SOIL Sampling Point: DP01w

Profile Des	scription: (Describe	to the depth nee	eded to docume	nt the indicator or	confirm t	he absence o	of indicator	s.)	
Depth	Matrix		Redox F	eatures					
(inches)	Color (moist)	%Co	olor (moist)	% Type <sup>1</sup>	Loc <sup>2</sup>	Texture		Remarks	
.0-11	_7.5YR3/2	98_ N	_2.5/0	1DM	Sandy	Clay Loam	_Depletio	ns.	
·0-11	-7.5YR —3/2	98-7.5YR	R -5/6	1C -M	Sandy	Clay Loam	-Concent	rations.	
11-13	10YR -6/3	98 <sup>-</sup> N	<sup>-</sup> 2.5/0 <sup></sup>	2 <sup></sup> D -M	Loar	my Sand	<sup>-</sup> Depletio	ns.	
	<u> </u>								
3-									
9	-								
-	-								
	Concentration, D=De il Indicators: (Applie				Sand Grain			ore Lining, Manageria Mana	
		able to all LNNs,							ions .
Histoso	oi (A1) Epipedon (A2)		Sandy Gle	yed Matrix (S4)			uck (A9) ( <b>LF</b>	x (A16) (LRR	E G H)
	Histic (A3)		Stripped M				urface (S7)		r, G, n)
	gen Sulfide (A4)			cky Mineral (F1)			V. 7. 1. 1. 7. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	sions (F16)	
	ed Layers (A5) (LRR	F)	_	eyed Matrix (F2)		( Delta )	108	of MLRA 72	& 73)
	Auck (A9) (LRR F, G,		✓ Depleted N	(T) (T) (T)			d Vertic (F1		
Deplet	ed Below Dark Surface	ce (A11)	Redox Dar	k Surface (F6)		Red Pa	rent Materia	I (TF2)	
Thick [	Dark Surface (A12)			Dark Surface (F7)				Surface (TF12	2)
	Mucky Mineral (S1)			oressions (F8)			Explain in R		
	Mucky Peat or Peat			s Depressions (F16				ic vegetation a	
5 cm N	Mucky Peat or Peat (S	3) (LRR F)	(MLRA	72 & 73 of LRR H	1)			nust be prese problematic.	nt,
Restrictive	Layer (if present):				1	unicss	aistarbed or	problematic.	
Section in the section is a section of the section	•								
	inches):					Hydric Soil F	Present?	Yes	No
Remarks:	Distinct concentrati	ons and depletic	ons few within t	he matrix	1	STATUS AND STORY AND STORY OF	AND AND COLOR COLOR	10100000000000000000000000000000000000	5/5(13+1) (370) 7/0
_	Biotiriot comcontinut	one and depicts		aro maana					
HYDROLO	OGY								
	ydrology Indicators								
	dicators (minimum of		ck all that apply)			Secondar	v Indicators	(minimum of	two required)
	e Water (A1)	<u> </u>	Salt Crust (B	11)			ice Soil Cra		two roquirous
	Vater Table (A2)	F		tebrates (B13)				ted Concave S	Surface (B8)
✓ Satura				Ifide Odor (C1)			age Pattern		ouridoc (Bo)
	Marks (B1)	Γ.		Nater Table (C2)					ng Roots (C3)
	ent Deposits (B2)	<u>-</u>		zospheres on Living	a Roots (C		nere tilled)		g (00)
	eposits (B3)		(where not		J		fish Burrows	s (C8)	
_	Mat or Crust (B4)	,[	_	Reduced Iron (C4)				e on Aerial Ima	agery (C9)
	eposits (B5)	Ė	Thin Muck Su	60 60			norphic Pos		J , ()
	ition Visible on Aerial	Imagery (B7)	AND AND AND ADDRESS OF THE PARTY OF THE PART	n in Remarks)		Silini	Neutral Tes		
	Stained Leaves (B9)	· · · · · · · ·		**************************************		=		nmocks (D7)	(LRR F)
Field Obse									*
		Yes No	Depth (inche	es):					
Water Table		Yes V No	Depth (inche	2000					
Saturation		Yes ✓ No [		_	Wetlan	d Hydrology	Present?	Yes ✓	No
(includes ca	apillary fringe)		50 70 8	Christe					32
Describe R	ecorded Data (strean	n gauge, monitorin	ig weii, aerial pho	otos, previous inspe	ections), if a	avallable:			
Remarks: 4	III alamate 4 (	hala c# T							
Normanks. 4	I" depth to water in	noie atter 5 min	l <b>.</b>						

## WETLAND DETERMINATION DATA FORM - Great Plains Region

Project/Site: Rostad Ranch	City/County: Meagher		Sampling Date:	8/11/2020
Applicant/Owner: MDT		State: Montana		
Investigator(s): R Jones, S Weyant	Section, Township, Range		. 11E	
Landform (hillslope, terrace, etc.): Valley bottom			g Sic	pe (%): 2.25
Subregion (LRR): LRR F Lat:	46.458966 L	ong: -11	10.296879 Datu	um: NAD 83
Soil Map Unit Name: 86C: Delpoint variant-Marmath-Cabbart loan	ms, 2-8 % slopes	NWI classific	ation: Not Mapp	ed
Are climatic / hydrologic conditions on the site typical for this time of year				
Are Vegetation, Soil, or Hydrology significantly				✓ No □
Are Vegetation, Soil, or Hydrology naturally pro	blematic? (If need	ed, explain any answe	rs in Remarks.)	
SUMMARY OF FINDINGS – Attach site map showing				eatures. etc.
			,,	
Hydrophytic Vegetation Present?  Yes No  Hydric Soil Present?  Yes No	Is the Sampled Ar			
Wetland Hydrology Present? Yes No V	within a Wetland?	Yes	No <u></u>	_
Remarks: Upland sample point adjacent to DP02w.				
opiana campio point adjacont to 21 ozni.				
VEGETATION - Use scientific names of plants				
Tree Stratum Plot size (30 Foot Radius) Absolute Domiant		Dominance Test wor	ksheet	
Iree Stratum Plot size (30 Foot Radius) % Cover: Species?		Number of Dominant S that are OBL, FACW of		0 (A)
		Total Number of Domi Species Across All St		1 (B)
Sapling/Shrub Stratum Plot size (15 Foot Radius)		Percent of Dominant S That Are OBL, FACW		0.0 % (A/B)
- Tot size (15 1 oot radius)		Prevalence Index wo	rksheet	
		Total % Cover o		lultiply by:
		OBL species FACW species	0 X 1 0 X 2	0
		FAC species	0 X2	0
Herbaceous Stratum Plot size ( 5 Foot Radius)		•	15 X 4	60
Bromus inermis 75	UPL	UPL species	75 X 5	375
Elymus trachycaulus 10	_	Column Totals (	90 (A)	435 (B)
Poa pratensis 5	FACU	Prevalence Index	x = B/A =	4.83
		Hydrophytic Vegetat	ion Indicators	
		☐ 1 - Rapid Test	for Hydrophytic V	/egetation
		2 - Dominance	e Test is >50%	
		3 - Prevalence	e Index is <= 3.0	
			ical Adaptations (I a in remarks or o	
			on-Vascular Plant	te.
			ydrophytic Vegeta	-
Woody Vine Stratum Plot size ( 30 Foot Radius)				, , ,
	рі	dicators of hydric sil a resent, unless disturbe	ed or problematic	
Percent Bare Ground 10		Hydrophytic Vegetat Present?	ion Yes	NO 🗸
Remarks:				
Upland species dominated community.				

US Army Corps of Engineers Great Plains - Version 2.0

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		Redox Color (moist)	Features		Loc <sup>2</sup>	Texture	Remarks
0-13			Color (Illoist)		<u> </u>		ndy Loam	Kemarks
.0-13	_10YR3/2	100_			_	, Sa	nuy Loani _	•
								<del></del>
-	<u></u>	<del></del>						
	-	70						
	3 <u>15</u>							
1=						01-0		in Die Den Liebe M. Mark
	oncentration, D=Dep					Sand Gra		tion: PL=Pore Lining, M=Matrix.  or Problematic Hydric Soils <sup>3</sup> :
Histosol	- 10 marin		27772333 - Care C - Care C	leyed Matrix				ck (A9) (LRR I, J)
	pipedon (A2)			edox (S5)	. ,			airie Redox (A16) (LRR F, G, H)
Black Hi	stic (A3)			Matrix (S6)				face (S7) (LRR G)
	n Sulfide (A4)			lucky Mineral				ins Depressions (F16)
_	Layers (A5) (LRR			leyed Matrix	(F2)			H outside of MLRA 72 & 73)
	ick (A9) ( <b>LRR F, G,</b> d Below Dark Surfac			Matrix (F3) ark Surface (	(E6)		_	l Vertic (F18) ent Material (TF2)
	ark Surface (A12)	C (ATT)		Dark Surface				allow Dark Surface (TF12)
	Mucky Mineral (S1)			epressions (F			_	xplain in Remarks)
2.5 cm N	Mucky Peat or Peat	(S2) (LRR G, H	l) 🔲 High Plai	ns Depressio	ons (F16	5)	3Indicators of	hydrophytic vegetation and
5 cm Mu	icky Peat or Peat (S	3) (LRR F)	(MLF	RA 72 & 73 o	f LRR H	)		nydrology must be present,
D							unless di	sturbed or problematic.
	Layer (if present):							
	-h \.		-				Liverine Coll D	resent? Yes No
Depth (inc	-0.00000000000000000000000000000000000		<del></del>				Hydric Soil Pi	resent? Yes No
Remarks: No	o hydric soil indica	ators observe	d.					
IVPPOLO	<b>0</b> 1/							
HYDROLO								
	drology Indicators:		naak all that anak				Connedon	Indicators (minimum of two societad)
	cators (minimum of o	one requirea; c						Indicators (minimum of two required)
_	Water (A1)		Salt Crust (	ertebrates (B	12\			e Soil Cracks (B6) ely Vegetated Concave Surface (B8)
Saturation	iter Table (A2)		· · · · · · · · · · · · · · · · · · ·	Sulfide Odor (			2 <del>7 7</del> 5	age Patterns (B10)
	arks (B1)			Water Table				ed Rhizospheres on Living Roots (C3)
	nt Deposits (B2)			nizospheres (		Roots (		ere tilled)
	posits (B3)		(where n			, (		sh Burrows (C8)
	at or Crust (B4)			f Reduced Iro	on (C4)			ation Visible on Aerial Imagery (C9)
Iron Dep	osits (B5)		Thin Muck \$	Surface (C7)	6 8		Geom	orphic Position (D2)
Inundation	on Visible on Aerial	Imagery (B7)	Other (Expl	ain in Remar	ks)		FAC-N	leutral Test (D5)
Water-S	tained Leaves (B9)						Frost-I	Heave Hummocks (D7) (LRR F)
Field Observ	vations:							
Surface Water	er Present? Y	'es U No	Depth (incl	nes):				
Water Table	Present? Y	'es No	✓ Depth (incl	nes):				
Saturation Pr		es No	✓ Depth (incl	nes):		Wetla	nd Hydrology F	Present? Yes No
(includes cap Describe Red	oillary fringe) corded Data (stream	n gauge, monito	oring well, aerial pl	hotos, previo	us inspe	ctions), i	f available:	
	<u> </u>							
Remarks: No	evidence of wetla	and hydrolog	v observed					
. 40	27.401.00 01 11011	a 11, a1010g	, 1200.704.					

# WETLAND DETERMINATION DATA FORM - Great Plains Region

Applicant/Owner: MDT Investigator(s): R. Jones, S Weyant Landform (hillslope, terrace, etc.): Valley bottom	City/County: Meagher         Sampling Date: 8/11/           State: Montana         Sampling Point: DP02w           Section, Township, Range:         13         8N         11E	
Investigator(s): R. Jones, S Weyant  Landform (hillslope, terrace, etc.): Valley bottom		
Landform (hillslope, terrace, etc.): Valley bottom		
Subregion (LRR): LRR F		3.5
Subregion (LRR): Errivi	46.45911 Long:	83
- 86C: Delpoint variant-Marmath-Cabhart Ic	ms, 2-8 % slopes NWI classification: Not Mapped	
Are climatic / hydrologic conditions on the site typical for this time of		
Are Vegetation, Soil, or Hydrology significant	disturbed? Are "Normal Circumstances" present? Yes No	
Are Vegetation, Soil, or Hydrology naturally p	blematic? (If needed, explain any answers in Remarks.)	
SUMMARY OF FINDINGS - Attach site map showing	sampling point locations, transects, important features	, etc
Hydrophytic Vegetation Present?  Hydric Soil Present?  Wetland Hydrology Present?  Yes  ✓ No  ✓  Yes ✓ No  ✓  No  ✓	Is the Sampled Area within a Wetland?  Yes No	
Wetland Hydrology Present? Yes Ves No Remarks: PSS, DEPRESSIONAL wetland that is conitguous		
VEGETATION - Use scientific names of plants		
Tree Stratum Plot size (30 Foot Radius) % Cover: Specie		
Iree Stratum Piol size (30 Fool Radius) % Cover: Specie	Number of Dominant Species that are OBL, FACW or FAC:  (A)	
	Total Number of Dominant Species Across All Strata: 6 (B)	
Sapling/Shrub Stratum Plot size (15 Foot Radius)	Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0 % (A	/B)
Salix exigua 60	FACW Prevalence Index worksheet	
	Total % Cover of: Multiply by	
	OBL species 17 X 1 17  FACW species 142 X 2 284	4
	FACW species 142 X 2 284  FAC species 0 X 3 0	=
	FACU species 0 X4 0	7
Herbaceous Stratum Plot size ( 5 Foot Radius)	UPL species 0 X 5 0	Ī
Agrostis gigantea 10 ✓ Alopecurus pratensis 10 ✓	FACW Column Totals 159 (A) 301	(B)
Alopecurus pratensis 10  Carex utriculata 5	OPI	
Eleocharis palustris 10	OBL Prevalence Index = B/A = 1.89	,
Juncus balticus 10	Hydrophytic Vegetation indicators	
Juncus bufonius 2	ORI — T-Napid Test for Trydrophytic Vegetation	1
Mentha arvensis 1	FACW 2 - Dominance Test is >50%	
Phalaris arundinacea 10	FACW 3 - Prevalence Index is <= 3.0	
	4 - Morphological Adaptations (Provide supporting data in remarks or on separat sheet.	е
	☐ 5 - Wetland Non-Vascular Plants	
	Problematic Hydrophytic Vegetation (Exp	lain)
Woody Vine Stratum Plot size ( 30 Foot Radius)	Indicators of hydric sil and wetland hydrology mus present, unless disturbed or problematic for #3, 4,	t be
Percent Bare Ground 2	Hydrophytic Vegetation Yes V NO	
Remarks:		

US Army Corps of Engineers Great Plains - Version 2.0

SOIL Sampling Point: DP02w

Profile Desc	ription: (Descri	be to the	depth need	ded to docum	ent the indica	ator or c	confirm the absence of indicators.)
Depth	Matrix				Features		
(inches)	Color (moist)	%	Cold	or (moist)	%Ty	pe¹L	_oc <sup>2</sup>
.0-10	_10YR3/2	8	0_ 7.5YR	_6/6	_ 5C	M	Sandy Clay Loam _
0-10	-10YR —3/2	8	0- N	-2.5/0 -	- 15D	—M	Sandy Clay Loam -Depletions.
10-16	10YR -6/1	9	8 <sup>-</sup> 10YR	<sup>-</sup> 7/8 -	- 2 <sup></sup> C	${M}$	Sandy Loam -
T			(117)			199	
-	2						
·							<u> </u>
	oncentration, D=D					Coated S	
Hydric Soil	Indicators: (App	licable to	all LRRs,	unless otherv	wise noted.)		Indicators for Problematic Hydric Soils <sup>3</sup> :
Histosol					leyed Matrix (	S4)	1 cm Muck (A9) (LRR I, J)
	oipedon (A2)				edox (S5)		Coast Prairie Redox (A16) (LRR F, G, H)
	stic (A3)				Matrix (S6)		Dark Surface (S7) (LRR G)
	en Sulfide (A4)				lucky Mineral	57.5 S.F	High Plains Depressions (F16)
	d Layers (A5) (LR				leyed Matrix (	F2)	(LRR H outside of MLRA 72 & 73)
	ick (A9) (LRR F, C		`		Matrix (F3)	·6)	Reduced Vertic (F18)
	d Below Dark Surl ark Surface (A12)		)	_	ark Surface (F Dark Surface		<ul><li>☐ Red Parent Material (TF2)</li><li>☐ Very Shallow Dark Surface (TF12)</li></ul>
	Aucky Mineral (S1				epressions (F		Other (Explain in Remarks)
	Mucky Peat or Pea		RRG H)		ns Depression	A STATE OF THE PARTY OF THE PAR	
	icky Peat or Peat				RA 72 & 73 of		the control of the co
	,	() (:	/	(	-,,,-	,	unless disturbed or problematic.
Restrictive I	Layer (if present)	):					
Type:							
Depth (in	ches):						Hydric Soil Present? Yes No
Remarks: 1	inch of moss or	soil sur	face. Distii	nct redoximo	rphic depleti	ions and	d concentrations common within the matrix.
HYDROLO	GY						
	drology Indicator	rs:					
- VIII	cators (minimum o		uired: check	all that anniv	·		Secondary Indicators (minimum of two required)
	Water (A1)	1 0110 100		Salt Crust (I			Surface Soil Cracks (B6)
	iter Table (A2)				ertebrates (B1	3)	Sparsely Vegetated Concave Surface (B8)
✓ Saturation			<u></u>		Sulfide Odor (C		Drainage Patterns (B10)
	larks (B1)			프라 - 10 선명하나라 [10일 [2014년 2016] 110	Water Table		Oxidized Rhizospheres on Living Roots (C3)
	nt Deposits (B2)			Oxidized R			1. The state of th
	posits (B3)		·	(where no		ii Liviiig	Crayfish Burrows (C8)
_	at or Crust (B4)			-	f Reduced Iro	n (C4)	Saturation Visible on Aerial Imagery (C9)
	osits (B5)		-		Surface (C7)	(04)	Geomorphic Position (D2)
	on Visible on Aeri	al Imager	(P7)		ain in Remark	c)	FAC-Neutral Test (D5)
	tained Leaves (B		y ( <i>b1</i> )	_ Other (Expir	alli ili Nelliaik	.5)	Frost-Heave Hummocks (D7) (LRR F)
Field Obser	10000000000000000000000000000000000000	,					Trost-reave Huminocks (D7) (ERRT)
Surface Water		Yes	No V	Depth (incl	hes).		
Water Table		Yes 🔽	No [	Depth (incl		10	
			300000000	_	103).	0	Wetland Hydrology Present? Yes No
Saturation P		Yes 🔽	No	_ Depth (inch	ies)		Wetland Hydrology Present? Yes No
		am gauge	, monitoring	well, aerial pl	hotos, previou	s inspec	tions), if available:
Remarks: 10	" depth to water	r in hole	after 15 m	in.			

# WETLAND DETERMINATION DATA FORM - Great Plains Region

Project/Site: Rostad Ranch	City/County: Meagher	Sampling Date:8/11/20	)20
	0.000 € 000000 km n s € et	State: Montana Sampling Point: DP03u	
Investigator(s): R Jones, S Weyant			
Landform (hillslope, terrace, etc.): Valley bottom			8.7
		Long:110.292423 Datum: NAD 83	
Soil Map Unit Name: 86C: Delpoint variant-Marmath-Cabbart I	loams, 2-8 % slopes	NWI classification: Not Mapped	
Are climatic / hydrologic conditions on the site typical for this time of			_
Are Vegetation, Soil, or Hydrology significar	ntly disturbed? Are "No	ormal Circumstances" present? Yes 🗹 No [	=
Are Vegetation, Soil, or Hydrology naturally			
SUMMARY OF FINDINGS – Attach site map showi	ing sampling point lo	cations, transects, important features, e	etc.
Hydrophytic Vegetation Present?  Hydric Soil Present?  Wetland Hydrology Present?  Remarks: Upland sample point adjacent to DP03w.	Is the Sampled A		
VEGETATION - Use scientific names of plants  Absolute Domi	niant Indicator		
Tree Stratum Plot size (30 Foot Radius) Absolute Bolini		Dominance Test worksheet	
		Number of Dominant Species that are OBL, FACW or FAC:  0 (A)	
		Total Number of Dominant Species Across All Strata: 2 (B)	
C. II. (Obsert Otractions Distains (45, Foot Delive)		Percent of Dominant Species That Are OBL, FACW, or FAC:  0.0 % (A/B)	)
Sapling/Shrub Stratum Plot size (15 Foot Radius)	ļ	Prevalence Index worksheet	$\dashv$
		Total % Cover of: Multiply by:	
		OBL species 0 X 1 0	
		FACW species 5 X 2 10 FAC species 0 X 3 0	
State (F. Fred Bedius)		FACU species 85 X4 340	
Herbaceous Stratum Plot size ( 5 Foot Radius)  Alopecurus pratensis 5	FACW	UPL species 5 X 5 25	
Alopecurus pratensis 5 Dactylis glomerata 5	FACU FACU	Column Totals 95 (A) 375 (	(B)
Elymus trachycaulus 50	<u>-                                      </u>	0.05	
Phleum pratense 20		1 Totalence mack BIA	_
Poa pratensis 10	FACU	Hydrophytic Vegetation Indicators  1 - Rapid Test for Hydrophytic Vegetation	
Schedonorus pratensis 5	] FACU	2 - Dominance Test is >50%	
		2 - Dominance Test is >50%  3 - Prevalence Index is <= 3.0	
		<ul> <li>4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.</li> </ul>	
		5 - Wetland Non-Vascular Plants	
		☐ Problematic Hydrophytic Vegetation (Explain	n)
Woody Vine Stratum Plot size ( 30 Foot Radius)		Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.	
Percent Bare Ground 5		Hydrophytic Vegetation Yes ☐ NO ✓	<u>'</u> ]
Remarks:			
BG/litter=5%			

US Army Corps of Engineers Great Plains - Version 2.0

.0-14 _10YR4/3 100	Sandy Clay _
	<u> </u>
	<u> </u>
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated S	and Grains. <sup>2</sup> Location: PL=Pore Lining, M=Matrix.
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)	Indicators for Problematic Hydric Soils <sup>3</sup> :
☐ Histosol (A1) ☐ Sandy Gleyed Matrix (S4)	1 cm Muck (A9) (LRR I, J)
Histic Epipedon (A2) Sandy Redox (S5)	Coast Prairie Redox (A16) (LRR F, G, H)
☐ Black Histic (A3) ☐ Stripped Matrix (S6)	Dark Surface (S7) (LRR G)
Hydrogen Sulfide (A4) Loamy Mucky Mineral (F1)	High Plains Depressions (F16)
☐ Stratified Layers (A5) (LRR F) ☐ Loamy Gleyed Matrix (F2)	(LRR H outside of MLRA 72 & 73)
1 cm Muck (A9) (LRR F, G, H) Depleted Matrix (F3)	Reduced Vertic (F18)
☐ Depleted Below Dark Surface (A11) ☐ Redox Dark Surface (F6)	Red Parent Material (TF2)
☐ Thick Dark Surface (A12) ☐ Depleted Dark Surface (F7)	
☐ Sandy Mucky Mineral (S1) ☐ Redox Depressions (F8)	Other (Explain in Remarks)
2.5 cm Mucky Peat or Peat (S2) (LRR G, H) High Plains Depressions (F16)	<sup>3</sup> Indicators of hydrophytic vegetation and
5 cm Mucky Peat or Peat (S3) (LRR F) (MLRA 72 & 73 of LRR H)	wetland hydrology must be present,
	unless disturbed or problematic.
Restrictive Layer (if present):	
Type:	
Depth (inches):	Hydric Soil Present? Yes No V
= = = = = = = = = = = = = = = = = = = =	
Pamarke: No locality of the distance of the second	
Remarks: No hydric soil indicators observed.	
Remarks: No hydric soil indicators observed.	,
Remarks: No hydric soil indicators observed.	
HYDROLOGY	Secondary Indicators (minimum of two required)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)	
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  Salt Crust (B11)	Surface Soil Cracks (B6)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Salt Crust (B11)  Aquatic Invertebrates (B13)	Surface Soil Cracks (B6) Sparsely Vegetated Concave Surface (B8)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1) High Water Table (A2) Saturation (A3) Hydrogen Sulfide Odor (C1)	<ul><li>Surface Soil Cracks (B6)</li><li>Sparsely Vegetated Concave Surface (B8)</li><li>Drainage Patterns (B10)</li></ul>
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Hydrogen Sulfide Odor (C1)  Water Marks (B1)  Dry-Season Water Table (C2)	<ul> <li>Surface Soil Cracks (B6)</li> <li>Sparsely Vegetated Concave Surface (B8)</li> <li>Drainage Patterns (B10)</li> <li>Oxidized Rhizospheres on Living Roots (C3)</li> </ul>
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1) High Water Table (A2) Aquatic Invertebrates (B13) Saturation (A3) Hydrogen Sulfide Odor (C1) Water Marks (B1) Dry-Season Water Table (C2) Sediment Deposits (B2)  Oxidized Rhizospheres on Living	Surface Soil Cracks (B6) Sparsely Vegetated Concave Surface (B8) Drainage Patterns (B10) Oxidized Rhizospheres on Living Roots (C3) Roots (C3) (where tilled)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)	Surface Soil Cracks (B6) Sparsely Vegetated Concave Surface (B8) Drainage Patterns (B10) Oxidized Rhizospheres on Living Roots (C3) (where tilled) Crayfish Burrows (C8)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Hydrogen Sulfide Odor (C1)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Presence of Reduced Iron (C4)	Surface Soil Cracks (B6) Sparsely Vegetated Concave Surface (B8) Drainage Patterns (B10) Oxidized Rhizospheres on Living Roots (C3) (where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Hydrogen Sulfide Odor (C1)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Wetland Hydrology (B1)  Algal Mat or Crust (B4)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Wetch all that apply)  Aquatic Invertebrates (B13)  Whydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)  FAC-Neutral Test (D5)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Hydrogen Sulfide Odor (C1)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Wetland Hydrology (B1)  Algal Mat or Crust (B4)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  Field Observations:	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)  FAC-Neutral Test (D5)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Hydrogen Sulfide Odor (C1)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)  FAC-Neutral Test (D5)
Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  Field Observations:  Surface Water Present?  Yes   No   Depth (inches):	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)  FAC-Neutral Test (D5)  Frost-Heave Hummocks (D7) (LRR F)
Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  Field Observations:  Surface Water Present?  Water Table Present?  Yes  No  Depth (inches):  Weter Latt apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Water-Stained Leaves (B9)	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)  FAC-Neutral Test (D5)  Frost-Heave Hummocks (D7) (LRR F)
Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  Field Observations:  Surface Water Present?  Yes   No   Depth (inches):	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)  FAC-Neutral Test (D5)
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  Field Observations:  Surface Water Present?  Water Table Present?  Yes No ✓ Depth (inches):  Saturation Present?  Yes No ✓ Depth (inches):  Saturation Present?  Yes No ✓ Depth (inches):	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)  FAC-Neutral Test (D5)  Frost-Heave Hummocks (D7) (LRR F)  Wetland Hydrology Present? Yes No
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  Field Observations:  Surface Water Present?  Yes No Depth (inches):  Saturation Present?  Yes Depth (inches):  Saturation Present?	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)  FAC-Neutral Test (D5)  Frost-Heave Hummocks (D7) (LRR F)  Wetland Hydrology Present? Yes No
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  Field Observations:  Surface Water Present?  Water Table (Present?  Yes No Depth (inches):  Saturation Present?  Yes No Depth (inches):  Saturation Present?  Yes Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspectively.	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)  FAC-Neutral Test (D5)  Frost-Heave Hummocks (D7) (LRR F)  Wetland Hydrology Present? Yes No
HYDROLOGY  Wetland Hydrology Indicators:  Primary Indicators (minimum of one required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Dry-Season Water Table (C2)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  Field Observations:  Surface Water Present?  Yes No Depth (inches):  Saturation Present?  Yes Depth (inches):  Saturation Present?	Surface Soil Cracks (B6)  Sparsely Vegetated Concave Surface (B8)  Drainage Patterns (B10)  Oxidized Rhizospheres on Living Roots (C3)  (where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  Geomorphic Position (D2)  FAC-Neutral Test (D5)  Frost-Heave Hummocks (D7) (LRR F)  Wetland Hydrology Present? Yes No

# WETLAND DETERMINATION DATA FORM - Great Plains Region

Project/Site: Rostad Ranch	City/County: Meagher		Sampling Date:	8/11/2020
Applicant/Owner: MDT	U pp. €Arrespecies St. € as	State: Montana		
Investigator(s): R Jones, S Weyant	Section, Township, Range			
Landform (hillslope, terrace, etc.): Valley bottom			g Slo	pe (%): 8.7
Subregion (LRR): LRR F Lat:	46.462853 Lo	ong: -11	0.292616 Datu	m: NAD 83
Soil Map Unit Name: 854B: Martinsdaile-Meagher cobbly loams,				
Are climatic / hydrologic conditions on the site typical for this time of ye				
Are Vegetation, Soil, or Hydrology significantly				No 🗆
Are Vegetation, Soil, or Hydrology naturally pro	blematic? (If needs	ed, explain any answe	rs in Remarks.)	
SUMMARY OF FINDINGS – Attach site map showing				atures etc.
		,	,portune to	
Hydrophytic Vegetation Present? Yes No Hydric Soil Present? Yes No	Is the Sampled Are			
Wetland Hydrology Present?	within a Wetland?	Yes	No	<u>-</u>
Remarks: PEM, SLOPE/DEPRESSIONAL wetland.				
VEGETATION - Use scientific names of plants				
Tree Stratum Plot size (30 Foot Radius) % Cover Species		Dominance Test wor	ksheet	
Iree Stratum Plot size (30 Foot Radius) % Cover: Species		Number of Dominant S that are OBL, FACW of		1 <sub>(A)</sub>
		Total Number of Domi Species Across All St		1 (B)
Sapling/Shrub Stratum Plot size (15 Foot Radius)		Percent of Dominant S That Are OBL, FACW		.0 % (A/B)
Tot size (15 Tot Nations)		Prevalence Index wo	rksheet	<del>,</del>
	-   -   -   -   -   -   -   -   -   -	Total % Cover o		ultiply by:
			70 X 1 13 X 2	70 26
		FAC species	0 X3	0
Herbaceous Stratum Plot size ( 5 Foot Radius)	1	FACU species	2 X4	8
Carex nebrascensis 70	OBL	JPL species	0 X5	0
Cirsium arvense 1		Column Totals {	35 (A)	104 (B)
Juncus balticus 10	FACW	Prevalence Index	x = B/A =	1.22
Phleum pratense 1	FACU	Hydrophytic Vegetat	ion Indicators	
Poa palustris 3	FACW		for Hydrophytic V	egetation
		✓ 2 - Dominance	Test is >50%	
		✓ 3 - Prevalence	Index is <= 3.0	
		supporting dat	cal Adaptations (F a in remarks or or	
		sheet.		
		☐ 5 - Wetland No	on-Vascular Plants	3
Wasda Nina Christian Distance (20 Fact Dadius)		☐ Problematic Hy	ydrophytic Vegeta	tion (Explain)
Woody Vine Stratum Plot size ( 30 Foot Radius)		dicators of hydric sil a esent, unless disturbe		
Percent Bare Ground 15		Hydrophytic Vegetat Present?	ion Yes 🗸	NO $\square$
Remarks:				
BG/litter=15%				

US Army Corps of Engineers Great Plains - Version 2.0

SOIL Sampling Point: DP03w

Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains.   Total Coation: PL=Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)   Indicators for Proble   Histosol (A1)   Sandy Gleyed Matrix (S4)   Indicators for Proble   Histosol (A2)   Sandy Redox (S5)   Coast Prairis Rec   Coast Prairis	Remarks
10YR   5/2   98   7.5YR   6/8   2   2   -C   M   Sandy Clay   -	rio organio horizon
Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains.	oric, organic horizon.
Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains.	
Indicators: (Applicable to all LRRs, unless otherwise noted.)	
sestrictive Layer (if present):  Type:	Redox (A16) (LRR F, G, H) (S7) (LRR G) Depressions (F16) utside of MLRA 72 & 73) tic (F18) Material (TF2) Dark Surface (TF12) n in Remarks)
Depth (inches):	rophytic vegetation and plogy must be present, ped or problematic.
Depth (inches):	
Properties (Part	nt? Yes 🗸 No
Wetland Hydrology Indicators:         Primary Indicators (minimum of one required; check all that apply)       Secondary Indicator         □ Surface Water (A1)       □ Salt Crust (B11)       □ Surface Soil Crust (B13)         ☑ High Water Table (A2)       □ Aquatic Invertebrates (B13)       □ Sparsely Vege         ☑ Saturation (A3)       □ Hydrogen Sulfide Odor (C1)       □ Drainage Patter         □ Water Marks (B1)       □ Dry-Season Water Table (C2)       □ Oxidized Rhizospheres on Living Roots (C3)       (where tilled)         □ Drift Deposits (B3)       (where not tilled)       □ Crayfish Burrow         □ Algal Mat or Crust (B4)       □ Presence of Reduced Iron (C4)       □ Saturation Visited         □ Iron Deposits (B5)       □ Thin Muck Surface (C7)       ☑ Geomorphic Potential Imagery (B7)       ☑ Other (Explain in Remarks)       ☑ FAC-Neutral Total Presented         ☑ Water-Stained Leaves (B9)       ☑ Popth (inches):       ☑       Image: Pattern of the presented Pres	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one required; check all that apply)       Secondary Indicator         □ Surface Water (A1)       □ Salt Crust (B11)       □ Surface Soil Crust (B13)         ☑ High Water Table (A2)       □ Aquatic Invertebrates (B13)       □ Sparsely Vege         ☑ Saturation (A3)       □ Hydrogen Sulfide Odor (C1)       □ Drainage Patter         □ Water Marks (B1)       □ Dry-Season Water Table (C2)       □ Oxidized Rhizospheres on Living Roots (C3)       (where tilled)         □ Drift Deposits (B3)       (where not tilled)       □ Crayfish Burrow         □ Algal Mat or Crust (B4)       □ Presence of Reduced Iron (C4)       □ Saturation Visited Iron (D4)       <	
Primary Indicators (minimum of one required; check all that apply)  Secondary Indicators Surface Water (A1) Salt Crust (B11) Surface Soil Crust (B13) Sparsely Vege Saturation (A3) Hydrogen Sulfide Odor (C1) Sediment Deposits (B2) Drift Deposits (B3) (where not tilled) Saturation Visible on Aerial Imagery (B7) Inundation Visible on Aerial Imagery (B7) Water Table Present?  Water Table Present?  Yes No Depth (inches): Secondary Indicator Surface Water (B11) Surface Soil Crust (B11) Surface Soil Crust (B13) Sparsely Vege Oxidized Rhizo	
Surface Water (A1)  High Water Table (A2)  Aquatic Invertebrates (B13)  Sparsely Vege  Oxidized Rhizos  Oxidized Rhizos  (where tilled)  Crayfish Burrov  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Water-Stained Leaves (B9)  Thin Muck Surface (C7)  Other (Explain in Remarks)  FAC-Neutral Township of the Company of the Compan	
✓ High Water Table (A2) Aquatic Invertebrates (B13) Sparsely Vege   ✓ Saturation (A3) Hydrogen Sulfide Odor (C1) Drainage Patte   ✓ Water Marks (B1) Dry-Season Water Table (C2) Oxidized Rhizospheres on Living Roots (C3) (where tilled)   ✓ Sediment Deposits (B2) Oxidized Rhizospheres on Living Roots (C3) (where tilled)   ✓ Drift Deposits (B3) (where not tilled) Crayfish Burrow   ✓ Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Saturation Visit   ✓ Iron Deposits (B5) Thin Muck Surface (C7) ✓ Geomorphic Potential Invertebrates   ✓ Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) ✓ FAC-Neutral Total Present Prost-Heave Holds   ✓ Water-Stained Leaves (B9) ✓ Frost-Heave Holds   ✓ Frost-Heave Holds ✓ Frost-Heave Holds   ✓ Seturation Present? Yes No Depth (inches): 10   ✓ Water Table Present? Yes No Depth (inches): 0   ✓ Saturation Present? Yes No Depth (inches): 0   ✓ Saturation Present? Yes No Depth (inches): 0	cators (minimum of two requi
High Water Table (A2)	il Cracks (B6)
✓ Saturation (A3)       Hydrogen Sulfide Odor (C1)       Drainage Patter         ✓ Water Marks (B1)       Dry-Season Water Table (C2)       Oxidized Rhizos         ✓ Sediment Deposits (B2)       Oxidized Rhizospheres on Living Roots (C3)       (where tilled)         ✓ Drift Deposits (B3)       (where not tilled)       Crayfish Burrow         ✓ Algal Mat or Crust (B4)       Presence of Reduced Iron (C4)       Saturation Visit         ✓ Iron Deposits (B5)       Thin Muck Surface (C7)       ✓ Geomorphic Potential Interval Total Control of The Control of Table Present?       ✓ FAC-Neutral Total Present?       ✓ FAC-Neutral Total Present?         ✓ Water Table Present?       Yes       No       Depth (inches):       Depth (inches):       Depth (inches):       Wetland Hydrology Present?         ✓ Vater Table Present?       Yes       No       Depth (inches):       0       Wetland Hydrology Present?	egetated Concave Surface (E
Water Marks (B1)	
Oxidized Rhizospheres on Living Roots (C3) (where tilled   Drift Deposits (B3) (where not tilled)   Crayfish Burrow   Algal Mat or Crust (B4)   Presence of Reduced Iron (C4)   Saturation Visit Iron Deposits (B5)   Thin Muck Surface (C7)   ✓ Geomorphic Polymore Induced Leaves (B9)   ✓ FAC-Neutral Tolymore Water-Stained Leaves (B9)   ✓ Frost-Heave Hold Observations:    Surface Water Present?   Yes   ✓ No   Depth (inches):   10     Saturation Present?   Yes   ✓ No   Depth (inches):   0   Wetland Hydrology Present?   Other (Explain in Remarks)   Water Hydrology Present?   Other (Explain in Remarks)   Other (Explain in Re	hizospheres on Living Roots
Drift Deposits (B3)	100 g. (1900 190 190 190 190 190 190 190 190 190
Algal Mat or Crust (B4)	St. 24 ** 524 * 53
Iron Deposits (B5) ☐ Thin Muck Surface (C7) ☑ Geomorphic Policy Inundation Visible on Aerial Imagery (B7) ☐ Other (Explain in Remarks) ☑ FAC-Neutral Tole Water-Stained Leaves (B9) ☑ Frost-Heave Hole Great Grea	Visible on Aerial Imagery (C9
Inundation Visible on Aerial Imagery (B7)  Other (Explain in Remarks)  FAC-Neutral Town Water-Stained Leaves (B9)  Frost-Heave H Sield Observations:  Surface Water Present?  Yes  No  Depth (inches):  10  Saturation Present?  Yes  No  Depth (inches):  0  Wetland Hydrology Present? includes capillary fringe)	
Water-Stained Leaves (B9)  Water-Stained Leaves (B9)  Frost-Heave H  Gield Observations:  Surface Water Present?  Ves  No Depth (inches):  Vater Table Present?  Yes  No Depth (inches):  Saturation Present?  Yes  No Depth (inches):  O Wetland Hydrology Present?  Includes capillary fringe)	
Field Observations:  Surface Water Present?  Ves Volume No Depth (inches):  Vater Table Present?  Ves Volume No Depth (inches):  Saturation Present?  Yes Volume No Depth (inches):  O Wetland Hydrology Present?  Includes capillary fringe)	
Surface Water Present?  Ves  No  Depth (inches):  Vater Table Present?  Ves  No  Depth (inches):  Paturation Present?  Yes  No  Depth (inches):  Depth (inches):  Wetland Hydrology Present?	e Hullillocks (D7) (LKK F)
Vater Table Present?  Yes ✓ No □ Depth (inches): 10  Saturation Present?  Yes ✓ No □ Depth (inches): 0  Wetland Hydrology Present?  Includes capillary fringe)	
saturation Present? Yes ✓ No ☐ Depth (inches): 0 Wetland Hydrology Present? Includes capillary fringe)	
includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	ent? Yes No
	7K - 51 - 51
	77 79 20
Remarks: 10" depth to water in hole after 10 min.	

### MDT Montana Wetland Assessment Form (revised March 2008)

1. Project name Ros	stad Ranc		2. MDT	proj	ect#	S	TPX STW	D (75	6)	Cor	ntrol#	9680000				
3. Evaluation Date 8/1	1/2020	4. Evalu	ıators	R Jor	nes, S We	yant	5.	Wet	land/Site	# (s)	Rostad N	Mitigation	Site			
6. Wetland Location(s):	Т	8 N	R	11 E	Sec1	12		_ т	8 N	R	11 E	Sec2	13			
Approx Stationing or Mile	posts										'					
Watershed 10 - Muss	elshell		V	Vatersh	ned/Coun	ty	Meagl	her								
7. Evaluating Agency	CCI fo	or MDT							8. Wet	and :	size acres	<b>3</b>		28.96		
Purpose of Evaluation									How as	sess	ed:	Measur	ed e.g.	by GPS		
☐ Wetlands potentially	☐ Wetlands potentially affected by MDT project								9. Ass	esssr	ment area			28.96		
☐ Mitigation Wetlands:			-						(AA) si	ze (ac	cres)					
	•								How as	sess	ed:	Measur	ed e.g.	by GPS		
✓ Mitigation Wetlands:	post con	struction	<u> </u>													
Other																
10. Classification of Wet	land and	Aquatic I	Habitat	ts in A/	Δ											
HGM Class (Brinson)		ss (Cowa			Modifie	er (C	oward	lin)	Wat	er Re	egime		% of	AA		
Slope		rgent Wetl			Excava						termittent			77		
Slope	Scrul	b-Shrub W	/etland					Seaso	nal/In	termittent		3				
Depressional	Unco	nsolidated	d Bottoi	m	Excava	ted			Seaso	nal/In	termittent		6			
Depressional	Emer	rgent Wetl	and		Excava	ted			Seaso	nal/In	termittent			14		
	-															
11. Estimated Relative Ab	undance	C	ommor	1												
12. General Condition of																
<ul> <li>i. Disturbance: (use matraquatic nuisance vegetati</li> </ul>				appropi	riate respor	ıse –	see ins	structio	ons for Mon	tana-l	isted noxiou	us weed a	nd			
				_		_		_		•	t to (within 50	_i				
Conditions	natu haye	aged in predo ral state; is no ed, logged, or verted; does n	zed, wise	mod sele	nd not cultivat derately graz ectively logge rject to minor	ed or ha	ayed or as been	or logge placement hydrolo	Land cultivated or heavily grazed or logged; subject to substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed							

	Predoi	minant conditions adjacent to (within 500	feet of) AA
Conditions within AA	Managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or buildings; and noxious weed or ANVS cover is <=15%.	Land not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to minor clearing; contains few roads or buildings; noxious weed or ANVS cover is <=30%.	Land cultivated or heavily grazed or logged; subject to substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >=30%.
AA occurs and is managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or occupied buildings; and noxious weed or ANVS cover is <=15%.	low disturbance	low disturbance	moderate disturbance
AA not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to relatively minor clearing, fill placement, or hydrological alteration; contains few roads or buildings; noxious weed or ANVS cover is <=30%.	moderate disturbance	moderate disturbance	high disturbance
AA cultivated or heavily grazed or logged; subject to relatively substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >=30%.	high disturbance	high disturbance	high disturbance

### Comments: (types of disturbance, intensity, season, etc)

The wetland mitigation site was constructed in Fall 2012/Spring 2013 with adaptive management features added to the site in spring 2017. Extensive excavation occurred during site construction to create depressional areas and distribute water across the site. Rangeland surrounding site to the West, South, and East was heavily grazed in 2020.

### ii. Prominent noxious, aquatic nuisance, other exotic species:

Spotted knapweed, Canada thistle

### iii. Provide brief descriptive summary of AA and surrounding land use/habitat

The AA is a historically drained wetland area/meadow that was heavily grazed by cattle. A drainage ditch bisected the property prior to wetland mitigation construction. Existing wetlands were expanded through construction activities with emergent and scrub-shrub wetland communities present. Surrounding land use includes transportation (county road, historic railroad berm), agriculture (hay production and cattle grazing). The South Fork of the Musselshell River is located to the north of the mitigation site.

13. Structural Diversity: (based on number of "Cowardin" vegetated classes present [do not include unvegetated classes], see #10 Initial Is current management preventing (passive) Modified Existing # of "Cowardin" Vegetated Classes in AA Rating existence of additional vegetated classes? Rating NA NΑ >= 3 (or 2 if 1 is forested) classes Н 2 (or 1 if forested) classes NA NΑ NA М 1 class, but not a monoculture М <NO YES> L 1 class, monoculture (1 species comprises>=90% of total cover) NA NΑ NA ī Comments: Emergent and scrub-shrub vegetation classes SECTION PERTAINING to FUNCTIONS VALUES ASSESSMENT 14A. Habitat for Federally Listed or Proposed Threatened or Endangered Plants or Animals: i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions): Primary or critical habitat (list species)  $\bigcirc$  D  $\bigcirc$  S  $\bigcirc$  D  $\bigcirc$  S Secondary habitat (list Species) Incidental habitat (list species)  $\bigcirc$  D  $\bigcirc$  S ✓ S No usable habitat ii. Rating (use the conclusions from i above and the matrix below to arrive at [check] the functional points and rating) Highest Habitat Level doc/primary sus/primary doc/secondary sus/secondary doc/incidental sus/incidental None Functional Points and 1H .9H .8H .7M .3L .1L 0L Rating USFWS list for Meagher County; no habitat specifications present for species or Sources for documented occurences. documented use 14B. Habitat for plant or animals rated S1, S2, or S3 by the Montana Natural Heritage Program: (not including species listed in14A above) i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions): Primary or critical habitat (list species) D 
 S Downingia laeta (S2S3) ● D ○ S Long-billed curlew (S3B); Mountain plover (S2B) Secondary habitat (list Species) Incidental habitat (list species)  $\bigcirc$  D  $\bigcirc$  S S No usable habitat ii. Rating (use the conclusions from i above and the matrix below to arrive at [check] the functional points and rating) Highest Habitat Level doc/primary sus/primary doc/secondary sus/secondary doc/incidental sus/incidental None S1 Species: Functional Points and .7M 1H .8H .6M .2L 0L .1L Rating S2 and S3 Species: Functional Points and .7M .6M .5M .2L 0L .9H .1L Rating

Sources for documented use

Observations of Downingia laeta in wetland during 2013-2015 site visits; long-billed curlews, upland sandpipers, and bobolinks continue to use the site and were observed by MDT staff in the spring of 2019.

																			Mod	erate	9	
,	-													-								
_					•		• •	•	•	d)					vations	durino	g peak ι	ise per	iods			
3																						
	Noderate   Noderate																					
interviews with	local bi	ologist	s with k	nowle	dge of t	he AA					in	ntervie	ws with	local bi	ologists	with k	nowled	ge of th	ne AA			
	-																					
1			·	•				•	•	·		eriods										
1			-		s scat,	tracks,	nest str	uctures	s, game	e trails, e	etc.											
interviews with	local bi	ologist	is with k	nowle	dge of t	he AA																
rom #13. For cother in terms o	lass co f their <sub>l</sub>	over to perce	be con	nside positi	ered ev	enly o	listribut (see #	ted, th 10).	ne mos Abbre	st and I viation:	east p s for su	revale urface	ent <b>veg</b> water	<b>jetate</b> durati	d class ons ar	es m	ust be ollows:	within : P/P :	20% o =	f each		
liversity (see ‡13)				Hi	gh							Mod	erate					L	ow			
Class cover distribution (all regetated		Eve	en			Une	ven			Eve	en			Une	ven			Ev	ven			
Duration of surface water in ≥ 10% of AA	P/P	S/I	T/E	Α	P/P	S/I	T/E	Α	P/P	S/I	T/E	Α	P/P	S/I	T/E	А	P/P	S/I	T/E	А		
.ow disturbance t AA (see #12i)	Е	E	Е	н	Е	Е	Н	н	Е	Н	Н	М	Е	Н	М	М	Е	Н	М	М		
Moderate disturbance at AA	н	н	н	н	Н	н	Н	м	Н	н	М	М	н	М	М	L	н	м	L	니		
ligh disturbance at AA (see #12i)	М	М	М	L	М	М	L	L	М	М	L	L	М	L	L	L	L	L	L	L		
							above	and t	he ma	V	Vildlife				ratin	g (ii)		point	s and	rating	l) Low	
Substantial																ЯH					.7M	
Moderate						- 1		H													.3L	
Minimal					.6N	1		Н		.41	м				_		Г				.1L	
4D. General Fould be used bestorable due to NA here a	2018 ish H	abita [i.e.,	2019 <b>It Rati</b> fish u	ng: (se is ints,	Asses	by M ss this	DT). s funct by per	ion if	the A	A is u	sed b	y fisl parrie	n or the	eexis ]. Ift	ting s	ituati	on is "	∞rre d by f	ctable	" suc	h that th e is not	ne AA
Habitat Qua		d Kno	own / S	uspe	cted F	ish S <sub>l</sub>	oec ie s	in AA	(user	natrix t	o arrive	e at [c	heck t	ne fun	ctional	points	and ra	ating)				
in AA				Pe	ermanei	nt / Per	ennial				Seasonal / Intermittent						Temporary /				/ Epheme	ral
Aquatic hiding / resting /														1	_		o .:			_		
escape cover	ung /		Optim	al	A	dequate	е	Pod	or	O	otimal		Adeq	uate		Poor		Opti	mai	Ad	equate	Po

. Habitat Quality and	Known	Suspec	tearist	з ресте	35 III A/	a (use ii	Iau IX IO	ariive a	LICHECK	the lunct	ionai po	iiils air	a racing)					
Duration of surface water in AA		Pei	manent / l	Perennia	l			Se	easonal /	Intermitten	t	Temporary / Ephemeral						
Aquatic hiding / resting / escape cover	Opt	imal	Adeq	uate	Po	oor	Opti	mal	Ade	quate	Po	or	Opti	mal	Aded	quate	Po	oor
Thermal cover optimal/ suboptimal	0	S	0	S	0	S	0	S	0	S	0	S	0	S	0	S	0	S
FWP Tier I fish species	1E	.9Н	.8H	.7M	.6M	.5M	.9H	.8H	.7M	.6M	.5M	.4M	.7M	.6M	.5M	.4M	.3L	.3L
FWP Tier II or Native Game fish species	.9H	.8H	.7M	.6M	.5M	.5M	.8H	.7M	.6M	.5M	.4M	.4M	.6M	.5M	.4M	.3L	.2L	.2L
FWP Tier III or Intro duced Game fish	.8H	.7M	.6M	.5M	.5M	.4M	.7M	.6M	.5M	.4M	.4M	.3L	.5M	.4M	.3L	.2L	.2L	.1L
FWP Non-Game Tier IV or No fish species	.5M	.5M	.5M	.4M	.4M	.3L	.4M	.4M	.4M	.3L	.3L	.2L	.2L	.2L	.2L	.1L	.1L	.1L

Sources used for identifying fish sp. potentially for	und in A	A:											
<ul> <li>ii. Modified Rating (NOTE: Modified score ca</li> <li>a) Is fish use of the AA significantly reduced by a current final MDEQ list of waterbodies in need of fishery or aquatic life support, or do aquatic nuisayes, reduce score in i above by 0.1: Modified</li> </ul>	culvert, TMDL de ance plan	dike, evelo	, or other m opment with	an-made s listed "Pr	obable Imp	aired Úses	" includin	g cold or w	arm water				
b) Does the AA contain a documented spawning comments) for native fish or introduced game fish			critical hab			he adjusted				า			
iii. Final Score and Rating: ONA Comments: No perennially flowing water within AA for fish habitat.													
14E. Flood Attenuation: (Applies only to wetlands subject to flooding via in-channel or overbank flow. If wetlands in AA are not flooded from inchannel or overbank flow, click ✓ NA here and proceed to 14F.)													
i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)  Estimated or Calculated Entrenchment (Rosgen   Slightly entrenched - C. D. F.   Moderately entrenched - B.   Ent													
Estimated or Calculated Entrenchment (Rosgen Slightly entrenched - C, D, E stream type Stream type Stream types Stream typ													
% of flooded wetland classified as forested and/or scrub/shrub 25-75% 25													
AA contains no outlet or restricted outlet 1H .9H .6M .8H .7M .5M .4M .3L .2L													
AA contains unrestricted outlet  9H 8H 5M 7M 6M .4M .3L 2L 1L													
Slightly Entrenched		1	Moderately E	ntrenched			E	ntrenched			7		
ER = >2.2  C stream type	type		ER = 1.4	1 – 2.2		stream type	ER	R = 1.0 - 1.4 F stream typ		G stream type	4		
C steam type	:J		D Stream			steamtype	F			stream type			
2 x Bankfull Depth Bankfull Width Bankfull Depth													
Floodprone width	/ Bai	nkfu	II			=	Entrend	chment					
ii. Are ≥10 acres of wetland in the AA subject to within 0.5 mile downstream of the AA (check)?  Comments:  No flooding occurs via in-ch	flooding Y	AND	N •		res which I	may be sigr	nificantly o	damaged b	y floods loo	cated			
14F. Short and Long Term Surface Water Storage: (Applies to wetlands that flood or pond from overbank or in-channel flow, precipitation, upland surface flow, or groundwater flow. If no wetlands in the AA are subject to flooding or ponding, dick NA here and proceed to 14G.)													
i. Rating (Working from top to bottom, us water durations are as follows: P/P = perm further definitions of these terms].)													
Estimated maximum acre feet of water contained in wetlands within the AA that are subject to periodic		>	-5 acre feet			1.1 to 5	acre feet			≤1 acre foot			
flooding or ponding  Duration of surface water at wetlands within the AA	D/D		0/1	T/C	D/E	<del> </del>	0,11	T	2/2	2.0	T		

further definitions of these terms].)									
Estimated maximum acre feet of water contained in wetlands within the AA that are subject to periodic flooding or ponding	>5 acre feet			1.1 to 5 acre feet			≤1 acre foot		
Duration of surface water at wetlands within the AA	P/P	S/I	T/E	P/P	S/I	T/E	P/P	S/I	T/E
Wetlands in AA flood or pond ≥ 5 out of 10 years	1H	.9Н	.8H	.8Н	.6M	.5M	.4M	.3L	.2L
Wetlands in AA flood or pond < 5 out of 10 years	.9H	.8H	.7M	.7M	.5M	.4M	.3L	.2L	.1L

Comments:

Depressional area and portions of slope wetlands maintain water seasonally/intermittently. Adaptive management in 2017 resulted in an increased score for this function.

to 14H.)  i. Rating (working from top to bo = low])	ttom, use the m	natrix be	elow to arrive	at [check]		<u> </u>						or L
Sediment, nutrient, and toxicant input levels within AA	to deliver compounds a not substan	levels of at levels: tially imp	nding land use f sediments, nu such that other aired. Minor se ts or toxicants, cation present.	trients, or functions ar dimentation,	al de nutri e with comp	potential to ounds such	t for "proba icants <b>or</b> A deliver hi that other ation, source	able cau AA rece gh level r functio ces of n	uses" rela ives or s ls of sedi ons are su	ited to surround ments, in ubstantia or toxica		or ed.
% cover of wetland vegetation in AA Evidence of flooding / ponding in AA	≥ 70%			0%		≥ 70	%			< 70		$\exists$
AA contains no or restricted outlet		8H	Yes .7M	.5M		5M	.4M	1	.3L		.2L	$\dashv$
AA contains unrestricted outlet	╂┈┌═	-11		_	_			-				$\dashv$
		7M	6M	.4M		4M	.3L		.2L		.1L	
Comments: More than 80 perce depressional area a				vered with	wetland ve	getation.	A restrict	ted out	tlet is lo	cated o	on the	
14H Sediment/Shoreline Stabilization drainage, or on the shoreline of a standard proceed to 14I.)  i. Rating (working from top to bottom % Cover of wetland streambank or	ding water body v	which is s	subject to wave	e action. If '	14H does no	ot apply, cli and rating)		ıral or n <b>NA</b> her		e		
shoreline by species with stability ratings of ≥6 (see Appendix F).	Permanent / F			easonal / Inter			emporary / I	Ephemei	ral			
≥ 65%	1H	1		.9Н			.71	л <u> </u>				
35-64%	.7M			.6M			.51	и				
< 35%	.3L			.2L			.1	L				
AA supports open v from FAC to more 0				Vegetetatio	on surroun	ding the p	ond is in	nundat	ted and	transit	ioning	
from FAC to more C  14l. Production Export/Food Cha  i. Level of Biological Activity (syn	OBL and FACW in Support:	et spec	ies. habitat ratings	[check])	on surroun	ding the p	ond is in	nundat	ted and	transit	ioning	
from FAC to more C  14l. Production Export/Food Cha  i. Level of Biological Activity (syn	DBL and FACW	et spec	ies. habitat ratings	[check])	on surroun	ding the p	ond is in	nundat	ted and	transit	ioning	
from FAC to more C  14l. Production Export/Food Cha  i. Level of Biological Activity (syn General Fish Habitat	OBL and FACW in Support:	et spec	ies. habitat ratings Rating (14C.iii	[check])	on surroun	ding the p	ond is in	nundat	ted and	transit	ioning	
from FAC to more C  14I. Production Export/Food Cha  i. Level of Biological Activity (syn  General Fish Habitat  Rating (14D.iii.)  E/H	in Support: thesis of wildlife General Wildlife	and fish Habitat	ies. habitat ratings Rating (14C.iii	[check]) i.) L	on surroun	ding the p	ond is in	nundaf	ted and	transit	ioning	
from FAC to more Comments:  14I. Production Export/Food Cha  i. Level of Biological Activity (syn General Fish Habitat Rating (14D.iii.)  E/H  M  L  M	in Support: thesis of wildlife General Wildlife	and fish Habitat M H	ies. habitat ratings Rating (14C.iii	[check]) i.) L M L	on surroun	ding the p	ond is in	nundat	ted and	transit	ioning	
from FAC to more Comments:  14I. Production Export/Food Cha  i. Level of Biological Activity (syn General Fish Habitat Rating (14D.iii.)  E/H  M  L  M  N/A  ii. Rating (Working from top to bottor wetland component in the AA; Factor E subsurface outlet; the final three rows [see instructions for further definitions	in Support: thesis of wildlife General Wildlife an, use the matrix B = level of biologoertain to duratio of these terms].)	and fish Habitat M H M below to	habitat ratings Rating (14C.iii	[check]) i.) L M M L L ck] the funct above (141. e AA, where	tional points i.); Factor ( e P/P, S/I, a	and rating	i. Factor A r or not the as previo	· = acre e AA co usly del	eage of vontains a fined, an	vegetate surface d A = "a	ed e or	
from FAC to more Comments:  14I. Production Export/Food Cha  i. Level of Biological Activity (synth Synthesia)  General Fish Habitat Rating (14D.iii.)  E/H  M  L  N/A  ii. Rating (Working from top to bottom wetland component in the AA; Factor Esubsurface outlet; the final three rows	in Support: thesis of wildlife General Wildlife an, use the matrix B = level of biologoertain to duratio of these terms].)	and fish Habitat M H M below to	habitat ratings Rating (14C.iii  D arrive at [checkity rating from ace water in the Vegetated core	[check]) i.) L M L L ck] the funct	tional points i.); Factor ( e P/P, S/I, a	and rating = whether	i. Factor A r or not the as previo	· = acre e AA co usly del	eage of vontains a fined, an	regetate surface d A = "a	ed e or	
i. Rating (Working from top to bottor wetland component in the AA; Factor Esubsurface outlet; the final three rows [see instructions for further definitions]    Form FAC to more Component of the form of the for	in Support: thesis of wildlife seneral Wildlife n, use the matrix 3 = level of biologoertain to duratio of these terms].) acres	and fish Habitat M H M below to	habitat ratings Rating (14C.iii	[check]) i.) L M L ck] the funct above (14I. e AA, where mponent 1-5 aciderate	tional points i.); Factor ( e P/P, S/I, a	and rating = whether nd T/E are H Yes	i. Factor A r or not the as previor Veget	a = acre e AA co usly del ated com Mode	eage of \ ontains a fined, an ponent <1 a	vegetate surface d A = "e icre	ed e or absent"	
from FAC to more Comments:  14I. Production Export/Food Cha  i. Level of Biological Activity (syn General Fish Habitat Rating (14D.iii.) E/H  B/H  B/H  B/H  B/H  B/H  B/H  B/H	in Support:  thesis of wildlife General Wildlife  an, use the matrix  B = level of biologoertain to duratio of these terms].)  acres  Low Yes No	and fish Habitat M H M below to	habitat ratings Rating (14C.iii  p arrive at [cheevity rating from acce water in the Vegetated cores of the c	[check]) i.) L M M L L ck] the funct above (14I. e AA, where mponent 1-5 aciderate N M	tional points i.); Factor ( p P/P, S/I, a res Low Yes No	and rating = whether nd T/E are H Yes	j. Factor A r or not the as previor Veget igh	a = acre e AA co usly def ated com Mode Yes	eage of vontains a fined, an ponent <1 a erate	vegetate surface d A = "a licre Lo Yes	ed e or absent"	
Taking (Working from top to bottor wetland component in the AA; Factor E subsurface outlet; the final three rows [see instructions for further definitions A Vegetated component > 5 B High Moderate C Yes No Yes No P/P 1E 7.7H 8H 5M	in Support:  thesis of wildlife General Wildlife  an, use the matrix  B = level of biologoertain to duratio of these terms].) acres  Low Yes No .6M .4M	and fish Habitat M H M below to gical active n of surfa	habitat ratings Rating (14C.iii  parrive at [cheevity rating from accewater in the vegetated cores of the cor	[check]) i.) L M M L L ck] the funct above (14I. e AA, where where the content 1-5 aciderate No AM	tional points i.); Factor ( perpendicular) Low Yes No .5M 3L	and rating = whether nd T/E are H Yes .8H	j. Factor Ar or not the as previor  Vegetigh  No  .6M	a = acre e AA co usly def ated com Mode Yes	eage of vontains a fined, an ponent <1 a erate No	vegetate surface d A = "a core Lo Yes	ed e or absent"	

14J. Groundwater Discharge/Recharge: (check the appropriate indicators in i & ii below) i. Discharge Indicators ii. Recharge Indicators Permeable substrate present without underlying impeding layer The AA is a slope wetland Springs or seeps are known or observed Wetland contains inlet but no outlet Vegetation growing during dormant season/drought Stream is a known 'losing' stream; discharge volume decreases ✓ Wetland occurs at the toe of a natural slope Other: Seeps are present at the wetland edge AA permanently flooded during drought periods Wetland contains an outlet, but no inlet Shallow water table and the site is saturated to the surface Other: iii. Rating (use the information from i and ii above and the table below to arrive at [check] the functional points and rating) Duration of saturation at AA Wetlands FROM GROUNDWATER DISCHARGE OR WITH WATER THAT IS RECHARGING THE GROUNDWATER SYSTEM Criteria P/P S/I т None Groundwater Discharge or Recharge 1H .4M .1L .7M Insufficient Data/Information Comments: Seasonal water regime within AA. Standing water present in many areas of the site at time of monitoring. 14K. Uniqueness: i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating) AA does not contain previously AA contains fen, bog, warm springs cited rare types and structural AA does not contain previously Replacement potential or mature (>80 yr-old) forested diversity (#13) is high or contains cited rare types or associations wetland or plant association listed and structural diversity (#13) is plant association listed as "S2" by as "S1" by the MTNHP the MTNHP low-moderate Estimated relative abundant abundant abundant commo rare common rare rare common abundance (#11) n Low disturbance at AA 1H .9H .8H H8. .6M .5M .5M .4M .3L (#12i) Moderate disturbance at .9H H8. .7M .7M .5M .4M .4M .2L .3L AA (#12i) High disturbance at AA .8H .6M .7H .6M .4M .3L .3L .2L .1L (#12i) Comments: PEM & PSS wetlands are common in the area. Structural diversity is not high and there are no bogs, fens, or forested wetlands 14L. Recreation/Education Potential: (affords "bonus" points if AA provides recreation or education opportunity) i. Is the AA a known or potential rec./ed. site: (check) Y  $N\bigcirc$ (if 'Yes' continue with the evaluation; if 'No' then click NA here and proceed to the overall summary and rating page) Check categories that apply to the AA: ☐ Educational/scientific study; ☐ Consumptive rec.; ✔ Non-consumptive rec.; U Other iii. Rating (use the matrix below to arrive at [check] the functional points and rating) Known or Potential Recreation or Education Area Potential Public ownership or public easement with general public access (no permission required) 2H 15H Private ownership with general public access (no permission required) .15H .1M Private or public ownership without general public access, or requiring permission for public access .1M .05L Comments: Currently no recreation/education occurs at the site. **General Site Notes** 

# FUNCTION & VALUE SUMMARY & OVERALL RATING FOR WETLAND/SITE #(S): Rostad Mitigation Site

Function & Value Variables	Rating	Actual Functional Points	Possible Functional Points	Functional Units: (Actual Points x Estimated AA Acreage)	Indicate the four most prominent functions with an asterisk (*)
A. Listed/Proposed T&E Species Habitat	L	0	1	0.00	
B. MT Natural Heritage Program Species Habitat	Н	.9	1	26.06	<b>✓</b>
C. General Wildlife Habitat	М	.5	1	14.48	<b>✓</b>
D. General Fish Habitat	NA	0	0	0.00	
E. Flood Attenuation	NA	0	0	0.00	
F. Short and Long Term Surface Water Storage	Н	.9	1	26.06	<b>V</b>
G. Sediment/Nutrient/Toxicant Removal	Н	1	1	28.96	
H. Sediment/Shoreline Stabilization	Н	.9	1	26.06	
Production Export/Food Chain Support	Н	.8	1	23.17	
J. Groundwater Discharge/Recharge	М	.7	1	20.27	<b>✓</b>
K. Uniqueness	L	.3	1	8.69	
L. Recreation/Education Potential (bonus points)	L	.05	NA	1.45	
Totals:		6.05	9	175.21	
Percent of Possible Score			67.22 %		

Category I Wetland: (must satisfy one of the following criteria; otherwise go to Category II)  Score of 1 functional point for Listed/Proposed Threatened or Endangered Species; or  Score of 1 functional point for Uniqueness; or  Score of 1 functional point for Flood Attenuation and answer to Question 14E.ii is "yes"; or  Percent of possible score > 80% (round to nearest whole #).
Category II Wetland: (Criteria for Category I not satisfied and meets any one of the following criteria; otherwise go to Category IV)  Score of 1 functional point for MT Natural Heritage Program Species Habitat; or Score of .9 or 1 functional point for General Wildlife Habitat; or Score of .9 or 1 functional point for General Fish Habitat; or "High" to "Exceptional" ratings for both General Wildlife Habitat and General Fish/Aquatic Habitat; or Score of .9 functional point for Uniqueness; or Percent of possible score > 65% (round to nearest whole #).
Category III Wetland: (Criteria for Categories I, II, or IV not satisfied)
Category IV Wetland: (Criteria for Categories I or II are not satisfied and all of the following criteria are met; otherwise go to Category III)  "Low" rating for Uniqueness; and Vegetated wetland component < 1 acre (do not include upland vegetated buffer); and Percent of possible score < 35% (round to nearest whole #).

## **OVERALL ANALYSIS AREA RATING:** (check appropriate category based on the criteria outlined above)

 	 IV.
"	 IV

Scientific Names	Common Names	GP Indicator Status <sup>(1)</sup>
Achillea millefolium	Common Yarrow	FACU
Agropyron cristatum	Crested Wheatgrass	UPL
Agrostis gigantea	Black Bent	FACW
Algae, green	Algae, green	NL
Alopecurus arundinaceus	Creeping-Meadow Foxtail	FACW
Alopecurus pratensis	Field Meadow-Foxtail	FACW
Amaranthus retroflexus	Red-Root	FACU
Ambrosia acanthicarpa	Flat-spine Ragweed	UPL
<i>Aster</i> sp.	Aster	UPL
Bassia scoparia	Mexican-Fireweed	FACU
Beckmannia syzigachne	American Slough Grass	OBL
Berteroa incana	Hoary False-alyssum	UPL
Bromus arvensis	Field Brome	FACU
Bromus carinatus	California Brome	UPL
Bromus inermis	Smooth Brome	UPL
Cardaria draba	Whitetop	UPL
Carex nebrascensis	Nebraska Sedge	OBL
Carex pellita	Woolly Sedge	OBL
Carex praegracilis	Clustered Field Sedge	FACW
Carex stipata	Stalk-Grain Sedge	OBL
Carex utriculata	Northwest Territory Sedge	OBL
Carum carvi	Caraway	UPL
Centaurea stoebe	Spotted Knapweed	UPL
Chenopodium album	Lamb's-Quarters	FACU
Chenopodium sp.	Goosefoot	UPL
Cirsium arvense	Canadian Thistle	FACU
Convolvulus arvensis	Field Bindweed	UPL
Cynoglossum officinale	Gypsy-Flower	FACU
Cyrtorhyncha cymbalaria	Alkali Buttercup	OBL
Deschampsia caespitosa	Tufted Hair Grass	FACW
Descurainia sophia	Herb Sophia	UPL
Downingia laeta	Great Basin Calico-Flower	OBL
Eleocharis palustris	Common Spike-Rush	OBL
Elymus repens	Creeping Wild Rye	FACU
Elymus trachycaulus	Slender Wild Rye	FACU
Epilobium ciliatum	Fringed Willowherb	FACW
Glyceria grandis	American Manna Grass	OBL
Glycyrrhiza lepidota	American Licorice	FACU
Helianthus annuus	Common Sunflower	FACU

Scientific Names	Common Names	GP Indicator Status <sup>(1)</sup>
Hippuris vulgaris	Common Mare's-Tail	OBL
Hordeum jubatum	Fox-Tail Barley	FACW
Juncus articulatus	Joint-Leaf Rush	OBL
Juncus balticus	Baltic Rush	FACW
Juncus bufonius	Toad Rush	OBL
Lactuca serriola	Prickly Lettuce	FAC
Lepidium densiflorum	Miner's Pepperwort	FAC
Medicago sativa	Alfalfa	UPL
Melilotus albus	White Sweetclover	UPL
Melilotus officinalis	Yellow Sweet-Clover	FACU
Mentha arvensis	American Wild Mint	FACW
Pascopyrum smithii	Western-Wheat Grass	FACU
Phalaris arundinacea	Reed Canary Grass	FACW
Phleum pratense	Common Timothy	FACU
Poa palustris	Fowl Blue Grass	FACW
Poa pratensis	Kentucky Blue Grass	FACU
Polypogon monspeliensis	Annual Rabbit's-Foot Grass	FACW
Populus angustifolia	Narrow-Leaf Cottonwood	FACW
Populus balsamifera	Balsam Poplar	FACW
Populus tremuloides	Quaking Aspen	FAC
Potentilla gracilis	Graceful Cinquefoil	FAC
Rumex crispus	Curly Dock	FAC
Rumex occidentalis	Western Dock	OBL
Salix exigua	Narrow-Leaf Willow	FACW
Schedonorus pratensis	Meadow False Rye Grass	FACU
Sinapis arvensis	Wild Mustard	UPL
Sonchus arvensis	Field Sow-Thistle	FAC
Symphyotrichum ascendens	Western American-Aster	FACU
Symphyotrichum ericoides	White Heath American-Aster	FACU
Tanacetum vulgare	Common Tansy	FACU
Taraxacum officinale	Common Dandelion	FACU
Thlaspi arvense	Field Pennycress	FACU
Tragopogon dubius	Meadow Goat's-beard	UPL
Trifolium arvense	Rabbit-foot Clover	UPL
Trifolium hybridum	Alsike Clover	FACU
Trifolium pratense	Red Clover	FACU
Trifolium repens	White Clover	FACU

## Rostad Ranch Wetland Mitigation Site - 2013 - 2020 Vegetation Species List

Scientific Names	Common Names	GP Indicator Status <sup>(1)</sup>
Typha latifolia	Broad-Leaf Cat-Tail	OBL
Veronica peregrina	Neckweed	FACW

<sup>&</sup>lt;sup>1</sup> 2018 National Wetland Plant List (USACE 2018)

New species identified in 2020 are **bolded**.

# APPENDIX C PROJECT AREA PHOTOGRAPHS

MDT Wetland Mitigation Monitoring Rostad Ranch Meagher County, Montana



Photo Point 1 – Panorama; Location: Northeast Corner; Bearing 200 degrees; Year 2013



Photo Point 1 – Panorama; Location: Northeast Corner; Bearing 200 degrees; Year 2020



Photo Point 2 – Panorama; Location: East Fence Corner; Bearing 125 degrees; Year 2013



Photo Point 2 – Panorama; Location: East Fence Corner; Bearing 125 degrees; Year 2020



Photo Point 3 – Panorama; Location: East Fence Line; Bearing 280 degrees; Year 2013



Photo Point 3 – Panorama; Location: East Fence Line; Bearing 280 degrees; Year 2020



Photo Point 4 – Panorama; Location: SE Fence Corner; Bearing 240 degrees; Year 2013



Photo Point 4 – Panorama; Location: SE Fence Corner; Bearing 240 degrees; Year 2020



Photo Point 5 – Panorama; Location: SW Fence Corner; Bearing 200 degrees; Year 2013



Photo Point 5 – Panorama; Location: SW Fence Corner; Bearing 200 degrees; Year 2020



Photo Point 7 – Panorama; Location: West Fence Corner; Bearing 90 degrees; Year 2013



Photo Point 7 – Panorama; Location: West Fence Corner; Bearing 90 degrees; Year 2020



**Photo Point 6** Bearing: 30 degrees

Location: West Fence Line Year: 2013




**Photo Point 6** Bearing: 30 degrees

Location: West Fence Line Year: 2020



**Photo Point 6** Bearing: 100 degrees

Location: West Fence Line Year: 2013



**Photo Point 6** Bearing: 100 degrees Year: 2020



**Photo Point 8 Location:** West Central Bearing: 90 degrees Year: 2017



**Photo Point 8 Location:** West Central Bearing: 90 degrees Year: 2020



Photo Point 9
Bearing: 240 degrees

Location: East Fence Line

Year: 2017



Photo Point 9
Bearing: 240 degrees

Location: East Fence Line

egrees Year: 2020



Photo Point 10 Bearing: 80 degrees

Location: West Central

**Year**: 2017



Photo Point 10 Bearing: 80 degrees

Location: West Central

degrees Year: 2020

### **Rostad Ranch: Transect Photographs**



Transect 1: Start Bearing: 290 degrees

Location: NE Branch of site
Year: 2013



Transect 1: Start Bearing: 290 degrees

Location: NE Branch of site Year: 2020



Transect 1: End Bearing: 110 degrees

**Location:** NE Branch of site **Year:** 2013



Transect 1: End Bearing: 110 degrees

Location: NE Branch of site Year: 2020



Transect 2: Start Bearing: 130 degrees

**Location:** North Central **Year:** 2013



Transect 2: Start Bearing: 130 degrees

**Location:** North Central **Year:** 2020

### **Rostad Ranch: Transect Photographs**



**Transect 2: End** Bearing: 310 degrees



**Transect 2: End** Bearing: 310 degrees

Location: North Central

Year: 2020



**Transect 3: Start** Bearing: 30 degrees



Location: South Portion of site Year: 2013

Location: North Central

Year: 2013



**Transect 3: Start** Bearing: 30 degrees

Location: South Portion of site Year: 2020



**Transect 3: End** Bearing 30: degrees

Location: South Portion of site

Year: 2013



**Transect 3: End** Bearing: 30: degrees

Location: South Portion of site

Year: 2020

### **Rostad Ranch: Transect Photographs**




Transect 4: Start Bearing: 0 degrees

Location: Northwest Portion Year: 2017



Transect 4: Start Bearing: 0 degrees

**Location:** Northwest Portion **Year:** 2020



Transect 4: End Bearing: 180 degrees

**Location:** Northwest Portion

Year: 2017



Transect 4: End Bearing: 180 degrees

**Location:** Northwest Portion **Year:** 2020



Data Point: DP01w Year: 2020

Location: Southwest corner of site.





Data Point: DP01u Location: West across wetland boundary from DP01w in SW corner of site. Year: 2020



Data Point: DP02w site, south of DP01w.



Location: Southwest corner of Year: 2020



Data Point: DP02u Location: West across wetland boundary from DP02w in SW corner of site. Year: 2020



Data Point: DP03w boundary in northwest corner of site.



Location: Near southern Year: 2020

Location: Across wetland

Data Point: DP03u boundary from DP03w in NW corner of site. Year: 2020