

**US 93 North Post-Construction Wildlife-Vehicle Collision and
Wildlife Crossing Monitoring and Research on the Flathead Indian
Reservation between Evaro and Polson, Montana
Annual Report 2014**

by

Marcel P. Huijser, PhD, Research Ecologist

And

Elizabeth Fairbank, Field Technician

Western Transportation Institute

College of Engineering

Montana State University

And

Whisper Camel-Means, MSc, Certified Wildlife Biologist

Confederated Salish and Kootenai Tribes

A report prepared for the
Montana Department of Transportation
2701 Prospect Drive,
Helena, Montana

March 9, 2015

DISCLAIMER

DISCLAIMER STATEMENT

This document is disseminated under the sponsorship of the Montana Department of Transportation and the United States Department of Transportation in the interest of information exchange. The State of Montana and the United States Government assume no liability of its contents or use thereof.

The contents of this report reflect the views of the authors, who are responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official policies of the Montana Department of Transportation or the United States Department of Transportation.

The State of Montana and the United States Government do not endorse products of manufacturers. Trademarks or manufacturers' names appear herein only because they are considered essential to the object of this document.

This report does not constitute a standard, specification, or regulation.

ALTERNATIVE FORMAT STATEMENT

MDT attempts to provide accommodations for any known disability that may interfere with a person participating in any service, program, or activity of the Department. Alternative accessible formats of this information will be provided upon request. For further information, call (406) 444-7693, TTY (800) 335-7592, or Montana Relay at 711.

ACKNOWLEDGEMENTS

The authors of this report would like to thank the Montana Department of Transportation (MDT) for funding this research. Additional funds were provided by the U.S. Department of Transportation through its Research & Special Programs Administration (RSPA). The authors would also like to thank Kris Christensen (MDT Research Section (project manager)) and the other members of the technical panel: Pat Basting (MDT Environmental Bureau), Dale Becker (Confederated Salish and Kootenai Tribes (CSKT)), Kevin Christensen (MDT Construction Engineer), Vickie Edwards (Montana Fish, Wildlife & Parks (MTFWP)), Jonathan Floyd (MDT Traffic Safety Bureau), Bonnie Gundrum, (MDT Environmental Bureau), Scott Jackson (through June 2010) (US Fish and Wildlife Service (USFWS)), Doug Moeller (MDT Missoula District Administrator), Sue Sillick (MDT Research Section), and Mark Zitzka (Federal Highway Administration (FHWA)). Finally, the authors would like to thank Dale Becker (CSKT), Amanda Hardy (Colorado State University), Kari Eneas, AJ Bigby, Virginia “Tiny” Williams, Bruce Maestas, and Stephanie Gillin (all CSKT), and Steve Albert, Tiffany Allen, Rob Ament, Jeralyn Brodowy, Ben Dorsey, Jerry Stephens (all Western Transportation Institute – Montana State University (WTI-MSU)) for their help.

TABLE OF CONTENTS

1. Introduction.....	1
1.1. Background	1
1.2. Objectives.....	4
1.3. Post-Construction Research Activities Prior to 2013.....	4
2. Mitigation Measures and Human Safety.....	5
2.1. Introduction	5
2.2. Methods.....	6
2.2.1. Crash and Carcass Data	6
2.2.1. Deer Pellet Group Surveys.....	7
2.3. Results	7
2.3.1. Crash and Carcass Data	7
2.3.1. Deer Pellet Group Surveys.....	14
2.4. Discussion and Conclusion	15
3. Mitigation Measures and Habitat Connectivity for Wildlife	16
3.1. Introduction	16
3.2. Methods.....	16
3.2.1. Crossing Structures	16
3.2.2. Jump-outs.....	18
3.3. Results	19
3.3.1. Crossing Structures	19
3.3.2. Jump-outs.....	22
3.4. Discussion and Conclusion	22
3.4.1. Crossing Structures	22
3.4.2. Jump-outs.....	23
4. Cost-Benefit Analysis	24
5. References.....	25
6. Appendix.....	28

LIST OF TABLES

Table 1: Begin and end dates of the reconstruction of selected road sections with a concentration of mitigation measures.....	7
Table 2: The 17 wildlife crossing structures in road sections with continuous fencing in the Evaro, Ravalli Curves and Ravalli Hill areas that were monitored for wildlife use in 2013.	17
Table 3: The 12 isolated wildlife crossing structures that were monitored for wildlife use in 2013.	18
Table 4: The number of wildlife crossings through the 17 structures in Evaro, Ravalli Curves, and Ravalli Hill, and through the 12 isolated crossing structures in 2013. Preliminary data (N=17,827).....	20
Table 5: The number of animals (or humans) jumping down or up the wildlife jump-outs, and the number of animals recorded at the bottom or top of the jump-outs only.	22

LIST OF FIGURES

Figure 1: The Flathead Indian Reservation in northwestern Montana including major highways.	1
Figure 2: The location of the 41 fish and wildlife crossing structures along US 93 North on the Flathead Indian Reservation in northwestern Montana.	2
Figure 3: Total reported deer-vehicle collisions for each 0.1 mile between 2002-2005 along the US 93 North study area, including mitigation measures.	3
Figure 4: Species involved with animal-vehicle collisions based on carcass removal data (1998-2013) along US 93 North between Evaro and Polson (N=856).	8
Figure 5: The number of wild large animal carcasses and associated standard deviation reported in Evaro, Ravalli Curves and Ravalli Hill.	9
Figure 6: The number of wild large mammal carcasses and associated standard deviation that were reported in Evaro.	10
Figure 7: The number of wild large mammal carcasses and associated standard deviation that were reported in Ravalli Curves and Ravalli Hill.	10
Figure 8: The number of crashes with large wild mammals and associated standard deviation that were reported in Evaro, Ravalli Curves and Ravalli Hill.	11
Figure 9: The number of crashes with large wild mammals and associated standard deviation that were reported in Evaro.	12
Figure 10: The number of crashes with large wild mammals and associated standard deviation that were reported in Ravalli Curves and Ravalli Hill.	12
Figure 11: The number of wild large mammal carcasses that were reported between 2002 and 2013 for the entire 56 mile (90 km) between Evaro and Polson, and the road sections within this stretch that do not have wildlife fencing or wildlife crossing structures (excluding 0.1 mi adjacent to fence ends).....	13
Figure 12: The number of animal-vehicle crashes that were reported between 2002 and 2013 for the entire 56 mile (90 km) between Evaro and Polson, and the road sections that do not have wildlife fencing or wildlife crossing structures (excluding 0.1 mi adjacent to fence ends). 13	13
Figure 13: The average number of deer pellet groups (fresh and old black) per transect and associated standard deviations per year in the Evaro area.	14
Figure 14: The average number of deer pellet groups (fresh and old black) per transect and associated standard deviations per year in the Ravalli Curves and Ravalli Hill areas combined.	15

EXECUTIVE SUMMARY

This annual report contains a preliminary summary for work conducted in 2013 for the US Highway 93 North wildlife mitigation evaluation project on the Flathead Indian Reservation, Montana, United States of America. The mitigation measures along this section of US Highway 93 North consist of wildlife fencing combined with wildlife underpasses and an overpass, jump-outs, and wildlife guards at access roads. The research objectives relate to investigating the effect of the mitigation measures on human safety (an expected reduction in wildlife-vehicle collisions), habitat connectivity for wildlife (wildlife use of the crossing structures), and a cost-benefit analysis for the mitigation measures which will be conducted in the following years.

Carcass removal data and crash data suggest a substantial decrease in the number of wildlife-vehicle collisions in the Evaro, Ravalli Curves and Ravalli Hill areas after the mitigation measures were installed; 44.4% and 53.6% respectively. However, the absolute number of crashes was relatively low; both before and after the mitigation measures were implemented. This means that only one crash more or one crash less can have a substantial effect on the percentage reduction. Collecting data for longer and combining the data with those for other mitigated road sections will provide a more precise and robust estimate in the future.

The number of fresh and old black pellet groups was variable through the years with high standard deviations. The data indicate that deer continue to be present in more or less similar numbers in the Evaro, Ravalli Curves and Ravalli Hill areas. However, the pellet group counts cannot detect subtle changes in population size as the standard deviations are high.

The wildlife crossing structures in the road sections with continuous fencing in Evaro, Ravalli Curves and Ravalli Hill, as well as the selected isolated structures appear to receive substantial use by a wide variety of wildlife species (at least 24 animal species in 2013), especially white-tailed deer, domestic dogs and cats, and mule deer. It is noteworthy that the number of crossings by grizzly bears was down from 15 (in 2011) to 4 (in 2012) and 5 (in 2013). The number of elk crossings was down from 6 (in 2011) to 2 (in 2012) and 3 (in 2013). In addition, while there were 2 crossings by moose in 2012, there were none in 2013.

For the road sections with a concentration of mitigation measures (Evaro, Ravalli Curves and Ravalli Hill) the average number of deer (white-tailed deer and mule deer combined) that were estimated to cross the road before road reconstruction was estimated at 1,732 per year (2003 through 2005) while this number was 109 for black bears (Hardy *et al.* 2007). It appears that far more deer (n=6,238) and black bear (n=144) crossings occurred through the structures in these areas in 2013 than the pre-mitigation reference values, with no indication of a considerable increase in the deer population in 2013 compared to 2004 and 2005 (see pellet group counts in Chapter 2). However, a direct comparison of the pre-construction and post-construction deer and black bear crossings can only be made after several corrections have been made; the pre-construction data only relate to part of the year (May-October) while the current camera data for Evaro relate to the full calendar year, and the current camera data for Ravalli Curves and Ravalli Hill only relate to the first 5 months of 2013 rather than the entire tracking season (May-October) or calendar year. In addition, there are likely differences in the detection probability for sand tracking beds along the roadway, inside underpasses, and cameras at underpasses.

While wildlife use of the structures can be considered substantial, the term “success” is specifically defined based on consensus between Montana Department of Transportation (MDT), Confederated Salish and Kootenai Tribes (CSKT) and Federal Highway Administration (FHWA). Thus whether the wildlife crossing structures are considered “successful” or not can only be concluded after more data have been collected and after they have been analyzed in the context of the measures of effectiveness agreed upon by the stakeholders listed above.

1. INTRODUCTION

1.1. Background

The US Highway 93 North (US 93 North) reconstruction project on the Flathead Indian Reservation in northwest Montana represents one of the most extensive wildlife-sensitive highway design efforts in North America. The reconstruction of the 56 mile (90 km) long road section includes the installation of 41 fish and wildlife crossing structures, 2 underpasses for live-stock, 1 bicycle/pedestrian underpass, and approximately 8.71 miles (14.01 km) of road with wildlife exclusion fencing on both sides (excluding future mitigation measures in the Ninepipe wetland area) (Figures 1, 2, and 3). The mitigation measures are aimed at improving safety for the traveling public through reducing wildlife-vehicle collisions and allowing wildlife to continue to move across the road. Other examples of relatively long road sections in North America with a high concentration of wildlife crossing structures and wildlife fencing are I-75 (Alligator Alley) in south Florida (24 crossing structures over 40 mi; Foster & Humphrey 1995), the Trans-Canada Highway in Banff National Park in Alberta, Canada (24 crossing structures over 28 miles (phase 1, 2 and 3A); Clevenger *et al.* 2002), State Route 260 in Arizona (17 crossing structures over 19 miles; Dodd *et al.* (2006)), and I-90 at Snoqualmie Pass East in Washington State (about 30 crossing structures planned over 15 miles; WSDOT 2007). Both the road length and number of wildlife crossing structures of US 93 North on the Flathead Indian Reservation makes it among the most extensive mitigation projects of this kind in North America to date. If the section of US 93 South (south of Missoula, Bitterroot valley) is included, the mitigation measures along US 93 in Montana are even more substantial.




Figure 1: The Flathead Indian Reservation in northwestern Montana including major highways. The US 93 North reconstruction effort and evaluation study area relates to a 56 miles (90 km) road section from Evaro to Polson. Stars represent the Evaro, Ravalli Curves, and Ravalli Hill study areas from south to north, respectively, where more intensive pre-construction sampling efforts were focused.




Figure 2: The location of the 41 fish and wildlife crossing structures along US 93 North on the Flathead Indian Reservation in northwestern Montana.

The magnitude of the US 93 North reconstruction project and associated mitigation measures provide an unprecedented opportunity to evaluate to what extent these mitigation measures help improve safety through a reduction in wildlife-vehicle collisions, maintain habitat connectivity for wildlife (especially deer (*Odocoileus* spp.) and black bear (*Ursus americanus*)), and what the monetary costs and benefits are for the mitigation measures. In addition, the landscape along US 93 North is heavily influenced by human use, resulting in relatively short sections of wildlife fencing and gates or wildlife guards at access roads. This is in contrast to the more natural vegetation along most of the other road sections that have large scale wildlife mitigation including continuous wildlife fencing in North America. As the roads with most wildlife-vehicle collisions are in rural areas, the results from the US 93 North project are expected to be of great interest to agencies throughout North America (Huijser *et al.* 2008).

In 2002, prior to US 93 North's reconstruction, the Western Transportation Institute at Montana State University-Bozeman (WTI-MSU) was funded by the Federal Highway Administration (FHWA) and the Montana Department of Transportation (MDT) to initiate a before-after field study to assess the effectiveness of the wildlife mitigation measures and to document events and decisions that shaped the process of planning and designing the mitigation measures.

Preconstruction field data collection efforts were completed in the fall of 2005 and a final report on the preconstruction monitoring findings was published in January 2007 (Hardy *et al.* 2007). While the preconstruction monitoring and research efforts (Hardy *et al.* 2007) are valuable on their own, their main purpose is to provide a reference for a before-after comparison with the post-construction data. In 2010 MDT contracted with WTI-MSU to conduct the post-construction research with regard to the effectiveness of the mitigation measures. For this project, the Confederated Salish and Kootenai Tribes (CSKT) act as a subcontractor to WTI-MSU.




Figure 3: Total reported deer-vehicle collisions for each 0.1 mile between 2002-2005 along the US 93 North study area, including mitigation measures. Location of the following areas with continuous fencing and mitigation measures: Evaro (mile reference post 9.4-11.1), Ravalli Curves (22.9-26.8), and Ravalli Hill (27.7-28.8). The future mitigation measures for the Ninepipe section (mileposts 37-48) are not shown in this figure (from Hardy *et al.* 2007).

1.2. Objectives

Consistent with the direction provided by MDT, the project has the following objectives:

- Investigate the effect of the mitigation measures on human safety through an anticipated reduction in wildlife-vehicle collisions;
- Investigate the effect of the mitigation measures on the ability to maintain habitat connectivity for wildlife (especially for deer (white-tailed deer [*Odocoileus virginianus*] and mule deer [*Odocoileus hemionus*] combined) and black bear (*Ursus americanus*) through the use of the wildlife crossing structures; and
- Conduct cost-benefit analyses for the mitigation measures.

This document is the fifth in a series of annual reports detailing the progress on these tasks.

1.3. Post-Construction Research Activities Prior to 2013

CSKT and WTI-MSU conducted post-construction research prior to being contracted by MDT in 2010. A substantial part of the WTI-MSU efforts was made possible by Tiffany Allen, Jeremiah Purdum, Hayley Connolly-Newman, and Elizabeth Fairbank who obtained their M.Sc. degrees at MSU and the University of Montana. The previous four annual reports summarized the activities and results of these activities through December 2011 (Huijser et al., 2010; 2011; 2013a; b). The current annual report summarizes the main results of data collected in 2013.

2. MITIGATION MEASURES AND HUMAN SAFETY

2.1. Introduction

Wildlife-vehicle collisions affect human safety, property and wildlife. The total number of large mammal-vehicle collisions has been estimated at one to two million in the United States and at 45,000 in Canada annually (Conover *et al.* 1995, Tardif & Associates Inc. 2003, Huijser *et al.* 2008). These numbers have increased even further over the last decade (Tardif & Associates Inc. 2003, Huijser *et al.* 2008). In the United States, these collisions were estimated to cause between 135 and 211 human fatalities, between 26,647 and 29,000 human injuries and over one billion US dollars in property damage annually (Conover *et al.* 1995; Khattak 2003; Centers for Disease Control and Prevention 2004). In most cases the animals die immediately or shortly after the collision (Allen and McCullough 1976). In some cases it is not just the individual animals that suffer. Road mortality may also affect some species on the population level (e.g. van der Zee *et al.* 1992, Huijser and Bergers 2000), and some species may even be faced with a serious reduction in population survival probability as a result of road mortality, habitat fragmentation and other negative effects associated with roads and traffic (Proctor 2003, Huijser *et al.* 2008). In addition, some species also represent a monetary value that is lost once an individual animal dies (Romin and Bissonette 1996, Conover 1997).

While this chapter focuses on the reduction of collisions with large ungulates, this group is not necessarily the most abundant or the most important species group hit by vehicles. Large mammals (e.g. deer size and larger) receive most attention because of the following reasons:

- A collision with a large mammal can result in substantial vehicle damage and poses a substantial threat to human safety;
- Large mammal carcasses on or adjacent to the road pose a safety hazard on their own as they can cause drivers to undertake evasive maneuvers, be a general distraction to drivers, and become an attractant to potential scavengers; and
- Some large mammal species are threatened, endangered or considered charismatic.

The preconstruction research along US 93 North found that deer (white-tailed deer [*Odocoileus virginianus*] and mule deer [*Odocoileus hemionus*] combined) were by far the most frequently recorded species group (Hardy *et al.* 2007). However, rare, threatened or endangered species may be removed before agency personnel was able to record them, and small and medium sized species such as coyote and smaller are not, inconsistently or rarely reported. It is notable though that the western painted turtle (*Chrysemys picta bellii*) is frequently hit by vehicles in the Ninepipe area (Griffin 2007).

This chapter focuses on the potential reduction in wildlife-vehicle collisions along US 93 North as a result of the implementation of the mitigation measures described in Chapter 1. The results, discussion, and conclusion should all be considered preliminary as the final results will not be available until 2015. Previous research has shown that wildlife fencing in combination with wildlife under- and overpasses can reduce collisions with large wild ungulates with 79-97% (Reed *et al.* 1982, Ward 1982, Woods 1990, Clevenger *et al.* 2001, Dodd *et al.* 2007). However,

specific measures of effectiveness (parameters and thresholds) were determined based on consensus by MDT, CSKT, and FHWA (Huijser *et al.* 2009).

2.2. Methods

2.2.1. Crash and Carcass Data

Crash report data and carcass removal data were obtained from MDT. The two data sets ranged from 1 January 1998 through 31 December 2013. If more than one animal was recorded for one incident (either a crash or a carcass removal effort) each individual animal was counted and resulted in a separate record in one of the two databases. The crash data selected for this analysis involve all crashes where the first or most harmful event involves animals. Note that neither the crash data nor the carcass removal data are believed to include all crashes that occur or carcasses that are present (Huijser *et al.* 2007). There are thresholds for crash data (e.g. at least \$1,000 in vehicle repair costs) and carcasses of small or medium sized species (e.g. coyote [*Canis latrans*] and smaller) may not be removed from the roadside, and carcasses of larger species that are not on the actual road surface and that are not highly visible to drivers in the right-of-way are also not removed and remain unrecorded. However, both data sets can be very useful for the US 93 North monitoring and research project as long as their search and reporting efforts are consistent. For example, it is not necessary to record all animal-vehicle collisions to detect potential changes in the number of collisions, as long as the search and reporting effort remains consistent. For the purpose of this report the researchers did not combine the crash data and the carcass removal data. Instead, the researchers used the two separate data sets to investigate potential patterns in the individual data sets. Currently these efforts are mostly targeted at evaluating the data collection processes rather than conducting final analyses with regard to a potential reduction in wildlife-vehicle collisions. However, we do provide a preliminary summary of the number of wildlife-vehicle collisions, before and after completion of the mitigation measures in selected areas, and a comparison of the mitigated and unmitigated areas. For this purpose, the begin and end dates for construction in selected road sections with a concentration of mitigation measures are provided in Table 1. The researchers distinguished three different time periods: before reconstruction, during reconstruction, and after reconstruction. The preliminary analyses for this report combined data for the three areas listed in Table 1, but, as a consequence only three year of post construction data were available (Evaro only had post-reconstruction data available for 2011-2013). Additional analyses for this report distinguished between Evaro and the other two areas (Ravalli Curves and Ravalli Hill) which allowed for the inclusion of five years with post reconstruction data from Ravalli Curves and Ravalli Hill (2008 through 2013).

Table 1: Begin and end dates of the reconstruction of selected road sections with a concentration of mitigation measures.

Road Section (mile reference posts)	Begin Construction	End Construction
Evvaro (9.4-11.1)	2009	May 2010
Ravalli Curves (22.9-26.8)	January 2006	November 2007
Ravalli Hill (27.7-28.8)	January 2006	Spring 2007

2.2.1. Deer Pellet Group Surveys

If there are more deer around in a certain year than in a previous year, more deer-vehicle collisions can be expected. Similarly, reduced deer population size can be expected to result in fewer deer-vehicle collisions. Therefore it is important to have a measure for potential changes in the deer population size. Because there are no deer population estimates or hunting statistics available for the Flathead Indian Reservation, pellet group surveys were conducted in the Evvaro and in the Ravalli Curves and Ravalli Hill areas to provide a relative measure for potential changes in deer population size. There were 24 transects perpendicular to the road; 11 in the Evvaro area and 13 in the Ravalli Curves and Ravalli Hill areas. Each transect originated from the road and was 1640 ft (500 m) long and 3.3 ft (1 m) wide. The surveys were conducted in 2004 and 2005, and 2008 through 2013. However, the 2008 through 2010 surveys were only conducted in the Ravalli Curves and Ravalli Hill areas as construction was not completed yet in the Evvaro area. Consistent with the work plan, the pellet group surveys in Ravalli Curves and Ravalli Hill were not conducted in 2013. In 2013 the pellet group surveys were conducted in the Evvaro area only. If a deer pellet group was encountered it was classified as fresh black, old black, or brown. For the purpose of the current analyses only the fresh and old black pellet groups were included as brown pellets may be from a previous season.

2.3. Results

2.3.1. Crash and Carcass Data

The crash data do not specify the species, but the carcass removal data do identify the animal species. The species involved with animal-vehicle collisions along US 93 North between 1 January 1998 and 31 December 2013, based on carcass removal data, consist mostly of large mammals and are heavily dominated by white-tailed deer (Figure 4). The category “domestic” (n=21) was excluded from further analyses as domesticated species, in this case dogs, cats, livestock and a mule, are controlled by people and livestock fences rather than mitigation measures aimed at wildlife. “Unknown” species (n=1) were excluded as well. Relatively small wild species (n=13) were also excluded from further analyses as the species involved bobcat [*Lynx rufus*] (n=1), red fox [*Vulpes vulpes*] (n=1), raccoon [*Procyon lotor*] (n=7), turkey [*Meleagris gallopavo*] (n=2), skun [] (n=2), and coyote [*Canis latrans*] (n=2) as it is unlikely

that they were consistently recorded and they are too small to pose a substantial safety risk to humans.




Figure 4: Species involved with animal-vehicle collisions based on carcass removal data (1998-2013) along US 93 North between Evaro and Polson (N=856).

The search and reporting effort was relatively low until 2002 (Hardy *et al.* 2007). MDT maintenance personnel were instructed to have better and more consistent reporting from 2002 onwards (Hardy *et al.* 2007). Therefore the researchers only included carcass data from 2002 onwards for the evaluation of the effectiveness of the mitigation measures in reducing the number of animal-vehicle collisions. The average number of large mammal carcasses in the Evaro, Jocko River, and Ravalli Curves and Ravalli Hill areas is shown in Figures 5-7. The research concentrates on three road sections with a concentration of mitigation measures: Evaro, Ravalli Hills and Ravalli Curves.

The number of reported large wild mammal carcasses was lower during reconstruction and after the implementation of the mitigation measures than before reconstruction. For Evaro, Ravalli Curves and Ravalli Hill combined (three years of post-mitigation data), there was a decrease of 44.4% in the average number of reported large mammal carcasses per year (Figure 5).




Figure 5: The number of wild large animal carcasses and associated standard deviation reported in Evaro, Ravalli Curves and Ravalli Hill.

The numbers relate to the four years before reconstruction (without mitigation), the two years during reconstruction, and three years after reconstruction (with mitigation) in the Evaro, Ravalli Curves, and Ravalli Hill areas combined. Note that the reconstruction for the areas took place in different years (see Table 1) and that there were three years with post construction data available for the Evaro area (2011-2013).

The Evaro area, with only three years of post-reconstruction data, showed a decrease of 36.4% in the average number of reported large mammal carcasses per year (Figure 6) whereas Ravalli Curves and Ravalli Hill, with four years of post-reconstruction data combined showed a decrease of 15.8% (33.3% decrease in Ravalli Curves and 400% increase in Ravalli Hill) (Figure 7).




Figure 6: The number of wild large mammal carcasses and associated standard deviation that were reported in Evaro.

The numbers relate to the periods before (without mitigation), during, and after reconstruction (with mitigation) in the Evaro area. Before = 2002-2008, during = 2009-2010, after = 2011-2013.




Figure 7: The number of wild large mammal carcasses and associated standard deviation that were reported in Ravalli Curves and Ravalli Hill.

The numbers relate to the periods before (without mitigation), during, and after reconstruction (with mitigation) in the Ravalli Curves and Ravalli Hill area combined. Before = 2002-2005, during = 2006-2007, after = 2008- 2013.

The number of reported crashes with large wild mammals was lower during reconstruction and after the implementation of the mitigation measures than before reconstruction. For Evaro, Ravalli Curves and Ravalli Hill combined (three years of post-mitigation data), there was a decrease of 53.6% in the average number of reported large mammal carcasses per year when comparing the “after mitigation data” to the “before mitigation data” (Figure 8).




Figure 8: The number of crashes with large wild mammals and associated standard deviation that were reported in Evaro, Ravalli Curves and Ravalli Hill.

The numbers relate to the four years before reconstruction (without mitigation), the two years during reconstruction, and three years after reconstruction (with mitigation) in the Evaro, Ravalli Curves, and Ravalli Hill areas combined. Note that the reconstruction for the areas took place in different years (see Table 1) and that there were three years with post construction data available for the Evaro area (2011-2013).

The Evaro area, with only three years of post-reconstruction data, showed a decrease of 78.8% in the average number of reported crashes with large wild mammals per year when comparing the “after mitigation data” to the “before mitigation data” (Figure 9) whereas Ravalli Curves and Ravalli Hill, with five years of post-reconstruction data combined showed a decrease of 69.4% (55.6% decrease in both Ravalli Curves and Ravalli Hill) (Figure 10).




Figure 9: The number of crashes with large wild mammals and associated standard deviation that were reported in Evaro.

The numbers relate to the periods before (without mitigation), during, and after construction (with mitigations) in the Evaro area. Before = 2002-2008, during = 2009-2010, after = 2011- 2013.




Figure 10: The number of crashes with large wild mammals and associated standard deviation that were reported in Ravalli Curves and Ravalli Hill.

The numbers relate to periods before (without mitigation), during, and after construction (with mitigation) in the Ravalli Curves and Ravalli Hill area combined. Before = 2002-2005, during = 2006-2007, after = 2008-2013.

The overall number of reported large mammal carcasses between Evaro and Polson dropped substantially in 2008 and 2009 with substantially higher numbers in 2010 through 2013 (Figure 11). However, a similar reduction occurred in the unmitigated road sections (Figure 11). Interestingly, the crash data do not show a drop in animal-vehicle crashes in 2008 and 2009; if anything there may be an increase in crashes between 2007-2013, both for the entire road section between Evaro and Polson and the unmitigated road sections (Figure 12).




Figure 11: The number of wild large mammal carcasses that were reported between 2002 and 2013 for the entire 56 mile (90 km) between Evaro and Polson (fenced and unfenced sections combined), and the road sections within this stretch that do not have wildlife fencing or wildlife crossing structures (excluding 0.1 mi adjacent to fence ends).




Figure 12: The number of animal-vehicle crashes that were reported between 2002 and 2013 for the entire 56 mile (90 km) between Evaro and Polson (fenced and unfenced sections combined), and the road sections that do not have wildlife fencing or wildlife crossing structures (excluding 0.1 mi adjacent to fence ends).

2.3.1. Deer Pellet Group Surveys

The number of fresh and old black pellet groups in the Evaro area was variable with relatively large standard deviations (Figure 13). However, if the standard deviations are ignored, the deer population immediately after mitigation (2011-2012) may have been lower than before mitigation (2004-2005). Furthermore, the pellet groups suggest that the deer population in 2013 was similar to that of before mitigation. Consistent with the schedule, the last pellet group counts for Ravalli Curves and Ravalli Hill were conducted in 2012 (Figure 14).




Figure 13: The average number of deer pellet groups (fresh and old black) per transect and associated standard deviations per year in the Evaro area.




Figure 14: The average number of deer pellet groups (fresh and old black) per transect and associated standard deviations per year in the Ravalli Curves and Ravalli Hill areas combined.

2.4. Discussion and Conclusion

Based on the latest data, the number of wildlife-vehicle collisions may have decreased by 44.4% (carcass removal data) or 53.6% (crash data) for the Evaro, Ravalli Curves and Ravalli Hill areas combined. The absolute number of crashes was relatively low; both before and after the mitigation measures were implemented. This means that only one crash more or one crash less can have a substantial effect on the percentage reduction. Collecting data for longer and combining the data with those for other mitigated road sections will provide a more precise and robust estimate in the future. As discussed previously (see Huijser et al., 2011), the carcass removal data collection effort may have been lower in 2008 and 2009 than in previous and later years. This may have resulted in underestimating the number of carcasses and overestimating the effectiveness of the mitigation measures in those years.

The number of fresh and old black pellet groups was variable through the years with high standard deviations. However, the data indicate that deer continue to be present in more or less similar numbers in the Evaro area. Should there be a difference between the deer population before and after mitigation the deer population is more likely to be lower after mitigation, especially in 2011-2012. However, the pellet group counts cannot detect subtle changes in population size as the standard deviations are high.

3. MITIGATION MEASURES AND HABITAT CONNECTIVITY FOR WILDLIFE

3.1. Introduction

The preconstruction research measured the number of animals, especially deer and black bear, crossing the road before the road was widened and before the mitigation measures were put in place (Hardy *et al.* 2007). For this purpose 38 tracking beds (100 m long, 2 m wide) were installed along three road sections that would later have continuous wildlife fencing and wildlife crossing structures (Evaro, Ravalli Curves, and Ravalli Hill). The tracking beds covered about 30% of the road sections that would later be mitigated. Now that the road has been widened and the fences and crossing structures are in place in these three areas, the animals can only cross the road by using the underpasses and the one overpass (although some animals may cross wildlife guards or climb fences).

This chapter reports on the preliminary data for the use of the wildlife crossing structures in the Evaro, Ravalli Curves and Ravalli Hill areas in 2013. In addition, this chapter reports on the use of more isolated crossing structures with no or only limited wildlife fencing (e.g. up to a few hundred yards (meters)). Furthermore this chapter includes use data on wildlife jump-outs that are designed to allow wildlife to escape from the fenced road corridor. For the effectiveness of wildlife guards the researchers refer to a recent publication in Wildlife Society Bulletin (Allen *et al.* 2013).

While continuous fencing over relatively long road sections combined with wildlife crossing structures can result in a substantial (>80%) reduction in collisions with large mammals and substantial use by wildlife of the structures, such mitigation measures are not always possible or desirable. Much of the landscape in North America is heavily used by people (agriculture, houses, access roads etc.), resulting in a push towards more isolated crossing structures with no or limited wildlife fencing. However, the effectiveness of more isolated crossing structures is not known very well; not in terms of potential collision reduction and not in terms of wildlife use of the structures. Therefore this project also aims to measure wildlife use at a minimum of 10 more or less isolated wildlife crossing structures and analyze their use in relation to collisions in the immediate vicinity of the structure and potential short section of wildlife fence. For the purpose of this annual report the wildlife use data of the isolated crossing structures are summarized, but not analyzed in the context of the research question described above.

3.2. Methods

3.2.1. Crossing Structures

From 2008 until early 2010 the wildlife use of the structures was mostly monitored through sand tracking beds inside the structures. From early 2010 onwards, including 2013, the wildlife use of

the crossing structures was measured through wildlife cameras that were placed inside the structures or at the approach of a structure. For the purpose of this report the researchers only included records that related to actual crossings (excluding animals that rejected the structure after approaching it, excluding animals walking by a structure). This included crossings by animals that were in a group with a “mixed response” where some of the animals in the group did not cross the road using the structure.

The researchers distinguished between the structures in the 1. Evaro area and 2. Ravalli Curves and Ravalli Hill areas (Table 2) as the structures in these areas were completed in different years. The structures in the Ravalli Curves and Ravalli Hill areas were completed in 2007 whereas the structures in Evaro were completed in 2010. This means that wildlife has had more time to learn about the location of the structures and that it is safe to use them in the Ravalli Curves and Ravalli Hill areas than in the Evaro area. In addition, consistent with the work scope, the crossing structures in Ravalli Curves and Ravalli Hill were only monitored between 1 January 2013 and 31 May 2013 while the crossing structures in the Evaro area were monitored throughout 2013 (1 January 2013 -31 December 2013). Thus a separate analysis is appropriate for these areas for the 2013 data. The wildlife use of the “isolated” structures (Table 3) was summarized separately.

Table 2: The 17 wildlife crossing structures in road sections with continuous fencing in the Evaro, Ravalli Curves and Ravalli Hill areas that were monitored for wildlife use in 2013.

Area	Name structure
Evaro	EV 163 Montana Rail Link underpass
	EV 169 Finley creek 1
	EV 172 Finley creek 2
	EV 176 Finley creek 3
	EV 181 Finley creek 4
	EV 173 Wildlife Overpass
Ravalli Curves	RC 377 (Schall Flats #1)
	RC 381 (Spring Creek)
	RC 396 (Ravalli Curves #1)
	RC 406 (Ravalli Curves #2)
	RC 422 (Jocko Side Channel)
	RC 426 (Ravalli Curves #3)
	RC427(Ravalli Curves #4)
	RC 431 (Ravalli Curves #5)
	RC 432 (Copper Creek)
Ravalli Hill	RH 459 (Ravalli Hill #1)
	RH 463 (Ravalli Hill #2)

Table 3: The 12 isolated wildlife crossing structures that were monitored for wildlife use in 2013.

Name structure
148 (North Evaro)
198 (Schley Creek)
204 (North/East Fork Finley Creek)
499 (Pistol creek #1)
502 (Pistol creek #2)
529 (Mission Creek)
551 (Post Creek #1)
555 (Post Creek #2)
560 (Post Creek #3)
774 (Spring Creek #1)
784 (Spring Creek #2)
917 (Polson Hill)

The detection probability for deer and black bear is likely different for sand tracking beds outside the structures (pre-construction data) and inside structures (post-construction data 2008 through early 2010) as the tracking beds inside the structures were sheltered from wind and precipitation. In addition, the wildlife cameras are also likely to have a different detection probability for deer and black bear than the sand tracking beds. Therefore the relationship between pre-construction road crossings on sand tracking beds alongside the road, post-construction sand tracking beds inside underpasses, and post-construction wildlife cameras at the crossing structures must be established. Therefore four crossing structures had a tracking bed placed outside the structures (exposed to the elements, similar to pre-construction methods). These four tracking beds were installed on 20/21 July 2010 and monitored, twice a week between 9 August 2010 and 2 November 2010, and between 27 May 2011 and 25 October 2011. These four crossing structures have a relatively high use by deer and black bear, which should result in a high enough sample size to establish this relationship. The four tracking beds were located at RC 396 (Ravalli Curves #1), RC 427 (Ravalli Curves #3), RC432 (Copper Creek), and RH 459 (Ravalli Hill #1). The researchers will report on the calibration of the different monitoring techniques in one of the following quarterly reports.

3.2.2. Jump-outs

Wildlife jump-outs are earthen ramps within the fenced right-of-way. They allow wildlife caught in between the fences to walk up a slope at the fence line and then jump down to the safe side of the fence. Jump-outs should be low enough so that wildlife will readily jump down to the safe side of the fence. However, jump-outs should also be high enough so that wildlife will not or rarely jump into the fenced road corridor. This implies that the height of the wildlife jump-outs depends on the target species and their ability and willingness to jump. The height of the jump-

outs along US93N varies, but is mostly around 6 ft (1.82 m). So far most of the data on the appropriate height for wildlife jump-outs is based on mule deer (*Odocoileus hemionus*) and elk (*Cervus canadensis*).

In 2013 the researchers monitored the use of the 23 wildlife jump-outs in the Evaro area. The jump-outs in the Ravalli Curves and Ravalli Hill areas ended in 2012. Sand tracking beds were installed on the top and bottom of each of the jump-outs (about 5 m wide, 2 m wide). The researchers checked the tracking beds in the Evaro area for tracks once a week between 21 May 2013 and 9 October 2013. The researchers recorded the date, the species, and whether the animals concerned jumped down, jumped up or whether they were present only on the top or bottom of the jump-out.

3.3. Results

3.3.1. Crossing Structures

In 2013, 17,255 movements by animals (excluding 572 movements that involved humans) representing at least 24 different animal species passed through the 29 structures listed in Tables 2 and 3 (Table 4). The animal crossings through the structures that were monitored were dominated by white-tailed deer, domestic dogs, domestic cats, and mule deer (Table 4). The number of successful crossings per species for each structure are shown in the Appendix.

Table 4: The number of wildlife crossings through the 17 structures in Evaro, Ravalli Curves, and Ravalli Hill, and through the 12 isolated crossing structures in 2013. Preliminary data (N=17,827).

Species	Total passages (n)*	Total passages (%)	Evaro (EV)	Ravalli Curves (RC)*	Ravalli Hill (RH)*	Combined (EV+RC+RH)*	Isolated
White-tailed deer (<i>Odocoileus virginianus</i>)	13995	78.50	5031	1203	4	6238	7757
Domestic dog (<i>Canis lupus familiaris</i>)	1007	5.65	13	29	0	42	965
Domestic cat (<i>Felis catus</i>)	710	3.98	125	14	0	139	571
Mule deer (<i>Odocoileus hemionus</i>)	364	2.04	21	61	215	297	67
Raccoon (<i>Procyon lotor</i>)	356	2.00	3	49	0	52	304
Human	270	1.51	132	58	0	190	80
Human data collector	257	1.44	103	65	0	168	89
Black bear (<i>Ursus americanus</i>)	191	1.07	112	32	0	144	47
Bobcat (<i>Lynx rufus</i>)	116	0.65	36	59	3	98	18
Western striped skunk (<i>Mephitis mephitis</i>)	97	0.54	2	23	4	29	68
Red fox (<i>Vulpes vulpes</i>)	86	0.48	1	0	0	1	85
Coyote (<i>Canis latrans</i>)	81	0.45	5	12	2	19	62
Other birds (Aves)	60	0.34	0	1	0	1	59
Human and dog	39	0.22	1	15	0	16	23
Mountain lion (<i>Felis concolor</i>)	39	0.22	10	19	6	35	4
Ring-necked pheasant (<i>Phasianus colchicus</i>)	31	0.17	0	0	0	0	31
Deer spp. (<i>Odocoileus</i> spp.)	27	0.15	0	20	0	20	7
Rabbits and hares (Lagomorpha)	27	0.15	3	23	1	27	0
Wild turkey (<i>Meleagris gallopavo</i>)	23	0.13	20	0	0	20	3
Cattle (<i>Bos taurus</i>)	17	0.10	0	0	0	0	17
Grizzly bear (<i>Ursus arctos</i>)	5	0.03	0	0	0	0	5
American mink (<i>Mustela vison</i>)	5	0.03	0	0	0	0	5

Unknown	4	0.02		0	3	0	3		1
American badger (<i>Taxidea taxus</i>)	3	0.02		0	1	0	1		2
Elk (<i>Cervus canadensis</i>)	3	0.02		3	0	0	3		0
Human and ATV	3	0.02		0	0	0	0		3
Human and car	3	0.02		0	0	0	0		3
Yellow-bellied marmot (<i>Marmota flaviventris</i>)	3	0.02		0	0	0	0		3
Domestic goat (<i>Capra aegagrus hircus</i>)	2	0.01		0	0	0	0		2
Bear spp. (<i>Ursus</i> spp.)	1	0.01		1	0	0	1		0
Northern river otter - (<i>Lontra canadensis</i>)	1	0.01		0	1	0	1		0
Long-tailed weasel (<i>Mustela frenata</i>)	1	0.01		0	1	0	1		0
Other	0	0.00		0	0	0	0		0

*Note that the number of crossings through the structures in Ravalli Curves and Ravalli Hill only relate to part of 2013: 1 January 2013 – 31 May 2013

In 2013, 6,238 deer (*Odocoileus* spp.) passed through the 17 structures in the Evaro, Ravalli Curves and Ravalli Hill area (Table 4). For black bear this number was 144. However, note that the structures in Ravalli Curves and Ravalli Hill were only monitored between 1 January 2013 and 31 May 2013. Other interesting observations from 2013 are the 5 passages by grizzly bear (all at Post Creek 3) and the 3 passages by elk (2 at the overpass and 1 at Finley Creek 4) (see Appendix).

3.3.2. Jump-outs

There was only one deer and one human that used the jump-outs to jump-down to the safe side of the fence (Table 5). However, there were 232 additional deer recorded on top of the wildlife jump-outs. Thus only 0.4% of the deer that were present on top of the wildlife jump-outs ended up jumping down (1 out of 233 (232+1)). On the other hand not a single event was recorded of a species jumping up the wildlife jump-outs into the fenced road corridor.

Table 5: The number of animals (or humans) jumping down or up the wildlife jump-outs, and the number of animals recorded at the bottom or top of the jump-outs only.

Behavior	Deer (<i>Odocoileus</i> spp.)	Cattle (<i>Bos</i> spp.)	Domesticated cat (<i>Felis catus</i>)	Human	Domesticated dog (<i>Canis lupus familiaris</i>)	Black bear (<i>Ursus americanus</i>)
Jumped down (desirable)	1	0	0	1	0	0
Jumped up (undesirable)	0	0	0	0	0	0
Presence at bottom jump-out only (safe side of fence)	781	285	35	9	2	7
Presence on top jump-out only (road side of fence)	232	0	5	21	4	0
Total	1014	285	40	31	6	7

3.4. Discussion and Conclusion

3.4.1. Crossing Structures

The wildlife crossing structures in the road sections with continuous fencing in Evaro, Ravalli Curves and Ravalli Hill, as well as the selected isolated structures appear to continue to receive substantial use (at least 17,255 passages by animals) by a wide variety of wildlife species (at least 24 animal species in 2013), especially white-tailed deer, domestic dogs and cats, and mule deer. The number of mule deer and black bear in 2013 was lower than previous years. This is mostly because the area in which most mule deer are present (Ravalli Hill and certain portions of Ravalli Curves) were only monitored between 1 January 2013 and 31 May 2013 rather than the entire calendar year.

For the road sections with a concentration of mitigation measures (Evaro, Ravalli Curves and Ravalli Hill) the average number of deer (white-tailed deer and mule deer combined) that were estimated to cross the road before road reconstruction was estimated at 1,732 per year (2003 through 2005) while this number was 109 for black bears (Hardy *et al.* 2007). It appears that far more deer (n=6,238) and black bear (n=144) crossings occurred through the structures in these areas in 2013 than the pre-mitigation reference values, with no indication of a considerable increase in the deer population in 2013 compared to 2004 and 2005 (see pellet group counts in Chapter 2). However, a direct comparison of the pre-construction and post-construction deer and black bear crossings can only be made after several corrections have been made; the pre-construction data only relate to part of the year (May-October) while the current camera data for Evaro relate to the full calendar year, and the current camera data for Ravalli Curves and Ravalli Hill only relate to the first 5 months of 2013 rather than the entire tracking season (May-October) or calendar year. In addition, there are likely differences in the detection probability for sand tracking beds along the roadway, inside underpasses, and cameras at underpasses. Nonetheless, wildlife use of the structures, especially for deer and black bear, can be considered substantial. Note that the term “success” is specifically defined based on consensus between MDT, CSKT and FHWA. Thus whether the wildlife crossing structures are considered “successful” or not can only be concluded after more data have been collected and after they have been analyzed in the context of the measures of effectiveness agreed upon by MDT, CSKT, and FHWA.

It is noteworthy that the number of crossings by grizzly bears was down from 15 (in 2011) to 4 (in 2012) and 5 (in 2013). The number of elk crossings was down from 6 (in 2011) to 2 (in 2012) and 3 (in 2013). In addition, while there were 2 crossings by moose in 2012, there were none in 2013.

3.4.2. Jump-outs

The wildlife jump-outs are not or barely used by deer to escape out of the fenced right-of-way. It appears that the wildlife jump-outs that were designed based on data for mule deer and elk are too high for white-tailed deer that dominate in the Evaro area.

The researchers suggest experimenting with lowering several jump-outs in the Evaro area. This should be done carefully and gradually as the wildlife jump-outs should still be high enough to discourage the animals from jumping into the fenced road corridor.

4. COST-BENEFIT ANALYSIS

The cost-benefit data are projected to be analyzed in one of the following quarterly reports.

5. REFERENCES

Allen, T. D. H., Huijser, M. P. and Willey, D. W., "Effectiveness of wildlife guards at access roads." *Wildlife Society Bulletin* Vol. 37 No. 2 (2013) pp. 402-408.

Allen, R. E., and McCullough, D. R., "Deer-car accidents in southern Michigan." *Journal of Wildlife Management*, Vol. 40 (1976) pp. 317-325. Centers for Disease Control and Prevention, "Nonfatal motor-vehicle animal crash-related injuries - United States, 2001-2002." *Morbidity and Mortality Weekly Report* Vol. 53 No. 30 (2004) pp. 675-678.

Clevenger, A. P., Chruszcz, B. and Gunson, K., "Highway mitigation fencing reduces wildlife-vehicle collisions." *Wildlife Society Bulletin* Vol. 29 (2001) pp. 646-653.

Clevenger, A. P., Chruszcz, B., Gunson, K. and Wierzchowski, J., "Roads and wildlife in the Canadian Rocky Mountain Parks: Movements, mortality and mitigation. Final report to Parks Canada." Banff, Alberta, Canada (2002).

Conover, M. R., "Monetary and intangible valuation of deer in the United States." *Wildlife Society Bulletin* Vol. 25 (1997) pp. 298-305.

Conover, M. R., Pitt, W. C., Kessler, K. K., DuBow, T. J. and Sanborn, W., "A review of human injuries, illnesses, and economic losses caused by wildlife in the United States." *Wildlife Society Bulletin* Vol. 23 (1995) pp. 407-414.

Dodd, N. L., Gagnon, J.W., Boe, S., and Schweinsburg, R.E., "Characteristics of elk-vehicle collisions and comparison to GPS-determined highway crossing patterns." In: Irwin, C. L., Garrett, P., and McDermott K. P. (eds.), *Proceedings of the 2005 international conference on wildlife ecology and transportation*. Center for Transportation and the Environment, North Carolina State University, Raleigh, North Carolina, USA (2006) pp. 461-477.

Dodd, N. L., Gagnon, J.W., Boe, S., Manzo, A. and Schweinsburg, R.E., "Evaluation of measures to minimize wildlife-vehicle collisions and maintain permeability across highways: Arizona Route 260." Final Report 540. FHWA-AZ-07-540. Arizona Department of Transportation, Phoenix, Arizona, USA (2007).

Foster, M. L. and Humphrey, S. R., "Use of highway underpasses by Florida panthers and other wildlife." *Wildlife Society Bulletin*, Vol. 23 No. 1 (1995) pp. 95-100.

Griffin, K. A., "Spatial population dynamics of western painted turtles in a wetland ecosystem in northwestern Montana." PhD Thesis, The University of Montana Missoula, Montana, USA (2007).

Hardy, A. R., Fuller, J., Huijser, M. P., Kociolek, A., and Evans, M., "Evaluation of wildlife crossing structures and fencing on US Highway 93 Evaro to Polson -- Phase I: Preconstruction data collection and finalization of evaluation plan final report." *FHWA/MT-06-008/1744-2*,

Montana Department of Transportation, Helena, Montana, USA (2007) 210 pp. Available from the internet: http://www.mdt.mt.gov/research/projects/env/wildlife_crossing.shtml

Huijser, M. P. and Bergers, P. J. M., “The effect of roads and traffic on hedgehog (*Erinaceus europaeus*) populations.” *Biological Conservation* Vol. 95 (2000) pp. 111-116.

Huijser, M. P., Fuller, J., Wagner, M.E., Hardy, A. and Clevenger, A.P., “Animal-vehicle collision data collection. A synthesis of highway practice.” NCHRP Synthesis 370. Project 20-05/Topic 37-12. Transportation Research Board of the National Academies, Washington DC, USA (2007). Available from the internet: http://www.trb.org/news/blurb_detail.asp?id=8422

Huijser, M. P., McGowen, P., Fuller, J., Hardy, A., Kociolek, A., Clevenger, A. P., Smith, D., and Ament, R., “Wildlife-vehicle collision reduction study. Report to Congress.” U.S. Department of Transportation, Federal Highway Administration, Washington D.C., USA (2008) 232 pp. Available from the internet: <http://www.fhrc.gov/safety/pubs/08034/index.htm>

Huijser, M. P., Ament, R., Camel, W. and Becker, D., “US 93 Post-construction wildlife-vehicle collision and wildlife crossing monitoring and research”. Proposal prepared for the Montana Department of Transportation. Western Transportation Institute College of Engineering Montana State University, Bozeman, Montana, USA (2009) 43 pp.

Huijser, M. P., Allen, T. D. H. and Camel, W., “US 93 Post-construction wildlife-vehicle collision and wildlife crossing monitoring and research on the Flathead Indian Reservation between Evaro and Polson, Montana.” Annual report 2010. Western Transportation Institute College of Engineering Montana State University, Bozeman, Montana, USA (2010) 33 pp. Available from the internet: http://www.mdt.mt.gov/research/projects/env/wildlife_crossing.shtml

Huijser, M. P., Allen, T. D. H., Purdum, J. P., and Camel-Means, W., “US 93 Post-construction wildlife-vehicle collision and wildlife crossing monitoring and research on the Flathead Indian Reservation between Evaro and Polson, Montana.” Annual report 2011. Western Transportation Institute College of Engineering Montana State University, Bozeman, Montana, USA (2011) 41 pp. Available from the internet: http://www.mdt.mt.gov/research/projects/env/wildlife_crossing.shtml

Huijser, M. P., Purdum, J. P., and Camel-Means, W., “US 93 Post-construction wildlife-vehicle collision and wildlife crossing monitoring and research on the Flathead Indian Reservation between Evaro and Polson, Montana.” Annual report 2012. Western Transportation Institute College of Engineering Montana State University, Bozeman, Montana, USA (2013a) 39 pp. Available from the internet: http://www.mdt.mt.gov/research/projects/env/wildlife_crossing.shtml

Huijser, M. P., Fairbank, E., Camel-Means, W., and Purdum, J. P., “US 93 Post-construction wildlife-vehicle collision and wildlife crossing monitoring and research on the Flathead Indian

Reservation between Evaro and Polson, Montana.” Annual report 2013. Western Transportation Institute College of Engineering Montana State University, Bozeman, Montana, USA (2013b) 42 pp. Available from the internet:

http://www.mdt.mt.gov/research/projects/env/wildlife_crossing.shtml

Khattak, A. J., “Human fatalities in animal-related highway crashes.” Paper 03-2187. TRB 2003 Annual Meeting CD-ROM Available from the internet:

http://www.rexano.org/Statistics/animal_crash_highway.pdf

Peterson, M. N., Lopez, R. R., Silvy, N. J., Owen, C. B., Frank, P. A., and BradenSource, A.W., “Evaluation of deer-exclusion grates in urban areas.” *Wildlife Society Bulletin*, Vol. 31 No. 4 (2003) pp. 1198-1204.

Proctor, M. F., “Genetic analysis of movement, dispersal and population fragmentation of grizzly bears in southwestern Canada.” Dissertation. The University of Calgary, Calgary, Alberta, Canada (2003).

Reed, D. F., Beck, T. D. I., and Woodward, T. N., “Methods of reducing deer-vehicle accidents: benefit-cost analysis.” *Wildlife Society Bulletin* Vol. 10 (1982) pp. 349-354.

Romin, L. A. and Bissonette, J. A., “Deer-vehicle collisions: status of state monitoring activities and mitigation efforts.” *Wildlife Society Bulletin* Vol. 24 (1996) pp. 276-283.

Tardif, L. -P., and Associates Inc., “Collisions involving motor vehicles and large animals in Canada.” Final report. L-P Tardif & Associates Inc., Nepean, Ontario, Canada (2003).

WSDOT, “Snoqualmie Pass east folio.” Washington Department of Transportation, Olympia, Washington State, USA (2007) 2 pp. Available from the internet:

http://www.wsdot.wa.gov/NR/rdonlyres/F8067230-75B1-4CB6-907D-0299F4E17F97/0/I90SnoqPassEastFolio_03_2007.pdf

Ward, A. L., “Mule deer behavior in relation to fencing and underpasses on Interstate 80 in Wyoming.” *Transportation Research Record* Vol. 859 (1982) pp. 8-13.

Woods, J.G., 1990. Effectiveness of fences and underpasses on the Trans-Canada Highway and their impact on ungulate populations. Report to Banff National Park Warden Service, Banff, Alberta, Canada.

Zee, F. F. van der, Wiertz, J., ter Braak, C. J. F., Apeldoorn, R. C. van and Vink, J., “Landscape change as a possible cause of the badger *Meles meles* L. decline in The Netherlands.” *Biological Conservation* Vol. 61 (1992) pp.17-22.

6. APPENDIX

Successful wildlife crossings by species and structure for 2013.

Evaro area.

Species	Railroad	Finley Creek 1	Finley Creek 2	Overpass	Finley Creek 3	Finley Creek 4
White-tailed deer (<i>Odocoileus virginianus</i>)	2874	437	54	1183	215	268
Domesticated dog (<i>Canis lupus familiaris</i>)	1	2	3	0	0	7
Domesticated cat (<i>Felis catus</i>)	42	63	10	3	3	4
Mule deer (<i>Odocoileus hemionus</i>)	0	2	0	5	0	14
Raccoon (<i>Procyon lotor</i>)	2	1	0	0	0	0
Human	1	119	10	0	1	1
Human data collector	17	23	16	16	14	17
Black bear (<i>Ursus americanus</i>)	7	7	30	6	39	23
Bobcat (<i>Lynx rufus</i>)	0	1	4	5	0	26
Western striped skunk (<i>Mephitis mephitis</i>)	0	0	0	0	0	2
Red fox (<i>Vulpes vulpes</i>)	0	0	0	1	0	0
Coyote (<i>Canis latrans</i>)	0	1	0	1	0	3
Other birds (Aves)	0	0	0	0	0	0
Human and dog	0	0	0	1	0	0
Mountain lion (<i>Felis concolor</i>)	0	0	5	1	1	3
Ring-necked pheasant (<i>Phasianus colchicus</i>)	0	0	0	0	0	0
Deer spp. (<i>Odocoileus</i> spp.)	0	0	0	0	0	0
Rabbits and hares (Lagomorpha)	0	1	0	0	2	0
Wild turkey (<i>Meleagris gallopavo</i>)	14	0	0	6	0	0
Cattle (<i>Bos taurus</i>)	0	0	0	0	0	0
Grizzly bear (<i>Ursus arctos</i>)	0	0	0	0	0	0
American mink (<i>Mustela vison</i>)	0	0	0	0	0	0
Unknown	0	0	0	0	0	0
American badger (<i>Taxidea taxus</i>)	0	0	0	0	0	0
Elk (<i>Cervus canadensis</i>)	0	0	0	2	0	1
Human and ATV	0	0	0	0	0	0
Human and car	0	0	0	0	0	0
Yellow-bellied marmot (<i>Marmota flaviventris</i>)	0	0	0	0	0	0
Domesticated goat (<i>Capra aegagrus hircus</i>)	0	0	0	0	0	0
Bear spp. (<i>Ursus</i> spp.)	0	1	0	0	0	0
Northern river otter - (<i>Lontra canadensis</i>)	0	0	0	0	0	0
Long-tailed weasel (<i>Mustela frenata</i>)	0	0	0	0	0	0
Other	0	0	0	0	0	0
Total	2958	658	132	1230	275	369

Ravalli Curves area

Note: These structures were only monitored between 1 January 2013 and 31 May 2013.

Species	RC 377	RC 381	RC 396	RC 406	RC 422	RC 426	RC 427	RC 431	RC 432
White-tailed deer (<i>Odocoileus virginianus</i>)	0	514	611	16	16	0	1	2	43
Domesticated dog (<i>Canis lupus familiaris</i>)	0	0	2	27	0	0	0	0	0
Domesticated cat (<i>Felis catus</i>)	0	0	1	13	0	0	0	0	0
Mule deer (<i>Odocoileus hemionus</i>)	0	0	27	10	10	0	0	0	14
Raccoon (<i>Procyon lotor</i>)	0	0	1	1	1	40	6	0	0
Human	0	0	4	23	0	0	0	0	31
Human data collector	5	6	7	7	7	10	10	6	7
Black bear (<i>Ursus americanus</i>)	0	0	1	1	1	6	10	0	13
Bobcat (<i>Lynx rufus</i>)	0	0	0	7	2	15	29	4	2
Western striped skunk (<i>Mephitis mephitis</i>)	0	1	0	0	0	7	3	7	5
Red fox (<i>Vulpes vulpes</i>)	0	0	0	0	0	0	0	0	0
Coyote (<i>Canis latrans</i>)	0	0	9	0	0	2	1	0	0
Other birds (Aves)	0	1	0	0	0	0	0	0	0
Human and dog	0	0	0	15	0	0	0	0	0
Mountain lion (<i>Felis concolor</i>)	0	0	0	0	6	2	1	0	10
Ring-necked pheasant (<i>Phasianus colchicus</i>)	0	0	0	0	0	0	0	0	0
Deer spp. (<i>Odocoileus</i> spp.)	0	10	1	1	8	0	0	0	0
Rabbits and hares (Lagomorpha)	0	1	0	0	0	8	14	0	0
Wild turkey (<i>Meleagris gallopavo</i>)	0	0	0	0	0	0	0	0	0
Cattle (<i>Bos taurus</i>)	0	0	0	0	0	0	0	0	0
Grizzly bear (<i>Ursus arctos</i>)	0	0	0	0	0	0	0	0	0
American mink (<i>Mustela vison</i>)	0	0	0	0	0	0	0	0	0
Unknown	0	0	0	0	0	3	0	0	0
American badger (<i>Taxidea taxus</i>)	0	0	0	0	0	0	0	0	1

Elk (<i>Cervus canadensis</i>)	0	0	0	0	0	0	0	0	0
Human and ATV	0	0	0	0	0	0	0	0	0
Human and car	0	0	0	0	0	0	0	0	0
Yellow-bellied marmot (<i>Marmota flaviventris</i>)	0	0	0	0	0	0	0	0	0
Domesticated goat (<i>Capra aegagrus hircus</i>)	0	0	0	0	0	0	0	0	0
Bear spp. (<i>Ursus</i> spp.)	0	0	0	0	0	0	0	0	0
Northern river otter - (<i>Lontra canadensis</i>)	0	0	0	0	0	0	1	0	0
Long-tailed weasel (<i>Mustela frenata</i>)	0	0	0	0	0	1	0	0	0
Other	0	0	0	0	0	0	0	0	0
Total	5	533	664	121	51	94	76	19	126

Ravalli Hill area

Note: These structures were only monitored between 1 January 2013 and 31 May 2013.

Species	Ravalli Hill 1	Ravalli Hill 2
White-tailed deer (<i>Odocoileus virginianus</i>)	4	0
Domesticated dog (<i>Canis lupus familiaris</i>)	0	0
Domesticated cat (<i>Felis catus</i>)	0	0
Mule deer (<i>Odocoileus hemionus</i>)	108	107
Raccoon (<i>Procyon lotor</i>)	0	0
Human	0	0
Human data collector	0	0
Black bear (<i>Ursus americanus</i>)	0	0
Bobcat (<i>Lynx rufus</i>)	1	2
Western striped skunk (<i>Mephitis mephitis</i>)	4	0
Red fox (<i>Vulpes vulpes</i>)	0	0
Coyote (<i>Canis latrans</i>)	1	1
Other birds (Aves)	0	0
Human and dog	0	0
Mountain lion (<i>Felis concolor</i>)	4	2
Ring-necked pheasant (<i>Phasianus colchicus</i>)	0	0
Deer spp. (<i>Odocoileus</i> spp.)	0	0
Rabbits and hares (Lagomorpha)	0	1
Wild turkey (<i>Meleagris gallopavo</i>)	0	0
Cattle (<i>Bos taurus</i>)	0	0
Grizzly bear (<i>Ursus arctos</i>)	0	0
American mink (<i>Mustela vison</i>)	0	0
Unknown	0	0
American badger (<i>Taxidea taxus</i>)	0	0
Elk (<i>Cervus canadensis</i>)	0	0
Human and ATV	0	0
Human and car	0	0
Yellow-bellied marmot (<i>Marmota flaviventris</i>)	0	0
Domesticated goat (<i>Capra aegagrus hircus</i>)	0	0
Bear spp. (<i>Ursus</i> spp.)	0	0
Northern river otter - (<i>Lontra canadensis</i>)	0	0
Long-tailed weasel (<i>Mustela frenata</i>)	0	0
Other	0	0
Total	122	113

Isolated structures – part 1

Species	North Evaro	Schley Creek	N Finley Creek	Pistol Creek 1	Pistol Creek 2	Mission Creek
White-tailed deer (<i>Odocoileus virginianus</i>)	72	9	0	193	80	248
Domesticated dog (<i>Canis lupus familiaris</i>)	215	22	68	0	4	631
Domesticated cat (<i>Felis catus</i>)	170	25	126	3	28	7
Mule deer (<i>Odocoileus hemionus</i>)	0	0	0	0	0	0
Raccoon (<i>Procyon lotor</i>)	0	17	46	14	3	22
Human	9	11	3	1	1	17
Human data collector	10	16	14	7	6	13
Black bear (<i>Ursus americanus</i>)	5	4	0	0	1	36
Bobcat (<i>Lynx rufus</i>)	0	1	0	15	2	0
Western striped skunk (<i>Mephitis mephitis</i>)	0	0	0	4	0	2
Red fox (<i>Vulpes vulpes</i>)	0	0	0	0	0	28
Coyote (<i>Canis latrans</i>)	0	1	0	19	10	0
Other birds (Aves)	0	0	0	3	0	23
Human and dog	8	3	0	3	0	2
Mountain lion (<i>Felis concolor</i>)	0	0	0	0	0	1
Ring-necked pheasant (<i>Phasianus colchicus</i>)	0	0	0	0	0	0
Deer spp. (<i>Odocoileus</i> spp.)	0	0	0	0	0	0
Rabbits and hares (Lagomorpha)	0	0	0	0	0	0
Wild turkey (<i>Meleagris gallopavo</i>)	0	0	0	0	0	0
Cattle (<i>Bos taurus</i>)	0	0	0	0	0	17
Grizzly bear (<i>Ursus arctos</i>)	0	0	0	0	0	0
American mink (<i>Mustela vison</i>)	0	0	0	0	0	0
Unknown	0	0	0	0	0	1

American badger (<i>Taxidea taxus</i>)	0	0	0	0	2	0
Elk (<i>Cervus canadensis</i>)	0	0	0	0	0	0
Human and ATV	0	0	0	3	0	0
Human and car	0	0	0	0	0	0
Yellow-bellied marmot (<i>Marmota flaviventris</i>)	0	0	0	0	0	0
Domesticated goat (<i>Capra aegagrus hircus</i>)	2	0	0	0	0	0
Bear spp. (<i>Ursus</i> spp.)	0	0	0	0	0	0
Northern river otter - (<i>Lontra canadensis</i>)	0	0	0	0	0	0
Long-tailed weasel (<i>Mustela frenata</i>)	0	0	0	0	0	0
Other	0	0	0	0	0	0
Total	491	109	257	265	137	1048

Isolated structures – part 2

Species	Post Creek 1	Post Creek 2	Post Creek 3	Spring Creek 1	Spring Creek 2	Polson Hill
White-tailed deer (<i>Odocoileus virginianus</i>)	1102	2668	2597	15	13	760
Domesticated dog (<i>Canis lupus familiaris</i>)	2	0	1	0	0	22
Domesticated cat (<i>Felis catus</i>)	0	43	104	10	25	30
Mule deer (<i>Odocoileus hemionus</i>)	0	0	0	0	0	67
Raccoon (<i>Procyon lotor</i>)	58	101	17	8	12	6
Human	0	8	19	1	0	10
Human data collector	1	2	16	0	0	4
Black bear (<i>Ursus americanus</i>)	0	0	0	0	0	1
Bobcat (<i>Lynx rufus</i>)	0	0	0	0	0	0
Western striped skunk (<i>Mephitis mephitis</i>)	2	12	1	6	11	30
Red fox (<i>Vulpes vulpes</i>)	0	1	0	15	30	11
Coyote (<i>Canis latrans</i>)	1	0	2	0	0	29
Other birds (Aves)	3	17	2	0	9	2
Human and dog	0	5	0	0	0	2
Mountain lion (<i>Felis concolor</i>)	0	0	0	0	0	3
Ring-necked pheasant (<i>Phasianus colchicus</i>)	0	25	4	0	0	2
Deer spp. (<i>Odocoileus</i> spp.)	4	2	1	0	0	0
Rabbits and hares (Lagomorpha)	0	0	0	0	0	0
Wild turkey (<i>Meleagris gallopavo</i>)	0	1	2	0	0	0
Cattle (<i>Bos taurus</i>)	0	0	0	0	0	0
Grizzly bear (<i>Ursus arctos</i>)	0	0	5	0	0	0
American mink (<i>Mustela vison</i>)	5	0	0	0	0	0
Unknown	0	0	0	0	0	0
American badger (<i>Taxidea taxus</i>)	0	0	0	0	0	0

Elk (<i>Cervus canadensis</i>)	0	0	0	0	0	0
Human and ATV	0	0	0	0	0	0
Human and car	0	0	0	0	0	3
Yellow-bellied marmot (<i>Marmota flaviventris</i>)	0	3	0	0	0	0
Domesticated goat (<i>Capra aegagrus hircus</i>)	0	0	0	0	0	0
Bear spp. (<i>Ursus</i> spp.)	0	0	0	0	0	0
Northern river otter - (<i>Lontra canadensis</i>)	0	0	0	0	0	0
Long-tailed weasel (<i>Mustela frenata</i>)	0	0	0	0	0	0
Other	0	0	0	0	0	0
Total	1178	2888	2771	55	100	982